

REFERENCES

- [1] Makary MA, Daniel M. Medical error—the third leading cause of death in the US. *BMJ* 2016;353:i2139. doi:10.1136/bmj.i2139.
- [2] WHO. Data and statistics 2018. <http://www.euro.who.int/en/health-topics/Health-systems/patient-safety/data-and-statistics> (accessed February 2, 2018).
- [3] Bart S, Hannan T. The use of existing low-cost technologies to enhance the medical record documentation using a summary patient record [SPR]. *Stud Health Technol Inform* 2007;129:350–3.
- [4] Bhattacherjee A, Nese Hikmet, Menachemi N, Kayhan VO, Brooks RG. The Differential Performance Effects of Healthcare Information Technology Adoption. *Inf Syst Manag* 2007;24:5–14.
- [5] Mecham ID, Vines C, Dean NC. Community-acquired pneumonia management and outcomes in the era of health information technology. *Respirol Carlton Vic* 2017;22:1529–35. doi:10.1111/resp.13132.
- [6] Phansalkar S, Wright A, Kuperman GJ, Vaida AJ, Bobb AM, Jenders RA, et al. Towards meaningful medication-related clinical decision support: recommendations for an initial implementation. *Appl Clin Inform* 2011;2:50–62. doi:10.4338/ACI-2010-04-RA-0026.
- [7] Gardner RM, Pryor TA, Warner HR. The HELP hospital information system: update 1998. *Int J Med Inf* 1999;54:169–82. doi:10.1016/S1386-5056(99)00013-1.
- [8] Yucel G, Cebi S, Hoege B, Ozok AF. A fuzzy risk assessment model for hospital information system implementation. *Expert Syst Appl* 2012;39:1211–8. doi:10.1016/j.eswa.2011.07.129.
- [9] Anchala R, Pant H, Prabhakaran D, Franco OH. 'Decision support system (DSS) for prevention of cardiovascular disease (CVD) among hypertensive (HTN) patients in Andhra Pradesh, India'--a cluster randomised community intervention trial. *BMC Public Health* 2012;12:393. doi:10.1186/1471-2458-12-393.
- [10] Goldberg HS, Paterno MD, Rocha BH, Schaeffer M, Wright A, Erickson JL, et al. A highly scalable, interoperable clinical decision support service. *J Am Med Inform Assoc* 2014;21:e55–62.
- [11] Stürzlinger H, Hiebinger C, Perl D, Traurig P. Computerized Physician Order Entry - effectiveness and efficiency of electronic medication ordering with decision support systems. *GMS Health Technol Assess* 2009;5:Doc07. doi:10.3205/hta000069.
- [12] Deyette K. Hitech Act: Building an Infrastructure for Health Information Organizations and a New Health Care Delivery System. *Louis UJ Health Pol* 2014;8:377.

- [13] Henricks WH. "Meaningful use" of electronic health records and its relevance to laboratories and pathologists. *J Pathol Inform* 2011;2. doi:10.4103/2153-3539.76733.
- [14] Poley MJ, Edelenbos KI, Mosseveld M, van Wijk MAM, de Bakker DH, van der Lei J, et al. Cost consequences of implementing an electronic decision support system for ordering laboratory tests in primary care: evidence from a controlled prospective study in the Netherlands. *Clin Chem* 2007;53:213–9. doi:10.1373/clinchem.2006.073908.
- [15] Gilmer TP, O'Connor PJ, Sperl-Hillen JM, Rush WA, Johnson PE, Amundson GH, et al. Cost-effectiveness of an electronic medical record based clinical decision support system. *Health Serv Res* 2012;47:2137–58. doi:10.1111/j.1475-6773.2012.01427.x.
- [16] Ward J, Peppard J. Strategic planning for information systems. 3rd ed. Chichester, West Sussex, England ; New York: J. Wiley; 2002.
- [17] Coiera E. Guide to Health Informatics, Third Edition. CRC Press; 2015.
- [18] Haux R, editor. Strategic information management in hospitals: an introduction to hospital information systems. 1st Edition. Softcover version of original hardcover edition 2004. New York, NY: Springer New York; 2010.
- [19] Collen MF, Ball MJ. The History of Medical Informatics in the United States. Springer; 2015.
- [20] Coile RC. The paperless hospital: healthcare in a digital age. Chicago: Health Administration Press; 2002.
- [21] Moreno L, Peikes DN, Krilla A. Necessary But Not Sufficient: The HITECH Act and health information technology's potential to build medical homes. Agency for Healthcare Research and Quality, US Department of Health and Human Services Washington, DC; 2010.
- [22] Brennan S. The NHS IT Project: The Biggest Computer Programme in the World - Ever! 2005.
https://books.google.co.id/books/about/The_NHS_IT_Project.html?id=QqWRcnMUKLQC&redir_esc=y (accessed February 18, 2018).
- [23] Wachter R. Making IT work: harnessing the power of health information technology to improve care in England. Rep Natl Advis Group Health Inf Technol Engl DH Lond 2016.
- [24] Campion-Awwad O, Hayton A, Smith L, Vuaran M. The National Programme for IT in the NHS. Case Hist 2014.
- [25] Hersh W, Wright A. What Workforce is Needed to Implement the Health Information Technology Agenda? Analysis from the HIMSS Analytics™ Database. *AMIA Annu Symp Proc* 2008;2008:303–7.

- [26] Remenyi D, Money AH, Bannister F, Remenyi D. The effective measurement and management of ICT costs and benefits. 3rd ed. Oxford ; Burlington, MA: CIMA; 2007.
- [27] Scaletti A. Evaluating Investments in Health Care Systems. Cham: Springer International Publishing; 2014. doi:10.1007/978-3-319-02544-5.
- [28] Augestad KM, Revhaug A, Johnsen R, Skrøvseth S-O, Lindsetmo R-O. Implementation of an electronic surgical referral service. Collaboration, consensus and cost of the surgeon - general practitioner Delphi approach. *J Multidiscip Healthc* 2014;7:371–80. doi:10.2147/JMDH.S66693.
- [29] Banas CA, Erskine AR, Sun S, Retchin SM. Phased implementation of electronic health records through an office of clinical transformation. *J Am Med Inform Assoc* 2011;18:721–5.
- [30] Bishop RO, Patrick J, Besiso A. Efficiency achievements from a user-developed real-time modifiable clinical information system. *Ann Emerg Med* 2015;65:133–142.e5. doi:10.1016/j.annemergmed.2014.05.032.
- [31] Callaway EC, Sweet CF, Siegel E, Reiser JM, Beall DP. Speech recognition interface to a hospital information system using a self-designed visual basic program: initial experience. *J Digit Imaging* 2002;15:43–53. doi:10.1007/s10278-001-0007-y.
- [32] Canon SJ, Purifoy JA, Heulitt GM, Hogan W, Swearingen C, Williams M, et al. Results: Survey of pediatric urology electronic medical records-use and perspectives. *J Urol* 2011;186:1740–4. doi:10.1016/j.juro.2011.04.022.
- [33] Castilho V, Lima AFC, Fugulin FMT, Peres HHC, Gaidzinski RR. Total staff costs to implement a decision support system in nursing. *Rev Lat Am Enfermagem* 2014;22:158–64. doi:10.1590/0104-1169.3074.2383.
- [34] Choi JS, Lee WB, Rhee P-L. Cost-benefit analysis of electronic medical record system at a tertiary care hospital. *Healthc Inform Res* 2013;19:205–14. doi:10.4258/hir.2013.19.3.205.
- [35] Choudhury MH, Shah MA, Bojanczyk MT. PC-based research-oriented clinical information system: a case study of Kuwait. *Med Inform Med Inform* 1991;16:323–9.
- [36] Clayton PD, Anderson RK, Hill C, McCormack M. An initial assessment of the cost and utilization of the Integrated Academic Information System (IAIMS) at Columbia Presbyterian Medical Center. *Proc Symp Comput Appl Med Care* 1991:109–13.
- [37] Fargo KL, Johnston J, Stevenson KB, Deutscher M, Reed EE. Impact of a Cost Visibility Tool in the Electronic Medical Record on Antibiotic

- Prescribing in an Academic Medical Center. *Hosp Pharm* 2015;50:496–504. doi:10.1310/hpj5006-496.
- [38] Field TS, Garber L, Gagne SJ, Tjia J, Preusse P, Donovan JL, et al. Technological resources and personnel costs required to implement an automated alert system for ambulatory physicians when patients are discharged from hospitals to home. *Inform Prim Care* 2012;20:87–93.
- [39] Han JM, Chae YM, Boo EH, Kim JA, Yoon SJ, Kim SW. Performance analysis of hospital information system of the national health insurance corporation ilsan hospital. *Healthc Inform Res* 2012;18:208–14. doi:10.4258/hir.2012.18.3.208.
- [40] Hardin L, Kilian A, Muller L, Callison K, Olgren M. Cross-Continuum Tool Is Associated with Reduced Utilization and Cost for Frequent High-Need Users. *West J Emerg Med* 2017;18:189–200. doi:10.5811/westjem.2016.11.31916.
- [41] Herbst K, Littlejohns P, Rawlinson J, Collinson M, Wyatt JC. Evaluating computerized health information systems: hardware, software and human ware: experiences from the Northern Province, South Africa. *J Public Health Med* 1999;21:305–10.
- [42] Kay JD, Nurse D. Construction of a virtual EPR and automated contextual linkage to multiple sources of support information on the Oxford Clinical Intranet. *Proc AMIA Symp* 1999:829–33.
- [43] Kazemi A, Ellenius J, Tofighi S, Salehi A, Eghbalian F, Fors UG. CPOE in Iran--a viable prospect? Physicians' opinions on using CPOE in an Iranian teaching hospital. *Int J Med Inf* 2009;78:199–207. doi:10.1016/j.ijmedinf.2008.07.004.
- [44] Kim HH, Cho K-W, Kim HS, Kim J-S, Kim JH, Han SP, et al. New integrated information system for pusan national university hospital. *Healthc Inform Res* 2011;17:67–75. doi:10.4258/hir.2011.17.1.67.
- [45] Lin J-W, Chu P-L, Liou J-M, Hwang J-J. Applying a multiple screening program aided by a guideline-driven computerized decision support system - a pilot experience in Yun-Lin, Taiwan. *J Formos Med Assoc Taiwan Yi Zhi* 2007;106:58–68. doi:10.1016/S0929-6646(09)60217-5.
- [46] MacKay M, Anderson C, Boehme S, Cash J, Zobell J. Frequency and Severity of Parenteral Nutrition Medication Errors at a Large Children's Hospital After Implementation of Electronic Ordering and Compounding. *Nutr Clin Pract Off Publ Am Soc Parenter Enter Nutr* 2016;31:195–206. doi:10.1177/0884533615591606.
- [47] Marasovic C, Kenney C, Elliott D, Sindhusake D. A comparison of nursing activities associated with manual and automated documentation in an Australian intensive care unit. *Comput Nurs* 1997;15:205–11.

- [48] Miniati R, Dori F, Gentili GB. Design of a decision support system for preventive maintenance planning in health structures. *Technol Health Care Off J Eur Soc Eng Med* 2012;20:205–14. doi:10.3233/THC-2012-0670.
- [49] Nakamura MM, Ferris TG, DesRoches CM, Jha AK. Electronic health record adoption by children's hospitals in the United States. *Arch Pediatr Adolesc Med* 2010;164:1145–51. doi:10.1001/archpediatrics.2010.234.
- [50] Okumura LM, Veroneze I, Burgardt CI, Fragoso MF. Effects of a computerized provider order entry and a clinical decision support system to improve cefazolin use in surgical prophylaxis: a cost saving analysis. *Pharm Pract* 2016;14:717. doi:10.18549/PharmPract.2016.03.717.
- [51] Pereira J, Castro AF, Perez JL, Novoa FJ, Vázquez JM, Teijeiro J, et al. Development and implementation of a secure, integrated management system for medical images and electronic clinical records for small hospitals. *Telemed J E-Health Off J Am Telemed Assoc* 2007;13:303–12. doi:10.1089/tmj.2006.0030.
- [52] Raut A, Yarbrough C, Singh V, Gauchan B, Citrin D, Verma V, et al. Design and implementation of an affordable, public sector electronic medical record in rural Nepal. *J Innov Health Inform* 2017;24:862.
- [53] Riahi S, Fischler I, Stuckey MI, Klassen PE, Chen J. The Value of Electronic Medical Record Implementation in Mental Health Care: A Case Study. *JMIR Med Inform* 2017;5:e1. doi:10.2196/medinform.6512.
- [54] Rossi L, Materia E, Hourani A, Yousef H, Racalbuto V, Venier C, et al. Design and implementation of a hospital information system for the Palestine Red Crescent Society in Lebanon. *Concept Mise En Œuvre Un Système Inf Hosp Destiné Au Croissant-Rouge Palest Au Liban* 2009;15:738–46.
- [55] Shah KG, Slough TL, Yeh PT, Gombwa S, Kiromera A, Oden ZM, et al. Novel open-source electronic medical records system for palliative care in low-resource settings. *BMC Palliat Care* 2013;12:31. doi:10.1186/1472-684X-12-31.
- [56] Siracuse JJ, Benoit E, Burke J, Carter S, Schwartzberg SD. Development of a Web-based surgical booking and informed consent system to reduce the potential for error and improve communication. *Jt Comm J Qual Patient Saf* 2014;40:126–33.
- [57] Sultan F, Aziz MT, Khokhar I, Qadri H, Abbas M, Mukhtar A, et al. Development of an in-house hospital information system in a hospital in

- Pakistan. Int J Med Inf 2014;83:180–8.
doi:10.1016/j.ijmedinf.2013.12.004.
- [58] Teufel RJ, Kazley AS, Ebeling MD, Basco WT. Hospital electronic medical record use and cost of inpatient pediatric care. Acad Pediatr 2012;12:429–35. doi:10.1016/j.acap.2012.06.004.
- [59] Vermeulen KM, van Doormaal JE, Zaal RJ, Mol PGM, Lenderink AW, Haaijer-Ruskamp FM, et al. Cost-effectiveness of an electronic medication ordering system (CPOE/CDSS) in hospitalized patients. Int J Med Inf 2014;83:572–80. doi:10.1016/j.ijmedinf.2014.05.003.
- [60] Wisniewski MF, Kieszkowski P, Zagorski BM, Trick WE, Sommers M, Weinstein RA, et al. Development of a clinical data warehouse for hospital infection control. J Am Med Inform Assoc 2003;10:454–62. doi:10.1197/jamia.M1299.
- [61] Yasunaga H, Imamura T, Yamaki S, Endo H. Computerizing medical records in Japan. Int J Med Inf 2008;77:708–13.
doi:10.1016/j.ijmedinf.2008.03.005.
- [62] Zimlichman E, Keohane C, Franz C, Everett WL, Seger DL, Yoon C, et al. Return on investment for vendor computerized physician order entry in four community hospitals: the importance of decision support. Jt Comm J Qual Patient Saf 2013;39:312–8.
doi:[https://doi.org/10.1016/S1553-7250\(13\)39044-8](https://doi.org/10.1016/S1553-7250(13)39044-8).
- [63] Remenyi D, Money A, Bannister F. The effective measurement and management of ICT costs and benefits. Elsevier; 2007.
- [64] Wachter RM. Making IT Work: Harnessing the Power of Health Information Technology to Improve Care in England. Mak IT Work n.d.:71.
- [65] Tarutė A, Gatautis R. ICT Impact on SMEs Performance. Procedia - Soc Behav Sci 2014;110:1218–25. doi:10.1016/j.sbspro.2013.12.968.
- [66] Tondeur J, Cooper M, Newhouse CP. From ICT coordination to ICT integration: a longitudinal case study. J Comput Assist Learn 2010;26:296–306. doi:10.1111/j.1365-2729.2010.00351.x.
- [67] Harindranath G, Dyerson R, Barnes D. ICT adoption and use in UK SMEs: a failure of initiatives? Electron J Inf Syst Eval 2008;11.
- [68] Passerini K, Tarabishi AE, Patten K. Information Technology for Small Business: Managing the Digital Enterprise. Springer Science & Business Media; 2012.
- [69] Peansupap V, Walker DHT. Information communication technology (ICT) implementation constraints. Eng Constr Archit Manag 2006.
doi:10.1108/09699980610680171.