

LAMPIRAN KARAKTERISTIK RESPONDEN

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki - laki	61	61.0	61.0	61.0
Perempuan	39	39.0	39.0	100.0
Total	100	100.0	100.0	

Umur

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 18 - 25 tahun	29	29.0	29.0	29.0
26 - 35 tahun	43	43.0	43.0	72.0
36 - 45 tahun	18	18.0	18.0	90.0
> 45 tahun	10	10.0	10.0	100.0
Total	100	100.0	100.0	

Pekerjaan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Pelajar	6	6.0	6.0	6.0
Mahasiswa	17	17.0	17.0	23.0
Wiraswasta/pengusaha	41	41.0	41.0	64.0
Pegawai swasta /BUMN	3	3.0	3.0	67.0
Pegawai Negeri	18	18.0	18.0	85.0
Pensiunan	15	15.0	15.0	100.0
Total	100	100.0	100.0	

Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid SMP	5	5.0	5.0	5.0
SMA	41	41.0	41.0	46.0
Perguruan Tinggi	52	52.0	52.0	98.0
Lainnya	2	2.0	2.0	100.0
Total	100	100.0	100.0	

Pendapatan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < Rp. 2.000.000	4	4.0	4.0	4.0
Rp. 2.000.000 – Rp. 5.000.000	33	33.0	33.0	37.0
Rp. 5.000.001 – Rp. 10.000.000	35	35.0	35.0	72.0
> Rp. 10.000.000	28	28.0	28.0	100.0
Total	100	100.0	100.0	

LAMPIRAN UJI VALIDITAS DAN RELIABILITAS

Correlations

		Correlations				
		X1.1	X1.2	X1.3	X1.4	Total_X1
X1.1	Pearson Correlation	1	.559**	.719**	.590**	.850**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	100	100	100	100	100
X1.2	Pearson Correlation	.559**	1	.643**	.507**	.813**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	100	100	100	100	100
X1.3	Pearson Correlation	.719**	.643**	1	.655**	.893**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	100	100	100	100	100
X1.4	Pearson Correlation	.590**	.507**	.655**	1	.812**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	100	100	100	100	100
Total_X1	Pearson Correlation	.850**	.813**	.893**	.812**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Koefisien korelasi sebesar 0,850; 0,813; 0,893 dan 0,812 seluruhnya diatas nilai r tabel (0,196) dan probabilitas (Sig. (2-tailed) seluruhnya dibawah 0,05 sehingga dapat dinyatakan **VALID**

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.862	4

Koefisien Cronachs Alpha sebesar 0,862 lebih besar dari 0,6 sehingga dapat dinyatakan **RELIABEL**

Correlations

		X2.1	X2.2	X2.3	X2.4	Total_X2
X2.1	Pearson Correlation	1	.435**	.498**	.375**	.762**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	100	100	100	100	100
X2.2	Pearson Correlation	.435**	1	.486**	.530**	.764**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	100	100	100	100	100
X2.3	Pearson Correlation	.498**	.486**	1	.574**	.817**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	100	100	100	100	100
X2.4	Pearson Correlation	.375**	.530**	.574**	1	.783**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	100	100	100	100	100
Total_X2	Pearson Correlation	.762**	.764**	.817**	.783**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.784	4

Correlations

		X3.1	X3.2	X3.3	X3.4	Total_X3
X3.1	Pearson Correlation	1	.402**	.439**	.503**	.743**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	100	100	100	100	100
X3.2	Pearson Correlation	.402**	1	.562**	.557**	.812**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	100	100	100	100	100
X3.3	Pearson Correlation	.439**	.562**	1	.400**	.747**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	100	100	100	100	100
X3.4	Pearson Correlation	.503**	.557**	.400**	1	.813**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	100	100	100	100	100
Total_X3	Pearson Correlation	.743**	.812**	.747**	.813**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.783	4

Correlations

		X4.1	X4.2	X4.3	X4.4	Total_X4
X4.1	Pearson Correlation	1	.517**	.483**	.530**	.764**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	100	100	100	100	100
X4.2	Pearson Correlation	.517**	1	.526**	.666**	.839**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	100	100	100	100	100
X4.3	Pearson Correlation	.483**	.526**	1	.571**	.789**
	Sig. (2-tailed)	.000	.000		.000	.000
	N	100	100	100	100	100
X4.4	Pearson Correlation	.530**	.666**	.571**	1	.861**
	Sig. (2-tailed)	.000	.000	.000		.000
	N	100	100	100	100	100
Total_X4	Pearson Correlation	.764**	.839**	.789**	.861**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.830	4

Correlations

		Correlations					
		Y1	Y2	Y3	Y4	Y5	Total_Y
Y1	Pearson Correlation	1	.699**	.599**	.384**	.457**	.812**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	100	100	100	100	100	100
Y2	Pearson Correlation	.699**	1	.506**	.566**	.436**	.820**
	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	100	100	100	100	100	100
Y3	Pearson Correlation	.599**	.506**	1	.415**	.477**	.803**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	100	100	100	100	100	100
Y4	Pearson Correlation	.384**	.566**	.415**	1	.498**	.709**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	100	100	100	100	100	100
Y5	Pearson Correlation	.457**	.436**	.477**	.498**	1	.732**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	100	100	100	100	100	100
Total_Y	Pearson Correlation	.812**	.820**	.803**	.709**	.732**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000
	N	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.830	5

Descriptives

Descriptive Statistics						
	N	Minimum	Maximum	Mean	Std. Deviation	
X1.1	100	1.00	5.00	3.8200	.89194	
X1.2	100	1.00	5.00	3.8500	.95743	
X1.3	100	1.00	5.00	3.7400	.87178	
X1.4	100	1.00	5.00	3.8500	.86894	
X2.1	100	1.00	5.00	3.6300	1.07923	
X2.2	100	1.00	5.00	3.6100	.85156	
X2.3	100	1.00	5.00	3.6900	.95023	
X2.4	100	1.00	5.00	3.6600	.93441	
X3.1	100	2.00	5.00	3.8700	.90626	
X3.2	100	1.00	5.00	3.7100	.97747	
X3.3	100	2.00	5.00	3.7900	.84441	
X3.4	100	1.00	5.00	3.7800	1.08786	
X4.1	100	2.00	5.00	3.8400	.83750	
X4.2	100	1.00	5.00	3.7000	.93744	
X4.3	100	2.00	5.00	3.8400	.88443	
X4.4	100	1.00	5.00	3.8300	.98530	
Y1	100	2.00	5.00	3.8100	.82505	
Y2	100	2.00	5.00	3.8600	.86480	
Y3	100	1.00	5.00	3.8100	1.07021	
Y4	100	3.00	5.00	4.5500	.71598	
Y5	100	2.00	5.00	4.0100	.83479	
Valid N (listwise)	100					

Descriptives

Descriptive Statistics						
	N	Minimum	Maximum	Mean	Std. Deviation	
Perhatian (Attention) (X1)	100	1.25	5.00	3.8150	.75513	
Minat (Interest)(X2)	100	1.50	4.75	3.6475	.74544	
Keinginan (Desire)i (X3)	100	1.50	5.00	3.7875	.74567	
Tindakan (Action) X4)	100	1.50	5.00	3.8025	.74306	
Keputusan Dalam Memilih Pembiayaan Mudharabah (Y)	100	2.00	5.00	4.0080	.67145	
Valid N (listwise)	100					

HASIL ANALISIS REGRESI

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Tindakan (Action) X4), Minat (Interest)(X2), Perhatian (Attention) (X1), Keinginan (Desire)i (X3) ^b	.	Enter

a. Dependent Variable: Keputusan Dalam Memilih Pembiayaan Mudharabah (Y)

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.750 ^a	.563	.544	.45327

a. Predictors: (Constant), Tindakan (Action) X4), Minat (Interest)(X2), Perhatian (Attention) (X1), Keinginan (Desire)i (X3)

b. Dependent Variable: Keputusan Dalam Memilih Pembiayaan Mudharabah (Y)

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	25.116	4	6.279	30.562	.000 ^b
	Residual	19.518	95	.205		
	Total	44.634	99			

a. Dependent Variable: Keputusan Dalam Memilih Pembiayaan Mudharabah (Y)

b. Predictors: (Constant), Tindakan (Action) X4), Minat (Interest)(X2), Perhatian (Attention) (X1), Keinginan (Desire)i (X3)

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.515	.326		1.584	.117		
	Perhatian (Attention) (X1)	.345	.070	.388	4.911	.000	.739	1.354
	Minat (Interest)(X2)	.202	.067	.225	3.002	.003	.822	1.216
	Keinginan (Desire)i (X3)	.187	.071	.207	2.617	.010	.734	1.362
	Tindakan (Action) X4)	.193	.070	.213	2.771	.007	.777	1.287

a. Dependent Variable: Keputusan Dalam Memilih Pembiayaan Mudharabah (Y)

Nilai Sig. (pvalue) < 0,05 menunjukkan variabel independen berpengaruh signifikan terhadap variabel dependen

Uji MULTIKOLINIERITAS


Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics		
	B	Std. Error	Beta			Tolerance	VIF	
1	(Constant)	.515	.326		1.584	.117		
	Perhatian (Attention) (X1)	.345	.070	.388	4.911	.000	.739	1.354
	Minat (Interest)(X2)	.202	.067	.225	3.002	.003	.822	1.216
	Keinginan (Desire)i (X3)	.187	.071	.207	2.617	.010	.734	1.362
	Tindakan (Action) X4)	.193	.070	.213	2.771	.007	.777	1.287

a. Dependent Variable: Keputusan Dalam Memilih Pembiayaan Mudharabah (Y)


Nilai vif < 10 menunjukkan variabel independen TIDAK TERJADI MULTIKOLINIERITAS

Uji Normalitas dengan Diagram Plot Charts



Grafik plot mendekati garis diagonal menunjukkan datanya berdistribusi normal

Uji Heteroskedastisitas dengan Scatterplot



Grafik menyebar secara acak diatas dan dibawah sumbu 0 Y, dan tidak membentuk pola tertentu, sehingga dapat dinyatakan TIDAK ADA HETEROSKEDASTISITAS

UJI NORMALITAS NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters ^{a,b}	Mean	0E-7
	Std. Deviation	.44401534
	Absolute	.058
Most Extreme Differences	Positive	.046
	Negative	-.058
Kolmogorov-Smirnov Z		.576
Asymp. Sig. (2-tailed)		.894

a. Test distribution is Normal.

b. Calculated from data.

Hasil uji Kolmogorov Smirnov diperoleh KS sebesar 0,576 dan p-value sebesar 0,894 > 0,05, sehingga dapat dinyatakan DATA BERDISTRIBUSI NORMAL