

## LAMPIRAN

### Uji Validitas dan Reliabilitas Correlations

**Correlations**

		FR1	FR2	FR3	X1
FR1	Pearson Correlation	1	,424**	,348*	,736**
	Sig. (2-tailed)	.	,006	,026	,000
	N	41	41	41	41
FR2	Pearson Correlation	,424**	1	,584**	,859**
	Sig. (2-tailed)	,006	.	,000	,000
	N	41	41	41	41
FR3	Pearson Correlation	,348*	,584**	1	,792**
	Sig. (2-tailed)	,026	,000	.	,000
	N	41	41	41	41
X1	Pearson Correlation	,736**	,859**	,792**	1
	Sig. (2-tailed)	,000	,000	,000	.
	N	41	41	41	41

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

### Reliability

\*\*\*\*\* Method 1 (space saver) will be used for this analysis  
\*\*\*\*\*

—

R E L I A B I L I T Y   A N A L Y S I S   -   S C A L E   ( A L P  
H A )

Reliability Coefficients

N of Cases =      41,0

N of Items =      3

Alpha =      ,7110

### Correlations

### Correlations

		PL1	PL2	X2
PL1	Pearson Correlation	1	,218	,690**
	Sig. (2-tailed)	.	,171	,000
	N	41	41	41
PL2	Pearson Correlation	,218	1	,857**
	Sig. (2-tailed)	,171	.	,000
	N	41	41	41
X2	Pearson Correlation	,690**	,857**	1
	Sig. (2-tailed)	,000	,000	.
	N	41	41	41

\*\* . Correlation is significant at the 0.01 level (2-tailed).

### Reliability

\*\*\*\*\* Method 1 (space saver) will be used for this analysis  
\*\*\*\*\*

—

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients

N of Cases = 41,0

N of Items = 2

Alpha = ,6418

### Correlations

#### Correlations

		ORG1	ORG2	X3
ORG1	Pearson Correlation	1	,359*	,857**
	Sig. (2-tailed)	.	,021	,000
	N	41	41	41
ORG2	Pearson Correlation	,359*	1	,789**
	Sig. (2-tailed)	,021	.	,000
	N	41	41	41
X3	Pearson Correlation	,857**	,789**	1
	Sig. (2-tailed)	,000	,000	.
	N	41	41	41

\* . Correlation is significant at the 0.05 level (2-tailed).

\*\* . Correlation is significant at the 0.01 level (2-tailed).

### Reliability

\*\*\*\*\* Method 1 (space saver) will be used for this analysis  
\*\*\*\*\*

—

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients

N of Cases = 41,0

N of Items = 2

Alpha = ,7226

**Correlations**

**Correlations**

		CON1	CON2	X4
CON1	Pearson Correlation	1	,236	,755**
	Sig. (2-tailed)	.	,137	,000
	N	41	41	41
CON2	Pearson Correlation	,236	1	,815**
	Sig. (2-tailed)	,137	.	,000
	N	41	41	41
X4	Pearson Correlation	,755**	,815**	1
	Sig. (2-tailed)	,000	,000	.
	N	41	41	41

\*\* . Correlation is significant at the 0.01 level (2-tailed).

**Reliability**

\*\*\*\*\* Method 1 (space saver) will be used for this analysis  
\*\*\*\*\*

—

RELIABILITY ANALYSIS - SCALE (ALPHA)

Reliability Coefficients

N of Cases = 41,0

N of Items = 2

Alpha = ,6796

**Correlations**

## Correlations

		PM1	PM2	PM3	PM4	PM5	Y
PM1	Pearson Correlation	1	,444**	,501**	,300	,341*	,683**
	Sig. (2-tailed)	.	,004	,001	,057	,029	,000
	N	41	41	41	41	41	41
PM2	Pearson Correlation	,444**	1	,534**	,449**	,451**	,789**
	Sig. (2-tailed)	,004	.	,000	,003	,003	,000
	N	41	41	41	41	41	41
PM3	Pearson Correlation	,501**	,534**	1	,287	,526**	,773**
	Sig. (2-tailed)	,001	,000	.	,069	,000	,000
	N	41	41	41	41	41	41
PM4	Pearson Correlation	,300	,449**	,287	1	,441**	,676**
	Sig. (2-tailed)	,057	,003	,069	.	,004	,000
	N	41	41	41	41	41	41
PM5	Pearson Correlation	,341*	,451**	,526**	,441**	1	,759**
	Sig. (2-tailed)	,029	,003	,000	,004	.	,000
	N	41	41	41	41	41	41
Y	Pearson Correlation	,683**	,789**	,773**	,676**	,759**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	.
	N	41	41	41	41	41	41

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

## Reliability

\*\*\*\*\* Method 1 (space saver) will be used for this analysis  
\*\*\*\*\*

—

R E L I A B I L I T Y   A N A L Y S I S   -   S C A L E   ( A L P  
H A )

Reliability Coefficients

N of Cases =      41,0

N of Items =      5

Alpha =      ,7892

## Uji Normalitas NPar Tests

### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		41
Normal Parameters <sup>a,b</sup>	Mean	,0000000
	Std. Deviation	,95116067
Most Extreme Differences	Absolute	,115
	Positive	,053
	Negative	-,115
Kolmogorov-Smirnov Z		,734
Asymp. Sig. (2-tailed)		,655

a. Test distribution is Normal.

b. Calculated from data.

## Uji Heteroskedastisitas Regression

### Variables Entered/Removed<sup>d</sup>

Model	Variables Entered	Variables Removed	Method
1	X4, <sup>a</sup> X2, X3, X1	.	Enter

a. All requested variables entered.

b. Dependent Variable: ABSRES

### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,247 <sup>a</sup>	,061	-,044	,58061

a. Predictors: (Constant), X4, X2, X3, X1

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,785	4	,196	,582	,677 <sup>a</sup>
	Residual	12,136	36	,337		
	Total	12,921	40			

a. Predictors: (Constant), X4, X2, X3, X1

b. Dependent Variable: ABSRES

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,709	1,273		,557	,581
	X1	-,047	,056	-,177	-,850	,401
	X2	,039	,162	,050	,239	,812
	X3	-,036	,093	-,079	-,390	,699
	X4	,081	,084	,210	,961	,343

a. Dependent Variable: ABSRES

## Uji Multikolinieritas Regression

### Variables Entered/Removed<sup>a</sup>

Model	Variables Entered	Variables Removed	Method
1	X4, X2, X3, X1	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y

### Coefficients<sup>a</sup>

Model		Collinearity Statistics	
		Tolerance	VIF
1	X1	,602	1,661
	X2	,606	1,651
	X3	,642	1,557
	X4	,546	1,830

a. Dependent Variable: Y

## Uji Analisis Regresi Berganda Regression

### Variables Entered/Removed<sup>d</sup>

Model	Variables Entered	Variables Removed	Method
1	X4 <sup>a</sup> , X2, X3, X1	.	Enter

a. All requested variables entered.

b. Dependent Variable: Y

### Model Summary<sup>b</sup>

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,872 <sup>a</sup>	,761	,735	1,00261

a. Predictors: (Constant), X4, X2, X3, X1

b. Dependent Variable: Y

### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	115,324	4	28,831	28,681	,000 <sup>a</sup>
	Residual	36,188	36	1,005		
	Total	151,512	40			

a. Predictors: (Constant), X4, X2, X3, X1

b. Dependent Variable: Y

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	9,239	2,198		4,202	,000
	X1	,342	,096	,373	3,556	,001
	X2	,970	,280	,362	3,461	,001
	X3	-,303	,161	-,192	-1,884	,068
	X4	,397	,146	,301	2,728	,010

a. Dependent Variable: Y

### Casewise Diagnostic<sup>s</sup>

Case Number	Std. Residual	Y
38	-3,072	15,00

a. Dependent Variable: Y



**Residuals Statistics<sup>a</sup>**

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	18,0804	24,6180	21,3659	1,69797	41
Residual	-3,0804	1,7731	,0000	,95116	41
Std. Predicted Value	-1,935	1,915	,000	1,000	41
Std. Residual	-3,072	1,769	,000	,949	41

a. Dependent Variable: Y

No	Variable X												Variable Y									
	1				2			3			4			5			6		7		8	
	1	2	3	Jumlah	1	2	jumlah	1	2	jumlah	1	2	jumlah	1	2	jumlah	1	jumlah	1	jumlah	1	jumlah
1	5	4	4	13	5	3	8	5	4	9	4	5	9	3	4	7	4	4	5	5	5	5
2	5	5	4	14	4	4	8	5	4	9	4	4	8	4	4	8	5	5	4	4	5	5
3	4	4	4	12	4	4	8	5	4	9	4	4	8	4	4	8	4	4	4	4	5	5
4	4	4	4	12	4	4	8	5	4	9	4	4	8	4	4	8	4	4	4	4	5	5
5	4	4	4	12	4	4	8	4	5	9	4	5	9	4	5	9	4	4	4	4	4	4
6	5	4	5	14	5	5	10	5	4	9	4	4	8	5	4	9	5	5	4	4	5	5
7	4	4	4	12	4	5	9	4	4	8	5	4	9	5	5	10	5	5	5	5	5	5
8	4	4	4	12	4	5	9	4	4	8	5	4	9	5	5	10	5	5	5	5	5	5
9	4	5	5	14	4	4	8	5	4	9	5	4	9	4	3	7	4	4	4	4	4	4
10	4	4	5	13	4	3	7	4	4	8	4	4	8	4	3	7	4	4	4	4	4	4
11	4	4	4	12	4	4	8	5	4	9	4	4	8	4	4	8	4	4	4	4	4	4
12	4	4	4	12	4	4	8	5	4	9	4	4	8	4	4	8	4	4	4	4	4	4
13	4	4	4	12	4	4	8	5	4	9	4	4	8	4	4	8	4	4	4	4	4	4
14	4	4	4	12	4	4	8	5	4	9	4	4	8	4	4	8	4	4	4	4	5	5
15	4	5	4	13	4	5	9	5	4	9	4	5	9	4	4	8	5	5	4	4	5	5
16	5	5	5	15	4	4	8	5	4	9	4	5	9	4	4	8	5	5	4	4	5	5
17	5	5	5	15	5	5	10	5	5	10	4	5	9	4	4	8	5	5	5	5	5	5
18	4	4	5	13	4	4	8	5	5	10	4	5	9	4	5	9	5	5	5	5	5	5
19	4	4	5	13	4	4	8	5	5	10	4	5	9	4	4	8	4	4	5	5	5	5
20	4	4	5	13	4	4	8	5	4	9	4	5	9	4	5	9	4	4	5	5	5	5
21	4	4	4	12	4	4	8	5	5	10	4	4	8	4	4	8	4	4	5	5	4	4
22	4	4	4	12	4	4	8	5	5	10	4	4	8	4	4	8	4	4	5	5	4	4
23	4	4	4	12	4	4	8	5	5	10	4	4	8	4	4	8	4	4	4	4	4	4
24	4	4	4	12	4	4	8	5	5	10	4	4	8	4	4	8	4	4	4	4	4	4
25	4	4	4	12	4	4	8	5	5	10	4	4	8	4	4	8	4	4	5	5	4	4
26	4	5	4	13	4	5	9	5	5	10	4	4	8	4	5	9	5	5	4	4	4	4
27	4	5	4	13	4	5	9	5	5	10	4	4	8	4	5	9	5	5	4	4	5	5
28	4	4	5	13	4	4	8	5	4	9	4	5	9	4	5	9	5	5	5	5	5	5
29	4	4	5	13	4	4	8	5	4	9	4	4	8	4	4	8	4	4	4	4	5	5
30	5	5	5	15	5	5	10	5	5	10	5	4	9	5	5	10	5	5	5	5	5	5
31	4	5	4	13	4	4	8	5	4	9	4	4	8	4	4	8	4	4	5	5	4	4
32	4	5	4	13	4	4	8	5	4	9	4	4	8	4	4	8	4	4	4	4	4	4
33	5	4	4	13	4	4	8	4	4	8	4	4	8	5	4	9	5	5	4	4	4	4
34	4	5	4	13	4	4	8	5	4	9	4	4	8	4	4	8	4	4	4	4	4	4
35	4	4	4	12	4	4	8	5	5	10	4	5	9	4	4	8	5	5	4	4	4	4
36	4	5	4	13	4	3	7	4	4	8	3	4	7	4	4	8	5	5	5	5	5	5
37	4	4	4	12	4	4	8	4	4	8	4	4	8	5	4	9	4	4	5	5	5	5
38	3	5	3	11	3	4	7	4	4	8	4	4	8	3	3	6	3	3	3	3	3	3
39	4	4	4	12	4	3	7	4	4	8	3	4	7	3	3	6	4	4	4	4	4	4
40	4	4	4	12	4	4	8	4	4	8	4	4	8	4	4	8	4	4	4	4	5	5
41	4	4	4	12	3	4	7	4	4	8	4	4	8	4	4	8	4	4	4	4	4	4

Variable X														Variable Y
No	Forecasting				Planning			Organizing			Controlling			
	1	2	3	Jumlah	1	2	jumlah	1	2	jumlah	1	2	jumlah	
1	5	4	4	13	5	3	8	5	4	9	3	4	7	21
2	5	5	4	14	4	4	8	5	4	9	4	4	8	22
3	4	4	4	14	4	4	8	5	4	9	4	4	8	21
4	4	4	4	14	4	4	8	5	4	9	4	4	8	21
5	4	4	4	14	4	4	8	4	5	9	4	5	9	21
6	5	4	5	14	5	5	10	5	4	9	4	4	8	23
7	4	4	4	14	4	5	9	4	4	8	5	4	9	25
8	4	4	4	14	4	5	9	4	4	8	5	5	10	25
9	4	5	5	14	4	4	8	5	4	9	2	3	5	19
10	4	4	5	14	4	3	7	4	4	8	3	3	6	19
11	4	4	4	14	4	4	8	5	4	9	2	4	6	20
12	4	4	4	14	4	4	8	5	4	9	4	2	6	20
13	4	4	4	14	4	4	8	5	4	9	4	2	6	20
14	4	4	4	14	4	4	8	5	4	9	4	4	8	21
15	4	5	4	14	4	5	9	5	4	9	4	3	7	22
16	5	5	5	14	4	4	8	5	4	9	3	5	8	22
17	5	5	5	14	5	5	10	5	5	10	4	5	9	23
18	4	4	5	14	4	4	8	4	2	6	4	5	9	24
19	4	4	5	14	4	4	8	5	5	10	4	3	7	22
20	4	4	5	14	4	4	8	3	2	5	4	5	9	23
21	4	4	4	14	4	4	8	5	5	10	4	2	6	21
22	4	4	4	14	4	4	8	5	5	10	2	4	6	21
23	4	4	4	14	4	4	8	5	5	10	2	2	4	20
24	4	4	4	14	4	4	8	5	5	10	2	3	5	20
25	4	4	4	14	4	4	8	5	5	10	2	4	6	21
26	4	5	4	14	4	5	9	5	5	10	3	4	7	22
27	4	5	4	14	4	5	9	3	4	7	5	4	9	23
28	4	4	5	14	4	4	8	2	4	6	4	5	9	24
29	4	4	5	14	4	4	8	5	4	9	3	2	5	21
30	5	5	5	14	5	5	10	5	5	10	5	4	9	25
31	4	5	4	14	4	4	8	5	4	9	4	4	8	21
32	4	5	4	14	4	4	8	5	4	9	3	2	5	20
33	5	4	4	14	4	4	8	4	4	8	3	4	7	22
34	4	5	4	14	4	4	8	5	4	9	3	2	5	20
35	4	4	4	14	4	4	8	5	5	10	4	3	7	21
36	4	5	4	14	4	3	7	4	4	8	5	4	9	23
37	4	4	4	14	4	4	8	4	4	8	4	4	8	23
38	3	5	3	14	3	4	7	5	4	9	4	4	8	15
39	4	4	4	14	4	3	7	4	5	9	4	4	8	18
40	4	4	4	14	4	4	8	2	4	6	3	2	5	21
41	4	4	4	14	3	4	7	4	4	8	4	4	8	20

No	X1	x2	x3	x4	Y
1	13	8	9	7	21
2	14	8	9	8	22
3	14	8	9	8	21
4	14	8	9	8	21
5	14	8	9	9	21
6	14	10	9	8	23
7	14	9	8	9	25
8	14	9	8	10	25
9	14	8	9	5	19
10	14	7	8	6	19
11	14	8	9	6	20
12	14	8	9	6	20
13	14	8	9	6	20
14	14	8	9	8	21
15	14	9	9	7	22
16	14	8	9	8	22
17	14	10	10	9	23
18	14	8	6	9	24
19	14	8	10	7	22
20	14	8	5	9	23
21	14	8	10	6	21
22	14	8	10	6	21
23	14	8	10	4	20
24	14	8	10	5	20
25	14	8	10	6	21
26	14	9	10	7	22
27	14	9	7	9	23
28	14	8	6	9	24
29	14	8	9	5	21
30	14	10	10	9	25
31	14	8	9	8	21
32	14	8	9	5	20
33	14	8	8	7	22
34	14	8	9	5	20
35	14	8	10	7	21
36	14	7	8	9	23
37	14	8	8	8	23
38	14	7	9	8	15
39	14	7	9	8	18
40	14	8	6	5	21
41	14	7	8	8	20

<b>1. Forecasting</b>					
<b>PERNYATAAN</b>	<b>STS</b>	<b>TS</b>	<b>N</b>	<b>S</b>	<b>SS</b>
DT Pedulimemilih <i>Mustahiq</i> sudah tepat menurut ketentuan agama islam					
Program zakat produktif sangat berguna dan tepat guna meningkatkan taraf ekonomi <i>Mustahiq</i>					
Jumlah dana yang diberikan cukup membantu dalam modal usaha <i>Mustahiq</i>					
<b>2. Planning</b>					
<b>Pertanyaan</b>	<b>STS</b>	<b>TS</b>	<b>N</b>	<b>S</b>	<b>SS</b>
DT Pedulimelakukan studi kelayakan bisnis pada usaha produktif yang akan dijalankan <i>Mustahiq</i>					
DT Pedulimelakukan studi secara rutin terhadap bisnis yang sedang dijalankan untuk mencapai keuntungan yang maksimal					
<b>3. Organizing</b>					
<b>pertanyaan</b>	<b>STS</b>	<b>TS</b>	<b>N</b>	<b>S</b>	<b>SS</b>
DT PeduliYogyakarta mengarahkan pada <i>Mustahiq</i> agar selalu berusaha keras dalam meningkatkan taraf ekonomi					
DT PeduliYogyakarta memberikan informasi akan pentingnya zakat produktif dengan sosialisasi dan pelatihan kerja					

<b>4. Controlling</b>					
<b>Pertanyaan</b>	<b>STS</b>	<b>TS</b>	<b>N</b>	<b>S</b>	<b>SS</b>
DT PeduliYogyakarta mengawasi kegiatan usaha <i>Mustahiq</i> agar dana zakat yang diberikan sesuai dengan usaha <i>Mustahiq</i>					

DT PeduliYogyakarta membantu kesulitan yang dihadapi dalam berlangsungnya kegiatan usaha <i>Mustahiq</i>					
--	--	--	--	--	--

**Variable (Y) pemberdayaan *Mustahiq***

<b>1. Peningkatan pendapatan</b>					
<b>PERNYATAAN</b>	<b>STS</b>	<b>TS</b>	<b>N</b>	<b>S</b>	<b>SS</b>
Saya mampu mengelola zakat produktif untuk meningkatkan pendapatan usaha					
saya mengalami peningkatan pendapatan dari usaha yang dijalankan berasal dari zakat produktif					
<b>2. Kemandirian</b>					
<b>Pertanyaan</b>	<b>STS</b>	<b>TS</b>	<b>N</b>	<b>S</b>	<b>SS</b>
Saya memiliki tanggung jawab untuk mengelola dana zakat produktif secara baik					
Saya mampu mengelola usaha yang saya jalankan apabila sudah tidak mendapatkan zakat produktif					
<b>3. Etos kerja</b>					
<b>Pertanyaan</b>	<b>STS</b>	<b>TS</b>	<b>N</b>	<b>S</b>	<b>SS</b>
Saya mampu untuk terus meningkatkan kinerja positif dalam mengelola bantuan dana produktif					
Saya mampu untuk terus meningkatkan kinerja positif saya dalam mengelola pendapatan saya agar menciptakan ekonomi yang stabil					
<b>4. Spiritual</b>					
<b>Pertanyaan</b>	<b>STS</b>	<b>TS</b>	<b>N</b>	<b>S</b>	<b>SS</b>
Saya mampu mengelola dana zakat produktif dengan budaya kerja yang jujur dan amanah					

Saya mampu mengelola dana zakat produktif dengan budaya kerja yang profesional					
--	--	--	--	--	--