

DAFTAR PUSTAKA

- Aghili, H., Yassaei, S., Ahmadabadi, M. N. & Joshan, N., 2015. Load Deflection Characteristics of Nickel Titanium INi Tial Kawat busurs. *Journal of Dentistry Tehran*, 20(9), 697-7-3.
- Alfonso, M. V. et al., 2013. Friction coefficients and wear rates of different orthodontic kawat busurs in artificial saliva. *J Mater Sci: Mater Med*, 1327–1332.
- Anusavice, K., Shen, C. & Rawls, H., 2013. *Phillip's Science of Dental Materials 12th Edition*. Missouri: Elsevier.
- Devi, Laliana S., 2010, Corrosion Rate Of Titanium Orthodontic Wire After Immersion In Artificial Saliva. *Stomatognatic (J.K.G. Unej) Vol. 7* , 56-61.
- Barret, R., S.E., B. & J.K, Q., 1993. Biodegradation of orthodontic appliances, Part 1. Biodegradation of nickel and chromium in vitro. *Am. J Orthod Dentifac Orthop*, 1(103), 8-14.
- Berger, J. & Waram, T., 2007. Force Level of Nickel Titanium INi Tial Kawat busurs. *Journal of Clinical Orthodontist*, 41(5), 286-292.
- Bhalajhi, S., 2004. *Orthodontics The Art and Science*. New Delhi: Arya (Medi) Publishing House.
- Bishara, S.E., 2001, Textbook of Orthodontics, WB, Saunders Co., Philadelphia.
- Brantley, W., 2001. *Orthodontic Material*. new York: thieme stuttgart.
- Cawson. R. A & Odell. E. W., 2008. Cawson's Essentials of Oral Pathology and Oral Medicine. 8th ed. Philadelphia: Churchill Livingstone Elsevier. 42, 46-7. *et al*.
- Chiappin, S., Antonelli, G., Gatti, R. & Palo, E., 2007. Saliva Specimen : A New Laboratkory Tool for Diagnostic and Basic Investigation. *Clinica Chimica Acta*, Volume 383, 30-40,
- Cole, A. S., 1988 . *Biochemistry and Oral Biology*. 2nd ed. s.l.:Butterworth & Co.
- Combe, E., 1992. *Sari Dental Material (terj.)*. Jakarta: Balai Pustaka.
- Daniel, W. W., 2005. *Biostatic : A Foundation for Analysis in the Health Sciences*. 8th ed. United States of America: John Wiley and Sons, Inc.
- Eliades, T. & Athanasiou, A. E., 2002. In Vivo Aging of Orthodontic Alloys Implications for Corrosion Potensial, Nickel Realease, and Biocompatibility. *Angle Orthod*, 3(72), 222-237.

- Eliades, T., Eliades, G., Athanasiou, A. & Bradley, T., 2000, Surface Characterization of Retrieved Ni Ti Orthodontic Wire. *European Journal of Orthodontics*, Issue 22, 317-26.
- English, J., Akyalcin, S., Peltomaki, T. & Litschel, K., 2014. *Mosby's Orthodontics Review*. 120-181 ed. St Louis: Elsevier Health Science.
- Fernandes, D., Peres, R., Mendes, A. & Elias, C., 2011. Understanding the Shape Memory Alloys Used in Orthodontics. *International Scholarly Research Network Dentistry*, 1-6.
- Foster, T., 1993. *A Textbook of Orthodontics. 3/E*. 3rd ed. Oxford: Blackwell Scientific Publications Limited.
- Garant PR. 2003. Oral Cells and Tissues. 1st ed. New York: Quintessence Book, 81 - 123
- Ghom, A. G., 2007, Textbook of Oral Medicine, Jaypee, New Delhi, 20-22.
- Gill, D. S., 2008. *Orthodontics at a glance*. England: Blackwell Publishing Ltd.
- Graber, T., Vanarsdall, R. L., Vig, K., 2005, Orthodontics: Current Principles and Techniques, 4th ed., St. Louis, 201-12.
- Gurgel, J. d. A., Kerr, S., Powers, J. M. & LeCrone, V., 2001. Force-deflection properties of superelastic nickel-titanium kawat busurs. *American Journal of Orthodontics and Dentofacial Orthopedics*, 120(4), 378.
- Hariandja, B. I., 1996. *Mekanika Teknik : Statika dalam Analisis Struktur Berbentuk Rangka*. Jakarta: EGC.
- Harris, E. F., Newman, S. M. & Nicholson, J. A., 1988. Ni Tinol Kawat busur in A simulated Oral Environment: Changes in Mechanical Properties. *Am J Orthod Dentofacial Orthop*, 6(93), 508-513.
- Hasyim, H.S., Devi, L.S.D. & Sumono,A., 2016. Pengaruh Perendaman Kawat Nikel-Titanium Termal Ortodonti dalam Minuman Teh Kemasan terhadap Gaya Defleksi Kawat (The Effect of Immersion Thermal Nickel-Titanium Kawat busur in The Bottled Tea Drinks to The Kawat busur Force Deflection). *e-Jurnal Pustaka Kesehatan, vol.4 (no. 2)*, 376.
- Higa, R. H. et al., 2016 . Evaluation of force released by deflection of orthodontic wires in conventional and self-ligating brackets. *Dental Press J Orthod*, 21(6):91-7.
- Huang, H., 2003. Ion Release from Ni Ti Orthodontic Wires in Artificial Saliva with Various Acidities. *Taiwan : Institute of Dental Materials, Chung Shan Medical University.Biomaterials*, 24(20), 3585–3592.

- Huang, H.-H., 2005. Surface characterizations and corrosion resistance of nickel–titanium orthodontic kawat busurs in artificial saliva of various degrees of acidity. *Journal of Biomedical Materials Research Part A*, 74A(4), 629–639.
- Hussain, H. D., Ajith, S. D. & Goel, P., 2016. Nickel release from stainless steel and nickel titanium kawat busurs-An in vitro study. *Journal of oral biology and craniofacial research*, Volume 6, 213-218.
- Iwasaki, L., Beatty, M., Randall, C. & Nickel, J., 2003. Clinical Ligation Forces and Intraoral Friction During Sliding on A Stainless Steel Kawat busurs. *Am J Orthod Dentofacial Orthop*, 123(4), 408-15.
- Karad, A., 2014. *Clinical Orthodontik : Current Concept, Goals, and Mechanics*. 341-7 ed. St Louis: Elsevier Health Science.
- Khamatkar, A., 2015. Ideal Properties of Orthodontic Wires and Their Clinical Implications. *Journal of Dental and Medical Sciences*, 14(1), 47-50,
- Laguhi, V. A., Anindita, P. & Gunawan, P. N., 2014. Gambaran Maloklusi dengan Menggunakan HMAR Pada Pasien di Rumah Sakit Gigi dan Mulut Universitas Sam Ratulangi Manado. *Journal e-GiGi*, II(4).
- Ligtenberg, A. & Veerman, E., 2014. *Saliva : Secretion and Function*. Basel (Switzerland): Karger.
- Lombardoa, L. et al., 2012. Load deflection characteristics and force level of nickel titanium iNi Tial kawat busurs. *Angle Orthodontist*, 82(3), 507-521.
- Maganzini, A., Wong, A. & Ahmed, M., 2001. Forces of various nickel titanium closed coil springs. *Angle Orthod*, 1(80), 182-7.
- Munandar, 2011, Analisis Eksperimental dan Teoritis Lendutan pada Balok dengan Variasi Ketebalan dan Pembebanan, <http://repository.unhas.ac.id/handle/446>.
- Muraviev, S., Ospanova, G. & Shyakhova, M., 2001. Estimation of Force Produced by Nickel-titanium Superelastic Kawat busurs at Large Deflection. *American Journal of Dentofacial and Orthopedic*, Volume 119, 604-9.
- Murayama, M., Namura, Y. & Shimizu, N., 2013. Relationship Between Friction Force and Orthodontic Force at the Leveling Stage Using A coated Wire. *J Appl Oral Sci*, pp. 21(6):554-559.
- Mystkowska, J. et al., 2018. The Role of Oral Cavity Biofilm on Metallic Biomaterial Surface Destruction–Corrosion and Friction Aspects. *International Journal of Molecular Sciences*, 743.
- Neves, M. G. et al., 2016. Deflection test evaluation of different lots of the same nickel-titanium wire commercial brand. *Dental Press J Orthod*, 21(1):42-6.

- O'Brien, W. J., 2002. *Dental Material and Their Selection*. 3rd ed. Michigan: Quintessence Publishing Co. Inc.
- Otto, B., Rollinger, J., Burger, A., 1999, An Evaluation of The Transition Temperature Range of Superelastic Orthodontic Ni Ti Springs using Differential Scanning Calorimetry, *Euro J Orthod*, 21(2):497-502.
- Parvizi, F. & Rock, W. P., 2003. The load/deflection characteristics of thermally activated orthodontic kawat busurs. *European Journal of Orthodontics*, Volume 25, 417–421.
- Proffit, W., Fields, H. & Sarver, D., 2007. *Contemporary Orthodontics*. 4th ed. St. Louis: The C.V. Mosby Co.
- Quintao, C. C. A. & Brunharo, I. H. V. P., 2009. Orthodontic Wires : Knowledge Ensures Clinical Optimization. *Dental Press Journal Orthod*, 4(6): 144-157.
- Ren, Y., Maltha, J., Van-Hof, M. & Kuijpers-Jagtman, A., 2004. Optimum Force Magnitude for Orthodontic Tooth Movement: A Mathematic Model. *Am J Orthod Dentofacial Orthop*, IV(72), 71-7.
- Sarul, M. et al., 2016. Do Mechanical and Physicochemical Properties of Orthodontic Ni Ti Wires Remain Stable In Vivo?. *BioMed Research International* .
- Scheman, M.-F. et al., 2012. Comparative Analysis of Load/Deflection Ratio of Conventional and Heat-Activated Rectangular Ni Ti Wires. *Biomaterials*, 17(3), 23.
- Schiff, N., Grosogeat, B., Lissac, M. & Dalard, F., 2003. Influence of Fluoridated Mouthwashes on Corrosion Resistance of Orthodontics Wires. *Biomaterials*, Volume 25, 4535-42..
- Srinath, M., Chakrapani, N. & Singaraju, G., 2012. Testing Methods of The Physical Properties of The Kawat busurs. *Journal of Dentistry and Oral Biosciences*, pp. 3 (1): 41-44.
- Thompson, S. A., 2000, An Overview of Nickel-Titanium Used in Dentistry. *Int Endo J*, 4(33), 297-310,
- Thomson, H., 2007. *Occlusion*. 2nd ed. Jakarta: EGC.
- Tonner, R. W. R., 1994. The Characteristics of Superelastic Ni Ti Wires In Three Point Bending. *Euro Journal Orthod.*, 16(5), 409-419.
- Ünal, İ., Zor, S. & Atapek, H., 2012. Influence of Artificial Saliva on Ni Ti Orthodontics Wires. *Materials Science*, 47(6), 830-837.

Williams, J., Cook, P., Isaacson, K. & Thom, A., 2000, *Alat-Alat Ortodonti Cekat : prinsip & praktik*. Jakarta: EGC.