DAFTAR PUSTAKA

Abraham, J., Kannampallil, T.G., Jarman, A., Sharma, S., Rash, C., Schiff, G., Galanter, W., n.d. Reasons for computerised provider order entry (CPOE)-based inpatient medication ordering errors: an observational study of voided orders 10.

Abramson, E.L., n.d. Physician experiences transitioning between an older versus newer electronic health record for electronic prescribing. internatioal journal of medical informatics 10.

Ahn, E.K., Cho, S.-Y., Shin, D., Jang, C., Park, R.W., 2014. Differences of Reasons for Alert Overrides on Contraindicated Co-prescriptions by Admitting Department 20, 8.

Ali, J., Barrow, L., Vuylsteke, A., 2009. The impact of computerised physician order entry on prescribing practices in a cardiothoracic intensive care unit* 5.

Angus, D.C., 2020. Randomized Clinical Trials of Artificial Intelligence. JAMA. https://doi.org/10.1001/jama.2020.1039

Ayanian, J.Z., Weissman, J.S., 2002. Teaching Hospitals and Quality of Care: A Review of the Literature. Milbank Quarterly 80, 569–593. https://doi.org/10.1111/1468-0009.00023

Balasuriya, L., Vyles, D., Bakerman, P., Holton, V., Vaidya, V., Garcia-Filion, P., Westdorp, J., Sanchez, C., Kurz, R., 2014. Computerized Dose Range Checking Using Hard and Soft Stop Alerts Reduces Prescribing Errors in a Pediatric Intensive Care Unit 00, 5.

Bates, D.W., Teich, J.M., Lee, J., Seger, D., Kuperman, G.J., Ma'Luf, N., Boyle, D., Leape, L., 1999. The Impact of Computerized Physician Order Entry on Medication Error Prevention 6, 9.

Beeler, P.E., Eschmann, E., Rosen, C., n.d. Use of an On-demand Drug–Drug Interaction Checker by Prescribers and Consultants: A Retrospective Analysis in a Swiss Teaching Hospital 8.

Bryant, A.D., Fletcher, G.S., Payne, T.H., 2014. Drug interaction alert override rates in the Meaningful Use era 12.

Buck, M.D., 2007. Retrospective monitoring of drug-drug interactions using a CPOE alerting knowledgebase. AMIA Annu Symp Proc 80–84.

Carspecken, C.W., Sharek, P.J., Longhurst, C., Pageler, N.M., 2013. A clinical case of electronic health record drug alert fatigue: consequences for patient outcome. Pediatrics 131, e1970-1973. https://doi.org/10.1542/peds.2012-3252

Charles, K., Cannon, M., Hall, R., Coustasse, A., 2014. Can utilizing a computerized provider order entry (CPOE) system prevent hospital medical errors and adverse drug events? Perspectives in health information management 11.

Cho, I., 2015. Acceptability and feasibility of the Leapfrog computerized physician order entry evaluation tool for hospitals outside the United States. International Journal of Medical Informatics 8.

Cohen, M., 2012. Choosing the Right Oncologist and the Value of a Second Opinion, in: Management of Cancer in the Older Patient. Elsevier, pp. 51–54. https://doi.org/10.1016/B978-1-4377-1398-5.10005-0

Cornu, P., n.d. Pilot evaluation of an optimized context-specific drug–drug interaction alerting system: A controlled pre-post study 13.

Diplomate, R.S.F., 2017. Think time: A novel approach to analysis of clinicians' behavior after reduction of drug-drug interaction alerts. International Journal of Medical Informatics 9.

e-CFR: TITLE 21—Food and Drugs, n.d. , Electronic Code of Federal Regulations.

Fritz, D., Ceschi, A., Curkovic, I., Huber, M., Egbring, M., Kullak-Ublick, G.A., Russmann, S., 2012. Comparative evaluation of three clinical decision support systems: prospective screening for medication errors in 100 medical inpatients. Eur J Clin Pharmacol 11.

Frölich, T., Zorina, O., Fontana, A.O., Kullak-Ublick, G.A., Vollenweider, A., Russmann, S., 2011. Evaluation of medication safety in the discharge medication of 509 surgical inpatients using electronic prescription support software and an extended operational interaction classification. Eur J Clin Pharmacol 10.

Gurwitz, J.H., Field, T.S., Rochon, P., Judge, J., Harrold, L.R., Bell, C.M., Lee, M., White, K., LaPrino, J., Erramuspe-Mainard, J., DeFlorio, M., Gavendo, L., Baril, J.L., Reed, G., Bates, D.W., 2008. Effect of computerized provider order entry with clinical decision support on adverse drug events in the long-term care setting. J Am Geriatr Soc 56, 2225–2233. https://doi.org/10.1111/j.1532-5415.2008.02004.x

Haueis, P., 2011. Evaluation of Drug Interactions in a Large Sample of Psychiatric Inpatients: A Data Interface for Mass Analysis With Clinical Decision Support Software. Clinical pharmacology 90, 9.

Health, C. for D. and R., 2019. Clinical Decision Support Software [WWW Document]. U.S. Food and Drug Administration. URL http://www.fda.gov/regulatory-information/search-fda-guidance-documents/clinical-decision-support-software (accessed 2.27.20).

Jayawardena, S., Eisdorfer, J., Indulkar, S., Pal, S.A., Sooriabalan, D., Cucco, R., 2007. Prescription Errors and the Impact of Computerized Prescription Order Entry System in a Community-based Hospital. American Journal of Therapeutics 5.

Jung, M., Hoerbst, A., Hackl, W.O., Kirrane, F., Borbolla, D., Jaspers, M.W., Oertle, M., Koutkias, V., Ferret, L., Massari, P., Lawton, K., Riedmann, D., Darmoni, S., Maglaveras, N., Lovis, C., Ammenwerth, E., 2013. Attitude of Physicians Towards Automatic Alerting in Computerized Physician Order Entry Systems. Methods Inf Med 10.

Kim, J., Chae, Y.M., Kim, S., Ho, S.H., Kim, H.H., Park, C.B., 2012. A Study on User Satisfaction regarding the Clinical Decision Support System (CDSS) for Medication 18, 9.

Lau, G., Ho, J., Lin, S., Yeoh, K., Wan, T., Hodgkinson, M., 2019. Patient and clinician perspectives of an integrated electronic medication prescribing and dispensing system: A qualitative study at a multisite Australian hospital network. HIM J 48, 12–23. https://doi.org/10.1177/1833358317720601

Lee, E.K., Mejia, A.F., Senior, T., Jose, J., 2010. Improving Patient Safety through Medical Alert Management: An Automated Decision Tool to Reduce Alert Fatigue. AMIA Annu Symp Proc 2010, 417–421.

Luna, D.R., n.d. User-Centered Design Improves the Usability of Drug-Drug Interaction Alerts: Experimental Comparison of Interfaces 26.

Mahoney, C.D., Berard-Collins, C.M., Coleman, R., Amaral, J.F., Cotter, C.M., 2007. Effects of an integrated clinical information system on medication safety in a multi-hospital setting 64, 9.

McCoy, A.B., Waitman, L.R., Gadd, C.S., Danciu, I., Smith, J.P., Lewis, J.B., Schildcrout, J.S., Peterson, J.F., n.d. A Computerized Provider Order Entry Intervention for Medication Safety During Acute Kidney Injury: A Quality Improvement Report 10.

Mille, F., Schwartz, C., Brion, F., Fontan, J.-E., Bourdon, O., Degoulet, P., Jaulent, M.-C., 2018. Analysis of overridden alerts in a drug–drug interaction detection system 6.

Mille, F., Schwartz, C., Brion, F., Fontan, J.-E., Bourdon, O., Degoulet, P., Jaulent, M.-C., 2008. Analysis of overridden alerts in a drug-drug interaction detection system. International Journal for Quality in Health Care 20, 400–405. https://doi.org/10.1093/intqhc/mzn038

Miller, D.D., Brown, E.W., 2018. Artificial Intelligence in Medical Practice: The Question to the Answer? The American Journal of Medicine 131, 129–133. https://doi.org/10.1016/j.amjmed.2017.10.035

Nanji, K.C., Seger, D.L., Slight, S.P., Amato, M.G., Her, Q.L., Dalleur, O., Eguale, T., Wong, A., Silvers, E.R., Swerdloff, M., Hussain, S.T., Maniam, N., Fiskio, J.M., Dykes, P.C., Bates, D.W., 2018. Medication-related clinical decision support alert overrides in inpatients. Journal of the American Medical Informatics Association 0, 6.

Park, S.H., Do, K.-H., Kim, S., Park, J.H., Lim, Y.-S., 2019. What should medical students know about artificial intelligence in medicine? J Educ Eval Health Prof 16, 18. https://doi.org/10.3352/jeehp.2019.16.18

Perlman, S.L., Fabrizio, L., Shaha, S.H., Magid, S.K., 2011. Response to Medication Dosing Alerts for Pediatric Inpatients Using a Computerized Provider Order Entry System 12.

Research, C. for D.E. and, 2019. The FDA's Drug Review Process: Ensuring Drugs Are Safe and Effective. FDA.

Riedmann, D., Jung, M., Hackl, W.O., Stühlinger, W., van der Sijs, H., Ammenwerth, E., 2011. Development of a context model to prioritize drug safety alerts in CPOE systems. BMC Med Inform Decis Mak 11, 35. https://doi.org/10.1186/1472-6947-11-35

Roberts, L.L., Ward, M.M., Brokel, J.M., Wakefield, D.S., Crandall, D.K., Conlon, P., 2010. Impact of health information technology on detection of potential adverse drug events at the ordering stage 67, 10.

Rommers, M.K., 2013. Evaluation of rule effectiveness and positive predictive value of clinical rules in a Dutch clinical decision support system in daily hospital pharmacy practice. Artificial Intelligence in Medicine 7.

Rommers, M.K., Teepe-Twiss, I.M., Guchelaar, H.-J., 2011. A Computerized Adverse Drug Event Alerting System Using Clinical Rules. Drug Saf 10.

Rommers, M.K., Zegers, M.H., Clercq, P.A.D., Bouvy, M.L., Teepe-Twiss, I.M., Guchelaar, H.-J., n.d. Development of a computerised alert system, ADEAS, to identify patients at risk for an adverse drug event. Qual Saf Health Care 7.

Rommers, M.K., Zegers, M.H., Clercq, P.A.D., Bouvy, M.L., Teepe-Twiss, I.M., Guchelaar, H.-J., n.d. Development of a computerised alert system, ADEAS, to identify patients at risk for an adverse drug event. Qual Saf Health Care 7.

Schwartzberg, D., Ivanovic, S., Patel, S., Burjonrappa, S.C., 2015. We thought we would be perfect: medication errors before and after the initiation of Computerized Physician Order Entry. J. Surg. Res. 198, 108–114. https://doi.org/10.1016/j.jss.2015.03.004

Seeley, C.E., Nicewander, D., Page, R., Dysert, P.A., 2004. A baseline study of medication error rates at Baylor University Medical Center in preparation for implementation of a computerized physician order entry system. Proc (Bayl Univ Med Cent) 17, 357–361; discussion 361-362.

Seidling, H.M., Al Barmawi, A., Kaltschmidt, J., Bertsche, T., Pruszydlo, M.G., Haefeli, W.E., 2007. Detection and prevention of prescriptions with excessive doses in electronic prescribing systems. Eur. J. Clin. Pharmacol. 63, 1185–1192. https://doi.org/10.1007/s00228-007-0370-9

Seidling, H.M., Phansalkar, S., Seger, D.L., Paterno, M.D., Shaykevich, S., Haefeli, W.E., Bates, D.W., 2011. Factors influencing alert acceptance: a novel approach for predicting the success of clinical decision support. J Am Med Inform Assoc 18, 479–484. https://doi.org/10.1136/amiajnl-2010-000039

Seidling, H.M., Schmitt, S.P.W., Bruckner, T., Kaltschmidt, J., Pruszydlo, M.G., Senger, C., Bertsche, T., Walter-Sack, I., Haefeli, W.E., n.d. Patient-specific electronic decision support reduces prescription of excessive doses. Qual Saf Health Care 8.

Sethuraman, U., Kannikeswaran, N., Murray, K.P., Zidan, M.A., Chamberlain, J.M., 2015. Prescription Errors Before and After Introduction of Electronic Medication Alert System in a Pediatric Emergency Department. ACADEMIC EMERGENCY MEDICINE 22, 6.

Straichman, Y.Z., 2017. Prescriber response to computerized drug alerts for electronic prescriptions among hospitalized patients. International Journal of Medical Informatics 6.

Stultz, J.S., Porter, K., Nahata, M.C., 2018. Sensitivity and specificity of dosing alerts for dosing errors among hospitalized pediatric patients 7.

Taylor, L.K., Tamblyn, R., 2004. Reasons for physician non-adherence to electronic drug alerts. Stud Health Technol Inform 107, 1101–1105.

Tora, H., Bo, H., Bodil, L., Goran, P., Birgit, E., n.d. Potential drug related problems detected by electronic expert support system in patients with multi-dose drug dispensing 10.

Variation in high-priority drug-drug interaction alerts across institutions and electronic health records, n.d. 8.

Westbrook, J.I., Reckmann, M., Li, L., Runciman, W.B., Burke, R., Baysari, M.T., Braithwaite, J., Day, R.O., 2012. Effects of Two Commercial Electronic Prescribing Systems on Prescribing Error Rates in Hospital In- Patients: A Before and After Study. PLoS Medicine 9, 11.

Wipfli, R., Ehrler, F., Bediang, G., Bétrancourt, M., Lovis, C., 2016. How Regrouping Alerts in Computerized Physician Order Entry Layout Influences Physicians' Prescription Behavior: Results of a

Crossover Randomized Trial. JMIR Hum Factors 3, e15. https://doi.org/10.2196/humanfactors.5320

Wong, A., 2017. Evaluation of medication-related clinical decision support alert overrides in the intensive care unit. Journal of Critical Care 6.

Xie, M., Weinger, M.B., Gregg, W.M., Johnson, K.B., 2014. Presenting Multiple Drug Alerts in an Ambulatory Electronic Prescribing System 15.

Yeh, M.-L., Chang, Y.-J., Wang, P.-Y., Li, Y.-C.J., Hsu, C.-Y., 2013. Physicians' responses to computerized drug-drug interaction alerts for outpatients. Comput Methods Programs Biomed 111, 17–25. https://doi.org/10.1016/j.cmpb.2013.02.006

Yeh, M.-L., n.d. Physicians' responses to computerized drug–drug interaction alerts for outpatients. c o m p u t e r m e t h o d s a n d p r o g r a m s i n b i o m e d i c i n e 9.

Zaal, R.J., Tijssen, C.C., Roukema, J.A., n.d. Identification of drug-related problems by a clinical pharmacist in addition to computerized alerts 10.

Zenziper Straichman, Y., Kurnik, D., Matok, I., Halkin, H., Markovits, N., Ziv, A., Shamiss, A., Loebstein, R., 2017. Prescriber response to computerized drug alerts for electronic prescriptions among hospitalized patients. Int J Med Inform 107, 70–75. https://doi.org/10.1016/j.ijmedinf.2017.08.008

Zwart-van Rijkom, J.E.F., Uijtendaal, E.V., ten Berg, M.J., van Solinge, W.W., Egberts, A.C.G., 2009. Frequency and nature of drug-drug interactions in a Dutch university hospital. British Journal of Clinical Pharmacology 68, 187–193. https://doi.org/10.1111/j.1365-2125.2009.03443.x