

DAFTAR PUSTAKA

- Adicondro, N. (2014). *Pengaruh Terapi Kelompok Reminiscence Untuk Menurunkan Tingkat Depresi Pada Lanjut Usia Di Panti Sosial Tresna Werdha Unit Budi Luhur Kasongan, Bantul, Daerah Istimewa Yogyakarta, 007.*
- Akhoondzadeh G, Jalalmanesh S, Hojjati H. Effect of reminiscence on cognitive status and memory of the elderly people. *Iran J Psychiatry Behav Sci.* 2014;8(3):75–80.
- Arwani, dkk. (2019). The Role of Physical Activity in Determining the Level of Older People's Depression. *Indian Journal of Public Health Research & Development*. Mar 2019, Vol. 10 Issue 3, p599-603. 5p.
- Azizah, L. M. (2011). *Keperawatan Lanjut Usia* (Pertama). Yogyakarta: Graha Ilmu.
- Azizah, L. M., dkk. (2016). *Buku Ajar Keperawatan Kesehatan Jiwa Teori dan Aplikasi Praktik Klinik* (Pertama). Yogyakarta: Indomedia Pustaka.
- Bappenas, (2015). Laporan Pencapaian Tujuan Pembangunan Milenium di Indonesia 2014. Jakarta.
- Bornat, J. (1994). Reminiscence reviewed; perspectives, evaluations, achievements. <http://www.growthhouse.org/books/bornat.htm>.
- Butler, R. N. (1963). *The Life Review: An Interpretation of Reminiscence in the Aged.* *Psychiatry*, 26(1), 65–76. doi:10.1080/00332747.1963.11023339
- Chen, T., Li, H., & Li, J. (2012). The effects of reminiscence therapy on depressive symptoms of Chinese elderly: study protocol of a randomized controlled trial. *BMC Psychiatry*, 12, 189.

- Chiang, K. J. (2009). *The Effect of Reminiscence Therapy On Psychological Well-Being, Depression, and Loneliness Among The Institutionalized Aged*. *International Journal of Geriatric Psychiatry*.
- Ching-Teng, Y., Ya-Ping, Y., Chia-Ju, L., & Hsiu-Yueh, L. (2020). Effect of group reminiscence therapy on depression and perceived meaning of life of veterans diagnosed with dementia at veteran homes. *Social Work in Health Care*, 1–16. <https://doi.org/10.1080/00981389.2019.1710320>
- Chueh, K. H., & Chang, T. Y. (2014). Effectiveness of group reminiscence therapy for depressive symptoms in male veterans: 6-month follow-up. *International Journal of Geriatric Psychiatry*, 29(4), 377-383.
- Davinson, G.C., Neale, J.M., dan Kring, A.M. (2006). Psikologi abnormal. Jakarta: PTRaja Grafindo Persada.
- Depkes RI. (2007). Pharmaceutical Care Untuk Penderita Gangguan Depresif. (online) <http://www.binfo.depkes.go.id>.
- Duru Aşiret, G., & Kapucu, S. (2016). The Effect of Reminiscence Therapy on Cognition, Depression, and Activities of Daily Living for Patients With Alzheimer Disease. *Journal of Geriatric Psychiatry and Neurology*, 29(1), 31–37. <https://doi.org/10.1177/0891988715598233>
- Fujiwara, E., Otsuka, K., Sakai, A. et al. (2012). Usefulness of reminiscence therapy for community mental health. *Psychiatry and Clinical Neurosciences*, 66, 74–79.
- Gautam, R. & Houde, S.C. (2011). Geriatric Depression Scale for community-dwelling older adults in Nepal. *Asian J Gerontol Geriatr* 2011; 6: 93–9
- Gil, I., Costa, P., Cardoso, D., Parola, V., Bobrowicz-Campos, E., de Almeida, M. de L., & Apóstolo, J. (2018). The effectiveness of reminiscence in cognition, depressive

symptoms, and quality of life in elderly people in the community: A systematic review. Revista de Enfermagem Referência, IV Série(19), 147–158. <https://doi.org/10.12707/RIV18032>

Gil, I., Costa, P., Parola, V., Cardoso, D., Almeida, M., & Apóstolo, J. (2019). Efficacy of reminiscence in cognition, depressive symptoms and quality of life in institutionalized elderly: A systematic review. Revista Da Escola de Enfermagem Da USP, 53, e03458. <https://doi.org/10.1590/s1980-220x2018007403458>

Gray, David E. (2013). Doing Research in the Real World. Sage.

Greenberg, S. A. (2019). The Geriatric Depression Scale (GDS). 2. Issue Number 4, Revised 2019.

Hamzehzadeh, M., Golzari, M., Rafiemanesh, H., Meshki, V., Abdolalizadeh, M., Hoseini, L., & Foroughan, M. (2018). Investigating the effectiveness of reminiscence therapy on of elderlies depression and optimism: An experiment study. Prensa Medica Argentina, 104. <https://doi.org/10.41720032/745X.1000318>

Hasanah, N. (2014). Perbedaan tingkat depresi antara lansia yang memiliki pasangan hidup dan tidak memiliki pasangan hidup di Dusun Botokan Jatirejo Lendah Kulon Progo. Naskah publikasi. *PROGRAM STUDI ILMU KEPERAWATAN SEKOLAH TINGGI ILMU KESEHATAN 'AISYIYAH YOGYAKARTA*. 17.

Hawari, D. (2011). *Psikiatri Manajemen Stress, Cemas & Depresi*. Jakarta: FK UI.

Herawati, N., & Deharnita, D. (2019). Hubungan karakteristik dengan kejadian depresi pada lansia. Jurnal Keperawatan Jiwa, 7(2), 183. <https://doi.org/10.26714/jkj.7.2.2019.185-192>

Hermawati, E., & Permana, I. (2020). MANFAAT TERAPI REMINISCENCE DALAM MENGATASI DEPRESI PADA LANSIA. *Jurnal Ilmu Kependidikan Jiwa Persatuan Perawat Nasional Indonesia Jawa Tengah*. 3 (1) Hal 41 – 46. e-ISSN 26212978

Hidayati, L. N., Mustikasari, M., & Eka Putri, Y. S. (2015). Individual Reminiscence Therapy can Decrease Depression Level on Elderly at Social Homes. *Jurnal NERS*, 10(2), 222. <https://doi.org/10.20473/jn.V10I22015.222-232>

Huang, H.-C., Chen, Y.-T., Chen, P.-Y., Huey-Lan Hu, S., Liu, F., Kuo, Y.-L., & Chiu, H.-Y. (2015). Reminiscence Therapy Improves Cognitive Functions and Reduces Depressive Symptoms in Elderly People With Dementia: A Meta-Analysis of Randomized Controlled Trials. *Journal of the American Medical Directors Association*, 16(12), 1087–1094. <https://doi.org/10.1016/j.jamda.2015.07.010>

Jo, H., & Song, E. (2014). The Effect of Reminiscence Therapy on Depression, Quality of Life, Ego-Integrity, Social Behavior Function, and Activities of Daily Living in Elderly Patients With Mild Dementia. *Educational Gerontology*, 41(1), 1–13. <https://doi.org/10.1080/03601277.2014.899830>

Johnson. (2005). Reminiscence groups for people with dementia and their family carers. <http://www.ncbi.nlm.nih.gov>.

Jones, E. D. (2003). Reminiscence therapy for older women with depression: Effects of nursing intervention classification in assisted-living long-term care. *Journal Gerontology Nursing*, 29(7), 26–33. doi:10.3928/0098-9134-20030701-07

Jonsson, U., Bertilsson, G., Allard, P., Gyllensvård, H., Söderlund, A., Tham, A., & Andersson, G. (2016). Psychological Treatment of Depression in People Aged 65 Years and Over: A Systematic Review of Efficacy, Safety, and Cost-Effectiveness. *PLOS ONE*, 11(8), e0160859. <https://doi.org/10.1371/journal.pone.0160859>

Kaplan HI, Sadock BJ, and G. J. (2010). Sinopsis Psikiatri: Ilmu Pengetahuan Perilaku Psikiatri Klinis. Jilid Satu. Editor: Dr. I. Made Wiguna S. Jakarta: Bina Rupa Aksara.hlm.113-129, 149-183.

Keliat, B. A., dkk. (2006). *Proses Keperawatan Jiwa Edisi II*. Jakarta: EGC.

KEPUTUSAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR HK.02.02/MENKES/73/2015 TENTANG PEDOMAN NASIONAL PELAYANAN KEDOKTERAN JIWA.
http://hukor.kemkes.go.id/uploads/produk_hukum/KMK_N_o._HK_.02_.02-MENKES-73-2015_ttg_Pedo. diakses pada tanggal 11 Oktober 2019.

Kolovos, S., Kleiboer, A., & Cuijpers, P. (2016). Effect of psychotherapy for depression on quality of life: Meta-analysis. British Journal of Psychiatry, 209(6), 460–468. <https://doi.org/10.1192/bjp.bp.115.175059>

Lestari, Feny Mega & Sumintardja, Elmira. 2016. Kajian *Reminiscence Group Therapy* Pada Depresi Lansia Wanita Yang Tinggal Di Panti Werdha. Jurnal Ilmiah Psikologi MANASA 2016, Vol. 5, No. 1, 42-56

Livana, dkk. 2018. Gambaran Tingkat Depresi Lansia. Nurscope. Jurnal Keperawatan Pemikiran Ilmiah. 4(4).80-93

Lök, N., Bademli, K., & Selçuk-Tosun, A. (2019). The effect of reminiscence therapy on cognitive functions, depression, and quality of life in Alzheimer patients: Randomized controlled trial. International Journal of Geriatric Psychiatry, 34(1), 47–53. <https://doi.org/10.1002/gps.4980>

Lubis, N. L. (2016). *Depresi: Tinjauan Psikologis*. Jakarta: Kencana Prenada Media Group.

Manurung, N. (2016). *Terapi Reminiscence*. Jakarta: Trans Info Media.

- Maramis. (2009). *Catatan Ilmu Kedokteran Jiwa* (Kedua). Surabaya: Airlangga.
- Marta, O. F. (2012). Determinan Tingkat Depresi Pada Lansia Di Panti Sosial Tresna Werdha Budi Mulia 4 Jakarta Selatan. Universitas Indonesia.
- Maslim, R. (2013). *Diagnosis Gangguan Jiwa, Rujukan Ringkas PPDGJ-III dan DSM-V*. Cetakan 2 – Bagian Ilmu Kedokteran Jiwa Fakultas Kedokteran Unika Atma Jaya. Jakarta: PT Nuh Jaya.
- Meiner, Sue E., dan Annette G. Lueckenotte. (2006). *Gerontologic Nursing* (3th ed.). Philadelphia: Mosby Elsevier
- Meléndez Moral, J. C., Fortuna Terrero, F. B., Sales Galán, A., & Mayordomo Rodríguez, T. (2015). Effect of integrative reminiscence therapy on depression, well-being, integrity, self-esteem, and life satisfaction in older adults. *The Journal of Positive Psychology*, 10(3), 240–247. <https://doi.org/10.1080/17439760.2014.936968>
- Monteleone, P. (2011). *Endocrine Disturbances and Psychiatric Disorders*. *Current Opinion in Psychiatry*. 2001;14(6):605–10.
- Montorio, A. & Izal, M. (1996). The geriatric depression scale: a review of its development and utility. *International Psychogeriatrics*, Vol.8, No.1, h. 103-112
- Mufatikah, L. (2014). Studi Komparasi Tingkat Depresi pada Lansia yang Melakukan dan Tidak Melakukan Sanam Lansia di Pstw Yogyakarta Unit Budi Luhur dan Posyandu Lansia Bougenvile Sumbermulyo Bantul. Skripsi (Diterbitkan). Yogyakarta: Sekolah Tinggi ILmu Kesehatan ‘Aisyiyah Yogyakarta.
- Nauli, Fathra Annis. (2011). *Pengaruh Logoterapi Lansia dan Psikoedukasi Keluarga terhadap Depresi dan Kemampuan Memaknai Hidup pada Lansia di Kelurahan Katulampa*

Bogor Timur. Tesis. Program Magister Ilmu Keperawatan UI.

Notoatmodjo, S. (2005). *Promosi Kesehatan teori dan aplikasinya*. Jakarta: Rineka Cipta.

Nugroho. (2010). *Keperawatan Gerontik*. Jakarta: Buku Kedokteran EGC.

Nursalam. (2017). *Metodologi Penelitian Ilmu Keperawatan* (4th ed.). Jakarta: Salemba Medika.

Nutt, D.J. (2008). *Relationship of Neurotransmitters to the Symptoms of Major Depressive Disorder*. Journal of Clinical Psychiatry. 2008;69 Suppl E1:4–7. PMID 18494537

PERATURAN PEMERINTAH REPUBLIK INDONESIA NOMOR 43 TAHUN 2004 TENTANG PELAKSANAAN UPAYA PENINGKATAN KESEJAHTERAAN SOSIAL LANJUT USIA

Pilania, M., Bairwa, M., Kumar, N., Khanna, P., & Kurana, H. (2013). Elderly depression in India: An emerging public health challenge. *Australasian Medical Journal*, 6(3), 107–111.

Pinquart, M., & Forstmeier, S. (2012). Effects of reminiscence interventions on psychosocial outcomes: A meta-analysis. *Aging & Mental Health*, 16(5), 541-558.

Pramesona, B. A., & Taneepanichskul, S. (2018). Prevalence and risk factors of depression among Indonesian elderly: A nursing home-based cross-sectional study. *Neurology, Psychiatry and Brain Research*, 30, 22–27. <https://doi.org/10.1016/j.npbr.2018.04.004>

Relawati, A. 2010. Hubungan antara Tingkat Depresi dengan Interaksi Sosial di Panti Wredha Dharma Bhakti Surakarta. Skripsi. Surakarta: Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta

- Rubin, A., Parrish, D. E., & Miyawaki, C. E. (2019). Benchmarks for Evaluating Life Review and Reminiscence Therapy in Alleviating Depression among Older Adults. *Social Work*, 64(1), 61–72. <https://doi.org/10.1093/sw/swy054>
- Sahu, I., Mohanty, S., & Pahantasingh, S. (2019). Effect of reminiscence group therapy on depression, self-esteem and loneliness among elderly women residing in old age home. *International Journal of Research in Medical Sciences*, 7(10), 3685. <https://doi.org/10.18203/2320-6012.ijrms20194293>
- Sari, Nelda Nilam. (2012). Pengaruh Dukungan Sosial Terhadap Depresi pada Lansia. Uns. Medan.
- Sarokhani, D., Parvareh, M., Hasanpour Dehkordi, A., Sayehmiri, K., & Moghimbeigi, A. (2018). Prevalence of Depression among Iranian Elderly: Systematic Review and Meta-Analysis. *Iranian journal of psychiatry*, 13(1), 55–64.
- Setiati, S., Harimurti, K., & R, A. G. (2009). Proses Menua dan Implikasi Kliniknya. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, dan Setiati S, Buku Ajar Ilmu Penyakit Dalam edisi V. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.hlm.1335- 1340.
- Sheikh, J.I., & Yesavage, J.A. (1986). Geriatric Depression Scale (GDS). Recent evidence and development of a shorter version. In T.L. Brink (Ed.), *Clinical Gerontology: A Guide to Assessment and Intervention* (pp. 165-173). NY: The Haworth Press, Inc.
- Siverová, J., & Bužgová, R. (2018). The effect of reminiscence therapy on quality of life, attitudes to ageing, and depressive symptoms in institutionalized elderly adults with cognitive impairment: A quasi-experimental study. *International Journal of Mental Health Nursing*, 27(5), 1430–1439. <https://doi.org/10.1111/inm.12442>

- Smeltzer, S.C., Bare, B.G., Hinkle, J.L., & Cheever, K.H. (2010). *Brunner And Suddarth's Text Book Of Medical Surgical Nursing. 11th ed.* Lippincott Williams & Wilkins, Inc.
- Stanley, M dan Beare, P.G. (2007). Buku Ajar Keperawatan Gerontik Edisi 2. EGC. Jakarta
- Stuart, G. W. (2007). *Buku Saku Keperawatan Jiwa* (5 ed.). Jakarta: EGC.
- Stuart, G. W. (2014). *Buku Saku Keperawatan Jiwa*. Jakarta: EGC.
- Stuart, G.W. & Laraia, M.T. (2005). Principle and practice of psychiatric nursing. (8th ed.). Philadelphia, USA: Mosby, Inc.
- Sugiyono. (2017). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: CV Alfabeta.
- Sukrillah, U. A., Prasetyo, H., Riyadi, S., & Kuhu, M. M. (2018). PENATALAKSANAAN NON-FARMAKOLOGIS REMINISCENCE GROUP THERAPY SEBAGAI UPAYA UNTUK MENURUNKAN TINGKAT DEPRESI PADA LANSIA. LINK, 13(2), 38. <https://doi.org/10.31983/link.v13i2.2925>
- Sumantri, Arif. (2015). *Metodologi Penelitian Kesehatan. Cetakan ke-3.* (Pertama). Jakarta: Kencana Prenada Media Group.
- Susilowati, Fepi & Yenie, Helmi. 2015. Hubungan Dukungan Keluarga Terhadap Kejadian Depresi Pada Lansia Yang Tinggal Bersama Keluarga Di Wilayah Kerja Puskesmas Kota Bumi II Lampung Utara. Jurnal Kesehatan Metro Sai Wawai Volume VIII No 2. ISSN 19779-469X.
- Syarniah. (2010). *Pengaruh Terapi Kelompok Reminiscence Terhadap Depresi Pada Lansia Di Panti Sosial Tresna Werdha Budhi Sejahtera Provinsi Kalimantan Selatan.* Tesis. Universits Indonesia.

- Tadaka, E. & Kanagawa, K. (2007). Effects of reminiscence group in elderly people with Alzheimer disease and vascular dementia in a community setting. *Geriatrics & Gerontology International*, 7, 167–173.
- Tarugu, J., Pavithra, R., Vinothchandar, S., Basu, A., Chaudhuri, S., & John, K. R. (2019). Effectiveness of structured group reminiscence therapy in decreasing the feelings of loneliness, depressive symptoms and anxiety among inmates of a residential home for the elderly in Chittoor district. *International Journal Of Community Medicine And Public Health*, 6(2), 847. <https://doi.org/10.18203/2394-6040.ijcmph20190218>
- Townsend, M. C. (2009). *Psychiatric Mental Health Nursing: Concepts of Care in Evidence-Based Practice* (6th ed.). Philadelphia: F.A. Davis.
- United Nations, Department of Economic and Social Affairs, Population Division (2015). United Nations: World Population Ageing; 2015 (ST/ESA/SER. A/390). https://www.un.org/en/development/desa/population/publication/pdf/ageing/WPA2015_Report.pdf.
- Viguer, P., Satorres, E., Fortuna, F. B., & Meléndez, J. C. (2017). A Follow-Up Study of a Reminiscence Intervention and Its Effects on Depressed Mood, Life Satisfaction, and Well-Being in the Elderly. *The Journal of Psychology*, 151(8), 789–803. <https://doi.org/10.1080/00223980.2017.1393379>
- Vitaliati, T. (2018). Pengaruh Penerapan Reminiscence Therapy Terhadap Tingkat Depresi Pada Lansia. (1), 6.
- Weitz, E., Kleiboer, A., van Straten, A., & Cuijpers, P. (2018). The effects of psychotherapy for depression on anxiety symptoms: A meta-analysis. *Psychological Medicine*, 48(13), 2140–2152. <https://doi.org/10.1017/S0033291717003622>

- Wheeler, K. (2008). Psychotherapy for the advanced practice psychiatric nurse. St. Louis: Mosby.
- Winrow AM, Holmes JD. (2005). Old age medical patients screening positive for Depression. *In Psych Med Journal* 22(4): 124 -27.
- Woods, B., O'Philbin, L., Farrell, E. M., Spector, A. E., & Orrell, M. (2018). Reminiscence therapy for dementia. Cochrane Database of Systematic Reviews. <https://doi.org/10.1002/14651858.CD001120.pub3>
- World Health Organization. (2011). Global health and aging. Retrieved from http://www.who.int/ageing/publications/global_health.pdf diakses pada tanggal 21 Juni 2019
- World Health Organization. (2015). Mental health and older adults.https://www.bappenas.go.id/files/5413/9148/4109/Proyeksi_Penduduk_Indonesia_2010-2035.pdf diakses tanggal 21 Juni 2019.
- Wu, D., Chen, T., Yang, H., Gong, Q., & Hu, X. (2018). Verbal responses, depressive symptoms, reminiscence functions and cognitive emotion regulation in older women receiving individual reminiscence therapy. *Journal of Clinical Nursing*, 27(13–14), 2609–2619. <https://doi.org/10.1111/jocn.14156>
- Wu, L.. (2011). Group integrative reminiscence therapy on self-esteem, life satisfaction and depressive symptoms in institutionalised older veterans. *Journal of Clinical Nursing Vol 20 (15)* 2195-2203.
- Yang, Y.-P., Lee, F.-P., Chao, H.-C., Hsu, F.-Y., & Wang, J.-J. (2016). Comparing the Effects of Cognitive Stimulation, Reminiscence, and Aroma-Massage on Agitation and Depressive Mood in People With Dementia. *Journal of the American Medical Directors Association*, 17(8), 719–724. <https://doi.org/10.1016/j.jamda.2016.03.021>

Yen, H.-Y., & Lin, L.-J. (2018). A Systematic Review of Reminiscence Therapy for Older Adults in Taiwan: Journal of Nursing Research, 26(2), 138–150.
<https://doi.org/10.1097/jnr.0000000000000233>

Yesavage, J.A., Brink, T.L., Rose, T.L., Lum, O., Huang, V., Adey, M.B., & Leirer, V.O. (1983). Development and validation of a geriatric depression screening scale: A preliminary report. Journal of Psychiatric Research, 17, 37-49.

Yusuf, M. (2017). *Metodologi Penelitian Kuantitatif, Kualitatif & Penelitian Gabungan*. Jakarta: Prenadamedia Group.