

DAFTAR PUSTAKA

Asai T, Koga K, Vaughan RS.(2004).Respiratory complications associated with tracheal intubation and extubation.*Br J Anaesth*; 80:767-775.

Baraka A.(1999).Intravenous lidocaine controls extubation laryngospasm in children. *Anesthesia Analgesia*; 57(4):506.

Bloomfield, Eric.(1997).*Avoidance of Nitrous Oxide and Increased Isoflurane During Alfentanil Based Anesthesia Decreases the Incidence of Postoperative Nausea*.Ohio: Cleaveland Departement of Anestheiology.

Collin VJ.(1996).*Physiologic and Pharmacologic Bases of Anaesthesia*. Philadelphia: Williams and Wilkins.

Craig PA.(1996).Gastrointestinal Physiology and Pharmacology:Aspiration of Gastric Contents and Postoperative Nausea and Vomiting.In:Collins VJ editor.*Physiologic and Pharmacologic Bases of Anaesthesia*.5th ed. Pennsylvania: Williams dan Wilkins,pp: 361-394.

Clegg, Naula, Wall et al.(1996).Humidification reduces and breath-holding during inhalation with isoflurane in children. *Can J Anesthesia*; 1090-1094.

Dorland.(2000).*Medical Dictionary*.29th ed.Philadelphia:WB Saunders Company Inc,pp: 102-104.

Eger, Eissenkaft, Weiskoof.(2003).*The Pharmacology of Inhaled Anesthetics*. [http://www.anwers.com./halothane.\(6 Oktober 2008\)](http://www.anwers.com./halothane.(6 Oktober 2008)).

Gan, C.Tong.(2003).*Consensus Guidelines for Managing Postoperative Nausea and Vomiting*. International Anesthesia Research Society.Pp:62-71.

Goodman, Gilman's.(2001).*The Pharmacological Basics of Therapeutics*.10th ed.Boston: Mc Grow, Hill,pp: 344-347.

Goresky, Geral, John MB.(1996).Inhalation induction of anesthesia. *Canadian Journal Anesthesia*; 1085-1089.

Guyton Arthur C, and Hall JE.(1997). *Buku Ajar Fisiologi Kedokteran*. 9th ed. Jakarta: EGC,p:167.

Hiroyuki K, Hiroya W, et al.(1995).Fentanyl pretreatment attenuates the laryngospasm induced by inhalation of 5% isoflurane. *Can J Anesthesia*;

Hitchcock M.(1997).*Postoperative Nausea and Vomiting (PONV)*.1st ed. Oxford:Bios Scientific Publisher Ltd,pp : 77-86.

Karjadi W. (2000). *Anestesiologi dan Reanimasi Modul Dasar untuk pendidikan SI kedokteran*. Jakarta: Direktorat Jendral Pendidikan Tinggi Departemen Pendidikan Nasional, pp: 150-158.

Kania, Mark.(2004).PONV: What's the Impacton Ambulatory Surgery. *PANA Fall meeting*.

Klock P, Allan JR, et al.(2001).The effect of sevoflurane and desflurane on upper airway reactivity. *Anesthesiology*; 963-967.

Koc C, Kocaman F, Aygene E, Ozdem C, Cekic A.(2002).The use of preoperative lidocaine to prevent stridor and laryngospasm after tonsillectomy and adenoidectomy. *Otolaryngol Head Neck surg*;118:880-882.

Kong CF, Chew ST, et al.(2000).Intravenous opioids reduces airways irritation during induction of Anesthesia with desflurane in adult. *Br J Anesthesia*; 364-367.

Langton JA, Murphy PJ, et al.(1993).Measurement of the sensitivity of upper airway reflexes. *Br J Anesthesia*; 126-130.

Loper K, Reitan J, et al. (1997). Comparation of halation and isoflurane for rapid Anesthesia induction. *Anesthesia Analgesia*; 766-768.

Mary EM, Donal JB, Patrick S. (1999). Propofol or sevoflurane for laryngeal mask airway insertion. *Can J Anesthesia*; 322-326.

Matsuyuki D, Kazuyuki. (1993). Airway irritation produced by volatile Anesthesia during brief inhalation: compare of halothane, enflurane, isoflurane and sevoflurane. *Can J Anesthesia*; 122-126.

Mc Auliffe GL, Sanders DJ, Mills PJ. (1994). Effect of humidification on inhalation with isoflurane in children. *Br J Anesthesia*; 587-589.

MC, Lewis.(2007).Uncomplicated general anesthesia in the elderly results in cognitive decline.*Medical Hypothesis*. pp : 484-492.

Miller KA, Harkin CP, Bailey PL.(2001).Postoperative tracheal extubation. *Anesthesia Analgesia*; 80:149-72.

Morgan, Mikhail MS. (2001). Clinical Anesthesiology 2nd ed. *London: Prentice-Hall International*; 109-127.

Morgan, G.Edward, Mikhail Maged S, Murray Michael J.(2007).*Clinical Anesthesiology*.4th ed. New York: Lange Medical Books, pp : 281-282.

Murphy PJ, Langton JA, Barker P. (1993). Effect of oral diazepam an the sensitivity of upper airway reflexes. *Br J Anesthesia*; 131-134.

Roger JM.(1994). The laryngeal mask airway in Anesthesia . *Can J Anesthesia*; 888-893.

Rushman, Davies, Cashman. (2004). Lee'Synopsis of Anaesthesia. *Oxford: Butterworth Heineman 12th ed*;152-173.

Sastroasmoro Sudigo, Sofyan Ismael (eds).(1995). *Dasar-Dasar Metodologi Penelitian Klinis*.Jakarta: Binarupa Aksara.

Satoru T, Hideaki T, et al. (1996). The effect of sevoflurane, isoflurane, halothane, and hemodynamic responses during an inhaled induction of Anesthesia via mask in human. *Anesthesia Analgesia*; 821-826.

Sloan, Mark H, Conard, et al. (1996). Sevoflurane versus isoflurane. *Anesthesia Analgesia*; 528-532.

Stoelting RK. (1999). Pharmacology and physiology in anesthetic practise 3rd ed. *Philadelphia: Lippincott-Raven*; 39-76.

Stoelting, RK, Miller RD.(1994).*Basic Of Anesthetic Practice*.3rd ed.New York: Churchill Livingstone, pp: 8-9, 59-72, 114-125, 201-205, 215, 228- 31, 497-8.

Sulistia, GG.(1998). *Farmakologi dan Terapi*.Jakarta: Fakultas Kedokteran UI, pp:109-147.

Swadia, FN,Vasava JV.(2002).Isoflurane in Day Care Surgery.*Indian Journal of Anesthesia*.46(2): 134-137.

Syarif A,Sunaryo.(2007).Anestetik Lokal: Kokain dan anestesi lokal sintetik. Dalam: Farmakologi dan Terapi. Editor: Gunawan SG. ed 5. Jakarta: *Departemen Farmakologi dan Terapeutik FK UI*; 259-272.

Vincent, JC.(1996). *Phisiologic and pharmacologic Based of Anesthesia*.William and Walkin A Waverly Company,pp: 773-784.

Visvanathan T,Kluger MT,Webb RK,Westhorpe RN.(2005).Crisis Management
during anaesthesia. *Journal of Clinical Monitoring & Computing* 19:1-2

White PF. (2000).Outpatient Anesthesia.In : Miller RD editor. Anesthesia.5th ed. New York: Churchill Livingstone Inc.,2218-2235.

White PF.(2004).*Comparison of Recovery Profile After Ambulatory Anesthesia with Propofol, Isoflurane, Sevoflurane and Desflurane.* In: Ambulatory Anesthesia. Craibon. Society for Ambulatory Anesthesia Dr. 622 641