

## DAFTAR PUSTAKA

- Bachor, E., Selig, Y., Jahnke, K., & Rettinger, G. (2001). Vascular Variations of the inner ear. *Acta Otolaryngol*, 35-41.
- Bear, M., Barry, W., & Paradison, M. (2001). *Neuroscience, exploring the brain* (2nd ed.). Lippincott Williams & Wilkins.
- Bener, A., Salahudin, A., Darwish, S., & Al-Hamaq, A. (2008). Association between hearing loss and type 2 diabetes mellitus in elderly people in a new developed society. *Biomed Res*.
- Corwin , & Elizabeth, J. (2000). In *Buku Saku Patofisiologi*. Jakarta: EGC.
- Dewi, A. (2011). *Presbiakusis*. Retrieved Maret 15, 2015, from <http://pustaka.unpad.ac.id/wp-content/uploads/2009/05/presbiakusis.pdf>.
- Do Carmo, L., Silveira, J., Marone , S., D'Ottaviano, F., & Zagati, L. (2008). Audiological study of elderly brazilian population. *Brazil J Otorhinolaryngol*, 342-349.
- Gates, G., & Mills, J. (2005). *Presbycusis*. *Lancet*.
- Goycoolea, M., Coycoolea, H., Farfan, C., Rodriguez, L., & Vidal, R. (1986). Effect of life in industrialized societies on hearing in natives of easter island. *Laryngoscope*, 1391-1396.
- Jerger, J., & Jerger, S. (1976). The effects of age on the diagnostic utility of the rollover phenomenon. *J speech Hear Disord*.
- Jonsson, R., Rosenhall, U., Gause, N., & Steen, B. (1998). Auditory function in 70 and 75 years old of four age cohorts. 81-93.
- Keithley, E., Canto, C., Zheng, Q., Fischel-Ghodsian, N., & Johnson, K. (2004). Age-related hearing loss and the ahl locus in mice. *Hear Res*, 188:21-8.
- Kim, S., Lim, E., Kim, H., Park, J., Jarng, S., & Lee, S. (2010). Sex differences in a cross sectional study of age-related hearing loss in korea. *Clinical and Experimental Otorhinolaryngol*, 27-31.
- L, M. (2006). Hypertension as a factor associated with hearing loss.
- Lalwani, A. (2004). The aging inner ear. In *Current Opinion in Otolaryngology & Head and Neck Surgery 12* (pp. 745-42). New York: McGraw-Hill Co.
- Lee, F., Matthew, L., Dubno, J., & Mills, J. (2005). Longitudinal study of puretone thresholds in older persons. *Ear Hear*, 1-11.

- Lumbangtobin, S. (1998). *Stroke*. Jakarta: Balai Penerbit Fakultas Kedokteran Indonesia.
- Mills, J., & Weber, P. (2001). Anatomy and physiology of hearing. In B. Bailey, *Otolaryngology Head and Neck Surgery*. Philadelphia, USA: Lippincott Williams and Wilkins.
- Mondelli, M., & Lopes, A. (2009). Relation between arterial hypertension and hearing loss. *Int. Arch. Otorhinolaryngol.*
- Muyassaroh, M. (2013). *Faktor Risiko Presbikusis*. Retrieved Maret 15, 2015, from <http://indonesia.digitaljournals.org/index.php/idnmed/article/download/.../1187>
- Nelson, E., & Hinojosa, R. (2006). Presbycusis : a human temporal bone study of individuals with downward sloping audiometric patterns of hearing loss and review of the literature. *Laryngoscope*, 1-12.
- Ohlemiller, K. (2004). Age-related hearing loss : The status of Schuknecht's typology. In *Current Opinion in Otolaryngology & Head and Neck Surgery 12* (pp. 439-443).
- Paris, J., Ballay, C., Inserra, M., Stidham, K., Colen, T., & Roberson, J. (2008). Genetic analysis of presbycusis by arrayed primer extension. *Annals of science & lab*, 352-360.
- Sakaguchi, H., Tokita, J., Muuler, U., & Kachar, B. (2009). Tip links in hair cells : molecular composition and role in hearing loss. *Curr Opin Otolaryngol*, 388-393.
- Schuknecht, H., & Gacek, M. (1993). Cochlear pathology in presbycusis. *Annls of Otology, Rhinology, and Laryngology*.
- Sharma, S. (2008). *Hypertension*. Retrieved Maret 15, 2015, from <http://www.emedicine.com>
- Shohet, J., Talavera, F., Pharm, D., & Gianoli, G. (2005). *Inner ear, Presbycusis*. Retrieved Maret 15, 2015, from <http://www.eneducube.com>
- Soepardi, E., Iskandar, N., Bashiruddin, J., & Restuti, R. (2007). In *Buku Ajar Ilmu Kesehatan Telinga, Hidung, Tenggorok, Kepala, dan Leher* (pp. 93-97). Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia.
- Someya, S., Xu, J., Kondo, K., Ding, D., Salvi, R., & Yamasoba, T. (2009). Agerelated hearing loss in C57BL/6J mice is mediated by Bak-dependent mitochondrial apoptosis. USA: Proc natl Acad Sci.
- Spiess, A., Lang, H., Schulte, B., Spicer, S., & Schmiedt, R. (2002). Effects of gap Junction uncoupling in the gerbil cochlea. *Laryngoscope*.

- Suwento, R., & Hendarmin, H. (2007). Gangguan pendengaran pada geriatri. In *Buku Ajar Ilmu Kesehatan Telinga Hidung Tenggorok Kepala dan Leher* (6 ed., pp. 10-43). Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia.
- Takumida, M., & Anniko, M. (2008). Radical scavengers for elderly patients with age-related hearing loss. *Acta Otolaryngol*, 47-59.
- Wirjowidagdo, S. (2002). In *Tanaman Obat untuk Penyakit Janutn, Darah Tinggi, dan Kolesterol* (pp. 35-38). Jakarta: Pt. Agromedia Pustaka.
- Yogiantoro, M. (2006). Hipertensi Esensial. In A. Sudoyo, B. Setiyohadi, L. Alwi, & K. Simadibrata, *Buku Ajar Ilmu Penyakit Dalam* (4 ed., Vol. 1). Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FK UI.
- Youle, R., & Strasser, A. (2008). The BCL-2 protein family : Opposing activities that mediate cell death. *Nat Rev Mol Cell Bio*.