

## **LAMPIRAN**

**Crosstab**

			Kelompok		Total
			Kasus	Kontrol	
Jenis Kelamin	Laki-laki	Count	13	11	24
		% within Jenis Kelamin	54.2%	45.8%	100.0%
		% within Kelompok	65.0%	55.0%	60.0%
		% of Total	32.5%	27.5%	60.0%
	Perempuan	Count	7	9	16
		% within Jenis Kelamin	43.8%	56.3%	100.0%
		% within Kelompok	35.0%	45.0%	40.0%
		% of Total	17.5%	22.5%	40.0%
Total		Count	20	20	40
		% within Jenis Kelamin	50.0%	50.0%	100.0%
		% within Kelompok	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

**Chi-Square Tests**

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.417 <sup>a</sup>	1	.519	.748	.374
Continuity Correction <sup>b</sup>	.104	1	.747		
Likelihood Ratio	.418	1	.518		
Fisher's Exact Test					
Linear-by-Linear Association	.406	1	.524		
N of Valid Cases	40				

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Jenis Kelamin (Laki-laki / Perempuan)	1.519	.425	5.426
For cohort Kelompok = Kasus	1.238	.636	2.411
For cohort Kelompok = Kontrol	.815	.441	1.504
N of Valid Cases	40		

## Crosstab

			Kelompok		Total
			Kasus	Kontrol	
Usia >65	Count		16	10	26
	% within Usia		61.5%	38.5%	100.0%
	% within Kelompok		80.0%	50.0%	65.0%
	% of Total		40.0%	25.0%	65.0%
Usia <65	Count		4	10	14
	% within Usia		28.6%	71.4%	100.0%
	% within Kelompok		20.0%	50.0%	35.0%
	% of Total		10.0%	25.0%	35.0%
Total	Count		20	20	40
	% within Usia		50.0%	50.0%	100.0%
	% within Kelompok		100.0%	100.0%	100.0%
	% of Total		50.0%	50.0%	100.0%

## Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	3.956 <sup>a</sup>	1	.047		
Continuity Correction <sup>b</sup>	2.747	1	.097		
Likelihood Ratio	4.054	1	.044		
Fisher's Exact Test				.096	.048
Linear-by-Linear Association	3.857	1	.050		
N of Valid Cases	40				

Crosstab

			Kelompok		Total
			Kasus	Kontrol	
Hipertensi	Ya	Count	15	8	23
		% within Hipertensi	65.2%	34.8%	100.0%
		% within Kelompok	75.0%	40.0%	57.5%
		% of Total	37.5%	20.0%	57.5%
	Tidak	Count	5	12	17
		% within Hipertensi	29.4%	70.6%	100.0%
		% within Kelompok	25.0%	60.0%	42.5%
Total	Count	20	20	40	
	% within Hipertensi	50.0%	50.0%	100.0%	
	% within Kelompok	100.0%	100.0%	100.0%	
	% of Total	50.0%	50.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	5.013 <sup>a</sup>	1	.025		
Continuity Correction <sup>b</sup>	3.683	1	.055		
Likelihood Ratio	5.134	1	.023		
Fisher's Exact Test				.054	.027
Linear-by-Linear Association	4.887	1	.027		
N of Valid Cases	40				