

Lampiran

Frequency Table

Diagnosis

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	1	2.0	2.0	2.0
Ya	48	98.0	98.0	100.0
Total	49	100.0	100.0	

Usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 50 tahun	6	12.2	12.2	12.2
> 50 tahun	43	87.8	87.8	100.0
Total	49	100.0	100.0	

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-laki	10	20.4	20.4	20.4
Perempuan	39	79.6	79.6	100.0
Total	49	100.0	100.0	

Pendidikan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak sekolah	27	55.1	55.1	55.1
Sekolah	22	44.9	44.9	100.0
Total	49	100.0	100.0	

Pekerjaan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Dalam gedung	35	71.4	71.4	71.4
Luar gedung	14	28.6	28.6	100.0
Total	49	100.0	100.0	

Penghasilan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid > 1 juta	14	28.6	28.6	28.6
< 1 juta	35	71.4	71.4	100.0
Total	49	100.0	100.0	

Rokok

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	44	89.8	89.8	89.8
Ya	5	10.2	10.2	100.0
Total	49	100.0	100.0	

Alkohol

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	49	100.0	100.0	100.0

DM

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	48	98.0	98.0	98.0
Ya	1	2.0	2.0	100.0
Total	49	100.0	100.0	

Sayur/buah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	2	4.1	4.1	4.1
Ya	47	95.9	95.9	100.0
Total	49	100.0	100.0	

Mata merah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	25	51.0	51.0	51.0
Ya	24	49.0	49.0	100.0
Total	49	100.0	100.0	

Trauma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	32	65.3	65.3	65.3
	Ya	17	34.7	34.7	100.0
	Total	49	100.0	100.0	

Obat steroid

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	36	73.5	73.5	73.5
	Ya	13	26.5	26.5	100.0
	Total	49	100.0	100.0	

Hipertensi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	27	55.1	55.1	55.1
	Ya	22	44.9	44.9	100.0
	Total	49	100.0	100.0	

BM

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	33	67.3	67.3	67.3
	Ya	16	32.7	32.7	100.0
	Total	49	100.0	100.0	

Crosstabs**Usia * Diagnosis**

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.316 ^b	1	.007		
Continuity Correction ^a	1.354	1	.245		
Likelihood Ratio	4.356	1	.037		
Fisher's Exact Test				.122	.122
Linear-by-Linear Association	7.167	1	.007		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .12.

Jenis Kelamin * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Jenis Kelamin	Laki-laki	Count	0	10	10
		Expected Count	.2	9.8	10.0
		% of Total	.0%	20.4%	20.4%
	Perempuan	Count	1	38	39
		Expected Count	.8	38.2	39.0
		% of Total	2.0%	77.6%	79.6%
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.262 ^b	1	.609		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.462	1	.497		
Fisher's Exact Test				1.000	.796
Linear-by-Linear Association	.256	1	.613		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .20.

Pendidikan * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Pendidikan	Tidak sekolah	Count	1	26	27
		Expected Count	.6	26.4	27.0
		% of Total	2.0%	53.1%	55.1%
	Sekolah	Count	0	22	22
		Expected Count	.4	21.6	22.0
		% of Total	.0%	44.9%	44.9%
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.832 ^b	1	.362		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	1.209	1	.272		
Fisher's Exact Test				1.000	.551
Linear-by-Linear Association	.815	1	.367		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .45.

Pekerjaan * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Pekerjaan	Dalam gedung	Count	1	34	35
		Expected Count	.7	34.3	35.0
		% of Total	2.0%	69.4%	71.4%
	Luar gedung	Count	0	14	14
		Expected Count	.3	13.7	14.0
		% of Total	.0%	28.6%	28.6%
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.408 ^b	1	.523		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.681	1	.409		
Fisher's Exact Test				1.000	.714
Linear-by-Linear Association	.400	1	.527		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .29.

Penghasilan * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Penghasilan > 1 juta	Count	0	14	14	
	Expected Count	.3	13.7	14.0	
	% of Total	.0%	28.6%	28.6%	
< 1 juta	Count	1	34	35	
	Expected Count	.7	34.3	35.0	
	% of Total	2.0%	69.4%	71.4%	
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.408 ^b	1	.523		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.681	1	.409		
Fisher's Exact Test				1.000	.714
Linear-by-Linear Association	.400	1	.527		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .29.

Rokok * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Rokok	Tidak	Count	1	43	44
		Expected Count	.9	43.1	44.0
		% of Total	2.0%	87.8%	89.8%
	Ya	Count	0	5	5
		Expected Count	.1	4.9	5.0
		% of Total	.0%	10.2%	10.2%
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.116 ^b	1	.733		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.218	1	.641		
Fisher's Exact Test				1.000	.898
Linear-by-Linear Association	.114	1	.736		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .10.

DM*Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
DM	Tidak	Count	1	47	48
		Expected Count	1.0	47.0	48.0
		% of Total	2.0%	95.9%	98.0%
	Ya	Count	0	1	1
		Expected Count	.0	1.0	1.0
		% of Total	.0%	2.0%	2.0%
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.021 ^b	1	.884		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.042	1	.838		
Fisher's Exact Test				1.000	.980
Linear-by-Linear Association	.021	1	.885		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .02.

Sayur/buah*Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Sayur/buah	Tidak	Count	0	2	2
		Expected Count	.0	2.0	2.0
		% of Total	.0%	4.1%	4.1%
	Ya	Count	1	46	47
		Expected Count	1.0	46.0	47.0
		% of Total	2.0%	93.9%	95.9%
Total		Count	1	48	49
		Expected Count	1.0	48.0	49.0
		% of Total	2.0%	98.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.043 ^b	1	.835		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.084	1	.772		
Fisher's Exact Test				1.000	.959
Linear-by-Linear Association	.043	1	.837		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is .04.

Mata merah * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Mata merah	Tidak	Count	1	24	25
		Expected Count	.5	24.5	25.0
		% of Total	2.0%	49.0%	51.0%
	Ya	Count	0	24	24
		Expected Count	.5	23.5	24.0
		% of Total	.0%	49.0%	49.0%
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.980 ^b	1	.322		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	1.366	1	.243		
Fisher's Exact Test				1.000	.510
Linear-by-Linear Association	.960	1	.327		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .49.

Trauma * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Trauma	Tidak	Count	0	32	32
		Expected Count	.7	31.3	32.0
		% of Total	.0%	65.3%	65.3%
	Ya	Count	1	16	17
		Expected Count	.3	16.7	17.0
		% of Total	2.0%	32.7%	34.7%
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.922 ^b	1	.166		
Continuity Correction ^a	.106	1	.745		
Likelihood Ratio	2.157	1	.142		
Fisher's Exact Test				.347	.347
Linear-by-Linear Association	1.882	1	.170		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .35.

Obat steroid * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Obat steroid	Tidak	Count	1	35	36
		Expected Count	.7	35.3	36.0
		% of Total	2.0%	71.4%	73.5%
	Ya	Count	0	13	13
		Expected Count	.3	12.7	13.0
		% of Total	.0%	26.5%	26.5%
Total		Count	1	48	49
		Expected Count	1.0	48.0	49.0
		% of Total	2.0%	98.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.369 ^b	1	.544		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.624	1	.430		
Fisher's Exact Test				1.000	.735
Linear-by-Linear Association	.361	1	.548		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .27.

Hipertensi * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
Hipertensi	Tidak	Count	0	27	27
		Expected Count	.6	26.4	27.0
		% of Total	.0%	55.1%	55.1%
	Ya	Count	1	21	22
		Expected Count	.4	21.6	22.0
		% of Total	2.0%	42.9%	44.9%
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.253 ^b	1	.263		
Continuity Correction ^a	.011	1	.917		
Likelihood Ratio	1.627	1	.202		
Fisher's Exact Test				.449	.449
Linear-by-Linear Association	1.227	1	.268		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .45.

BMI * Diagnosis

Crosstab

			Diagnosis		Total
			Tidak	Ya	
BMI	Tidak	Count	1	32	33
		Expected Count	.7	32.3	33.0
		% of Total	2.0%	65.3%	67.3%
	Ya	Count	0	16	16
		Expected Count	.3	15.7	16.0
		% of Total	.0%	32.7%	32.7%
Total	Count	1	48	49	
	Expected Count	1.0	48.0	49.0	
	% of Total	2.0%	98.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.495 ^b	1	.482		
Continuity Correction ^a	.000	1	1.000		
Likelihood Ratio	.801	1	.371		
Fisher's Exact Test				1.000	.673
Linear-by-Linear Association	.485	1	.486		
N of Valid Cases	49				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .33.



Fakultas Kedokteran dan Ilmu Kesehatan
Universitas Muhammadiyah Yogyakarta

**SURAT KETERANGAN
KELAYAKAN ETIKA PENELITIAN**

Nomor : 295/EP-FKIK-UMY/VI/2015

Komisi Etika Penelitian Fakultas Kedokteran dan Ilmu Kesehatan Universitas Muhammadiyah Yogyakarta yang terdiri atas :

1. Prof. dr.H. Djauhar Ismail, Sp.A(K), Ph.D
2. Prof.Dr.dr.H. Soewito A, Sp.THT-KL
3. drg. Ana Medawati, M.Kes
4. drh. Tri Wulandari, M.Kes
5. Dr. dr. Titiek Hidayati, M. Kes
6. Dr. dr. Tri Wahyuliati, Sp. S., M. Kes
7. Titih Huriah, Ns., M. Kep., Sp. Kom
8. Dr. drg. Tita Ratya Utari, Sp. Ort
9. Sabtanti Harimurti, Ph. D., Apt
10. Dr. dr. Arlina Dewi, MMR
11. Yuni Permatasari Istanti, S. Kep. Ns., Sp. KMB
12. Dra. Irma Risdiyana, Apt., MPH

Telah mengkaji permohonan kelayakan etika penelitian yang diajukan oleh :

Nama Peneliti : Ellaily Dwi Puspandari
NIM : 20120310222
Judul Penelitian : Faktor Risiko Kejadian Katarak Di Yogyakarta
Pada Tanggal : 29 Juni 2015
Dengan hasil : Layak Etik
Catatan dan Saran :

Demikian surat keterangan ini diberikan untuk dapat digunakan sebagaimana mestinya.

Yogyakarta, 30 Juni 2015

Sekretaris,



Dr. dr. Titiek Hidayati, M. Kes

Kampus:

Jl. Lingkar Selatan, Tamantirto, Kasihan, Bantul, Yogyakarta 55183
 Telp. (0274) 387656 ext. 213, 7491350 Fax. (0274) 387658

Muda mendunia