

DAFTAR PUSTAKA

- Abdullah M. 2004. Clinical characteristics of colorectal cancer in Indonesia. Dalam: The multidisciplinary cancer management of solid tumors: breast, colorectal and the sarcomas today & tomorrow. Jakarta. 36-42. and Mucinous Adenocarcinoma of the Colon. *Chang Gung Med J* Vol. 33 No. 1
- Acton, A. 2013. Colon Cancer: New Insights for the Healthcare Professional (2013 ed). *Scholarly Edition*
- Aragane H, Sakakura C, Nakanishi M, Yasuoka R, Fujita Y, Taniguchi H, et al., 2001. Chromosomal aberrations in colorectal cancers and liver metastases analyzed by comparative genomic hybridization. *Int J Cancer* . 94(5): 623-629.
- Arnold, C.N., Goel A., Blum, H.E., C. Boland, R., 2005. Molecular Pathogenesis of Colorectal Cancer Implications for Molecular Diagnosis. *American Cancer Society*. Volume 104 / Number 10
- Avunduk, Canan. 2002. *Lippincott Williams & Wilkin : Manual of Gastroenterology: Diagnosis and Therapy*, 3rd Edition.
- Bonita, R., de Courten, Dwyer, T., and Leowski, J. 2001. Surveillance of Risk Factors for Non Communicable Disease (WHO). Di akses pada tanggal 19 april 2013 dari http://whqlibdoc.who.int/hq/2003/WHO_NMH_CCS_01.01_Rev.1.pdf
- Borger ME, Gosens MJEM, JWM Jeuken, Kempen van LCLT, Velde van de CJH, Krieken van JHJM, et al. 2007. Signet ring cell differentiation in mucinous colorectal carcinoma *J Pathol*;212: 278–286
- Bos Reinhard, Hoeven Jacobus J.M. van der, Wall Elsen van der, Groep Petra van der, Diest Paul J., Comans Emile F.I., Joshi Urvi, Semenza Gregg L., Hoekstra Otto S., Lammertsma Adriaan A., and Molthoff Carla F.M. 2002. Biologic correlates of Fluorodeoxyglucose uptake in human breast cancer measured by positron emission tomography. *J Clin Oncol* 20:379-387.
- Byrd JC, Bresalier R. 2004. Mucins and mucin binding proteins in colorectal cancer. *Cancer Metastasis Rev.*;23(1-2):77-99.
- Cao, D., Hou, M., Guan, Y.S., Jiang, M., Yang, Y., Gou, H.F. 2009. Expression of HIF-1 α and VEGF in Colorectal Cancer: Association With Clinical

- Outcomes And Prognostic Implications. *BMC Cancer*. 9(432):1-9.
Diakses 16 Februari 2012 dari
<http://www.ncbi.nlm.nih.gov/pubmed/20003271>
- Cappell Mitchell S. 2005. The pathophysiology clinical presentation and diagnosis of colon cancer and adenomatous polyps. *Med Clin N Am*. 1-42
- Chen Jinn-Shiun, Hsieh Pao-Shiu, Chiang, Jy-Ming, Yeh Chien-Yuh, Tsai Wen-Sy, Tang Reiping, Changchien Chung-Rong, Wu Ren-Chin. 2010. Clinical Outcome Of Signet Ring Cell Carcinoma and Mucinous Adenocarcinoma Of The Colon. *Chang Gung Med J*. Vol. 33 No. 1
- Chun, Yang-Sook, Kim Myung-Suk, Park Jong-Wan. 2002. Oxygen-Dependent and -Independent Regulation of HIF-1 α . *J Korean Med Sci*. 17: 581-8. ISSN 1011-8934
- Church JM. 2004. Clinical significance of small colorectal polyps. *Dis Colon Rectum*. 47: 481-5.
- Costa, Max. Qingdong Ke. 2006. Hypoxia-Inducible Factor-1 (HIF-1). *Mol Pharmacol*. 70:1469-1480.
- DEPKES RI. 2010. Jika Tidak Dikendalikan 26 Juta Orang di Dunia Menderita Kanker . Diakses 2 April 2013, dari <http://www.depkes.go.id/index.php/berita/press-release/1060-jika-tidak-dikendalikan-26-juta-orang-di-dunia-menderita-kanker-.html> <http://www.depkes.go.id>
- DEPKES RI. 2012. 143 Milyar Dana Jamkesmas Untuk Biaya Rawat Inap Pengobatan Kanker. Diakses 27 Febuari 2013, dari <http://www.depkes.go.id/index.php/berita/press-release/1831-143-milyar-dana-jamkesmas-untuk-biaya-rawat-inap-pengobatan-kanker.html>
- DEPKESRI. 2012. Penderita Kanker Diperkirakan Menjadi Penyebab Utama Beban Ekonomi Terus Meningkat. Diakses 27 Febuari 2013, dari <http://www.depkes.go.id/index.php/berita/press-release/1937-penderita-kanker-diperkirakan-menjadi-penyebab-utama-beban-ekonomi-terus-meningkat.html>
- Dorundi S, Banerjea A. 2006. Colorectal Cancer: early diagnosing and predisposing causes. *Surgery*;24; 131-136.
- ElMoneim HM & Zaghloul NM. 2011. Expression of e-cadherin, n-cadherin and snail and their correlation with clinicopathological variants: an immunohistochemical study of 132 invasive ductal breast carcinomas in Egypt. *CLINICS* ;66(10):1765-1771

- Ghobrial IM., Witzig TE., Adjei AA. Targeting apoptosis pathways in cancer therapy. 2005. *CA Cancer J Clin* ;55:178-94.
- Goodsell, D. Glycolytic Enzyme. Diakses pada 19 April 2013 dari <http://www.rcsb.org/pdb/101/motm.do?momID=50>
- Greene, F.L., Page, D.L., & Fleming, I.D. 2002. AJCC Cancer Staging Manual. 6th Ed. New York, NY: Springer. Diakses pada tanggal 24 Februari 2012 dari <http://books.google.co.id/books?id=tG0D2I2BmAIC&pg=PA210&lp g=PA210&dq=>
- Hamilton Stanley R.2001. Origin of Colorectal Cancers in Hyperplastic Polyps and Serrated Adenomas: Another Truism Bites the Dust. *Journal of the National Cancer Institute*. Vol. 93, No.17
- Hamilton, SR., Aaltonen, LA. 2000. WHO classification of tumours: pathology and genetics of tumours of the digestive system. International Agency for Research on Cancer.
- Hussain, P.S., Amstad, P., Raja, K., Ambs, S., Nagashima, M., Bennett, W. P., Shield, P.G., Ham, A.J ., Swenberg, J. A. , Marrogi Aizen J. , and Harris, C. 2000. Increased p53 Mutation Load in Noncancerous Colon Tissue from Ulcerative Colitis: A Cancer-prone Chronic Inflammatory Disease. *Cancer Research*. 60:3333
- International Agency for Research on Cancer. 2008. Colorectal Cancer Incidence and Mortality Worldwide in 2008. Diakses 14 Februari 2012 dari <http://globocan.iarc.fr/factsheets/cancers/colorectal.asp>
- International Agency for Research on Cancer. 2008. Most Frequent Cancers in Indonesia. Diakses 14 April 2013 dari <http://globocan.iarc.fr/factsheets/populations/factsheet.asp?>
- Isobe Taro., Aoyagi Keishiro., Koufuji Kikuo., Shirouzu Kazuo., Kawahara Akihiko., Taira Tomoki., Kage Masayoshi. 2012. Clinicopathological significance of hypoxia-inducible factor-1 α (HIF-1 α) expression in gastric cancer *Int J Clin Oncol* ; 18:305
- Jing SW., Wang YD., Chen LQ., Sang MX., Zheng MM., Sun GG., Liu Q., Cheng YJ., Yang CR. 2013. Hypoxia suppresses E-cadherin and enhances matrix metalloproteinase-2 expression favoring esophageal carcinoma migration and invasion via hypoxia inducible factor-1 α activation. *Dis Esophagus*.;26(1):75-83
- Jinn-Shiun Chen, MD; Pao-Shiu Hsieh, MD; Jy-Ming Chiang, MD; Chien-Yuh Yeh, MD. 2010. Clinical Outcome of Signet Ring Cell Carcinoma

- Kakar S, Aksoy S, Burgart LJ. Mucinous carcinoma of the colon: correlation of loss of mismatch repair enzymes with clinicopathologic features and survival. *Mod Pathol* 2004;17:696–700.
- Kanazawa, T., Watanabe, T., Kazama, S., Tada, T., Koketsu, S., & Nagawa, H. 2002. Poorly Differentiated Adenocarcinoma and Mucinous Carcinoma of the Colon and Rectum Show Higher Rates of Loss of Heterozygosity and Loss of E-Cadherin Expression due to Methylation of Promoter Region. *Int J Cancer*. 102: 225–229.
- Kazama S, Ajoka Y, Watanabe H, Nagawa H. 2002. Not infrequent K-ras mutations in depressed-type early colorectal carcinomas larger than 10 mm. *pn J Cancer Res*. 93(2):178-83
- Ke Qingdong and Costa Max. 2006. Hypoxia-Inducible Factor-1 α (HIF 1- α). *Molecular Pharmacology*, vol. 70 no. 5 1469-1480
- Kim H.C., Kim H.J., Kim J.C. 2002. Reduced E-Cadherin Expression as a Cause of Distinctive Signet-Ring Cell Variant in Colorectal Carcinoma. *J Korean Med Sci*; 17: 23-8
- Koshiji Minori., Kageyama Yukio., Pete Erin A., Horikawa Izumi., Barrett J Carl., Huang L Eric.2004. HIF-1 α induces cell cycle arrest by functionally counteracting Myc. *The EMBO Journal*;VOL 23 | NO 9
- Laughner, F., Taghavi, P., Chiles, K., Mahon, PC., and Semenza, GL. 2001. HER2 (neu) Signaling Increases the Rate of Hypoxia-Inducible Factor 1 α (HIF-1 α) Synthesis: Novel Mechanism for HIF-1-Mediated Vascular Endothelial Growth Factor Expression. *Molecular and Cellular Biology*. 3995-4004. Diakses pada tanggal 24 Februari dari <http://mcb.asm.org/content/21/12/3995.full.pdf>
- Lee WS, Chun HK, LeeWY, Yun SH, Cho YB, Yun HR, Park SH, Song SY. 2007. Treatment outcomes in patients with signet ring cell carcinoma of the colorectum. *Am J Surg*. 194:294-8.
- Levin Theodore R., Jamieson Laura, Burley Daniel A., Reyes Juan, Oehrli Michael, and Caldwell Cindy. 2011.Organized Colorectal Cancer Screening in Integrated Health Care Systems. *Epidemiol Review*. 33:101–110
- Lin, H.H., Lin, C.C., Lan, Y.T., Wang, H.S., Yang, S.H., Jiang, J.K., Chen, W.S., Lin T.C., Lin, J.K., Chang, S.C. 2012. Clinicopathological Differences between Mucinous Adenocarcinoma and Signet-Ring Cell Carcinoma in the Colorectum. *J Soc Colon Rectal Surgeon (Taiwan)*. 23:151-159.

- Lindseth N.G., 2006. Gangguan Usus Besar dalam Patofisiologi, Konsep Klinis Proses-Proses Penyakit. Volume I. Edisi 6. Penerbit Buku Kedokteran (EGC). Jakarta
- Liu Wei, Shen Shao-Ming, Zhao Xu-Yun, Chen Guo-Qiang. 2012. Targeted genes and interacting proteins of hypoxia inducible factor-1. *Int J Biochem Mol Biol*;3(2):165-178.
- Ma Jie, Ru Guo-Qing, Zhao Zhong-Sheng, Xu Wen-Juan. Upregulation of hypoxia inducible factor 1 α mRNA is associated with elevated vascular endothelial growth factor expression and excessive angiogenesis and predicts a poor prognosis in gastric carcinoma. *World J Gastroenterol* ;1680-1686
- Masson N and Ratcliffe PJ. 2003. HIF prolyl and asparaginyl hydroxylases in the biological response to intracellular O(2) levels. *J Cell Sci* . 116:3041–3049.
- Maxwell, P. 2005. Hypoxia-inducible Factor As a Physiological Regulator. *Experimental and Physiology*. 90: 791-797. Diakses pada tanggal 16 Februari 2012 dari <http://ep.physoc.org/content/90/6/791.full>
- Mayer J. 2011. GI Final Pathology. Diakses 24 April dari <http://www.studyblue.com/notes/note/n/gi-final-pathology/deck/1460388>
- Monash University. 2010. Colorectal Cancer Database Project. Diakses pada tanggal 19 April 2013 dari <http://www.med.monash.edu.au/surgery/cabrini/crcdatabase/>
- National Cancer Institute Cancer. 2012. Diakses pada 17 April 2013 dari <http://www.cancer.gov/cancertopics/cancerlibrary/what-is-cancer>
- Nivatvongs S. 2002. Surgical Management Of Malignant Colorectal Polyps. *Surg Clin North Am*. 82: 959–996.
- Oemiati R, Rahajeng E, Kristanto AY. 2011. Prevalensi tumor dan beberapa faktor yang mempengaruhinya di Indonesia. *Bul. Penelit. Kesehat*. Vol. 39, No.4 : 190 – 204
- Ogino S., Brahmandam M., Cantor M., Namgyal C., Kawasaki T., Kirkner G., Meyerhardt JA., Loda M., Fuchs CS. 2006. Distinct molecular features of colorectal carcinoma with signet ring cell component and colorectal carcinoma with mucinous component. *Mod Pathol*;19:59–68.
- Park SY, Lee HS, Choe G, et al. 2006. Clinicopathological characteristics, microsatellite instability, and expression of mucin core proteins and p53 in colorectal mucinous adenocarcinomas in relation to location.

- Pezzoli, A., Matarese, V., & Rubini, M. 2007. Colorectal Cancer Screening: Result of 5-Year Program in Asymptomatic Subjects at Increased Risk. *Digestive and Liver Disease*. 39: 33-39.
- Price, Sylvia A. Dan Lorraine M. Wilson. 2005. Patofisiologi : Konsep Klinis Proses – proses Penyakit (EGC), volume 2. Jakarta.
- Pusponegoro AD. Epidemiologi Keganasan Saluran Cerna. 2004. Proceeding temu ilmiah multimodalitas terapi pada keganasan saluran cerna. Dalam: The multidisciplinary cancer management of solid tumors: breast, colorectal and the sarcomas today & tomorrow. Jakarta. 36-42.
- Reddy, J. 2009. Residency Program - Case of the Month Final Diagnosis. Department of Pathology and Laboratory Medicine. Diakses pada tanggal 24 April dari http://www.ucdmc.ucdavis.edu/pathology/education/residenc_program/caseofthemoth/200910/final.html
- Robbins. 2005. Pathologic Basis of Disease. 7th Edition. International Edition. Pennsylvania; Elsevier.
- Sander Mochamad Aleq. 2008. Profil Penderita Kanker Kolon dan Rektum di Rsup Hasan Sadikin Bandung. FK Muhammadiyah Malang
- Schuler M and Green DR. 2001. Mechanisms of p53-dependent apoptosis. *Biochem Soc Trans* 29:684–688.
- Semenza GL. 2003. Targeting HIF-1 for cancer therapy. *Nat Rev Cancer*. 3:721–732.
- Silalahi J. 2006. Antioksidan dalam Diet dan Karsinogenesis. *Cermin Dunia Kedokteran*. 153: 42-47.
- Simiantonaki, N., Taxeidis, M., Jayasinghe, C., Kurzik-Dumke, U., & Kirkpatrick, C.J. 2008. Hypoxia-Inducible Factor 1 A Expression Increases during Colorectal Carcinogenesis and Tumor Progression. *BMC Cancer*. 8(320).
- Siregar, A.G. 2007. Deteksi Dini dan Penatalaksanaan Kanker Usus Besar. Pidato pengukuhan Jabatan Guru Besar Tetap dalam Bidang Ilmu Penyakit Dalam, Universitas Sumatera Utara, Medan.
- Stewart, SL., Wike, JM., Kato, I., Lewis, DR., Michaud, F. 2006. a population based study of colorectal cancer histology in United States 1998-2001. cancer, (online); 107(5 suppl): *American Cancer Society*, (www.pubmed.com, diakses 10 juli 2006).

- Stoeltzing O, McCarty MF, Wey JS Fan F., Liu W., Belcheva A., Bucana CD., Semenza GL., Ellis LM. 2004. Role of hypoxia-inducible factor 1 α in gastric cancer cell growth, angiogenesis, and vessel maturation. *J Natl Cancer Inst* ;96:946–956.
- Sung Chang Okh., Seo Jin Won., Kim Kyoung-Mee., Do In-Gu., Kim Seon Woo and Park Cheol-Keun. 2008. Clinical significance of signet-ring cells in colorectal mucinous adenocarcinoma. *Modern Pathology*; 21, 1533–1541.
- Sutter CH, Laughner E, Semenza GL. 2000. Hypoxia-inducible factor 1 – α protein expression is controlled by oxygen-regulated ubiquitination that is disrupted by deletions and missense mutations. *Proc Natl Acad Sci USA*; 97:4748–53.
- Tambunan, G.W., 2004. *Patologi Gastroenterologi*. Penerbit Buku Kedokteran (EGC). Jakarta.
- Tamm I., Schriever F., Dorken B. 2001. Apoptosis: implications of basic research for clinical oncology. *Lancet Oncol* ;2:33-42.
- Tjandra, L. 2010. Protoonkogen. FK Wijaya Kusuma Surabaya.
- Trisciuglio D, Gabellini C, Desideri M, Ziparo E, Zupi G, Del Bufalo D. 2010. Bcl-2 Regulates HIF-1 α Protein Stabilization in Hypoxic Melanoma Cells via the Molecular Chaperone HSP90. *Plos One*; 5(7): e11772.
- Vachani Carolyn. 2007. Understanding Your Pathology Report: Colon Cancer. Abramson Cancer Center of the University of Pennsylvania. Di akses pada tanggal 19 april dari <http://www.oncolink.org/types/article1.cfm?c=124&id=9584>, Virchows ; Arch ;449:40–47.
- Virshup DM & McCance KL. Biology of cancer. 2006. Philadelphia : Elsevier, Mosby; 333-74.
- Vogelstein B., Sur Surojit & Carol Prives. 2010. p53 : The Most Frequently Altered Gene in Human Cancers. *Nature Education*. 3(9):6.
- WHO, 2009. Cancer Fact Sheet. <http://www.who.int>
- Wincewicz A, Sulkowska M, Koda M, Sulkowski S. 2007. Clinicopathologic significance and linkage of the distribution of HIF-1 α and GLUT human primary colorectal cancer. *Pathol Oncol Res.*;13(1):15-20.