

DAFTAR PUSTAKA

- Abreu, A.M., Oliveira, D.W.D., Marinho, S.A., Lima, N.L., Miranda, J.L & Verli, F.D.(2012). Effect of Topical Application of Different Substances on Fibroplasia in Cutaneous Surgical Wounds. *PMC US National Library of Medicine, National Institute of Health*, 2012 (2012).
- Alizadeh, A.M., Sohanaki, H., Khaniki, M., Mohaghheghi, M.A., Ghmami, G.,&Mosavi, M. (2011).The Effect of Polium Honey on the WoundHealing and Tensile Strength in Rat.Diakses 5 Mei 2011. Dari <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3586860/>
- Anonim.(2009). *Natures miracle antibiotic*. Diakses 17 April 2009, dari <http://www.propolis-biyang.com>
- Ansel, H.C. 2008. Pengantar Bentuk Sediaan Farmasi. Jakarta : Penerbit UI
- Aryenti.(2008). Pengaruh Pemberian Getah Batang Pisang Ambon (*Musa paradisiaca* var *Sapietum lamb*) terhadap Penyembuhan Luka Bakar pada Kulit Tikus Putih (*Rattus norvegicus*).Anatomi Kedokteran Dasar dan Biomedis Universitas Gajah Mada.
- Baretta, A.A., Nascimento, A.P., Bueno, P.C., Vaz, M.M., Marchetti, J.J. (2012). Propolis Standardized Extract (EPP-AF@), an Innovative Chemically and Biologically Reproducible Pharmaceutical Compound for Treating Wounds. Diakses 21 Maret 2012. Dari [http://www.ncbi.nlm.nih.gov/pubmed/?term=propolis+standardized+extra ct%2C+an+innivative+chemically+and+biologically+reproducible+pharmaceutical+compound+for+treating+wounds](http://www.ncbi.nlm.nih.gov/pubmed/?term=propolis+standardized+extract%2C+an+innivative+chemically+and+biologically+reproducible+pharmaceutical+compound+for+treating+wounds)
- Baum, C.L., Arpey, C.J., 2005. Normal Cutaneous Wound Healing: Clinical Correlation with Cellular and Molecular Events. *Dermatol Surg* 31:674-86.
- Bisono, P. (2009). Luka, Trauma, Syok, dan Bencana. Dalam: Syamsuhidajat R, Jong. *WD buku Ajar Ilmu Bedah*. Jakarta: EGC.
- Boxtel, J.C., Santoso, B., Edwards, I.R. (2008). *Drug Benefits and Risks*. Netherlands : IOS press. 479.

- Brown, R.G., Burns, T. (2005). *Lecture Notes Dermatologi*. Edisi kedelapan. Erlangga. Jakarta. 8-9.
- Brunner & Suddarth.(2001). Buku Ajar Keperawatan Medikal-Bedah (A. Hartono, H.Y. Kuncara, Elyna S).
- Charles, B., Anderson, D., Timothy, R., Hunter, J. (2010). *Swartz's Principles of Surgery*. USA: The McGrawhill Companies, INC.
- Cooper, R.A., Molan P.C., Harding K.G. Antibacterial activity of honey against strains of *Staphylococcus aureus* from infected wounds (Abstract). *Journal of the Royal Society of Medicine Vol 92 pp. 283-285*. Diakses 22 April 2009 dari, <http://jrsm.rsmjournals.com/cgi/content/abstract/92/6/283>
- Depdiknas.(2003). *Kompedium dan Petunjuk Praktikum Histologi I*. Yogyakarta.
- Dephut RI. 2010. *Pusat informasi Kehutanan*. Jakarta: Kementrian Kehutanan Republik Indonesia.
- Depkes RI. 2000. *Invtaris Tanaman Obat Indonesia (I) Jilid 1*. Departemen Kesehatan dan Kesejahteraan Sosial RI. Jakarta: Badan penelitian dan pengembangan Kesehatan.
- Dizaji, A.A., Valizadeh, E., Alishah, H.M., Shaddel, A., & Lis,N.M. (2008). Chemical Compotition Analisys and Antimikrobial Actifity of Iranian Propolis. *Research Journal of Biological Sciences*, 3(5):448-450.
- Djuanda, A. 2007. *Ilmu Penyakit Kulit dan Kelamin*. 5th.ed. Jakarta : Fakultas Kedokteran Universitas Indonesia. pp 3-7.
- Dunford, C. (2000). The use of honey in wound management. *Nursing Standard*. Diakses 1 April 2009, dari <http://aislec.it/download/1262.pdf>
- Erfandi.(2009). Luka dan Perawatannya. Retrived 15 Agustus 2010, from <http://forbetterhealth.wordpress.com/2009/01/30/luka-dan-perawatannya/>
- Eroschenko, V. P. (2003). *Atlas Histologi Di Fiore dengan Korelasi Fungsional (J. Tambayong, penerjemah)*. Jakarta: EGC.

- Geneser, F. (2004). Buku Teks Histologi *Jilid 1* (Gunawijaya.Kartawiguna.Arkeman., penerjemah). Jakarta : Binarupa Aksara.
- Ghaderi, R., Afshar, M. (2004). Topical Application of Honey for Treatment of Skin Wound in Mice. 185-188. Diakses tanggal 18 November 2009 pukul 5.38 pm.
- Guo, S., & DiPietro, L.A. (2010). Factors Affecting Wound Healing. *J Dent Res Critical, Reviews in Oral Biology and Medicine*, 89(3): 219-229.
- Handajani, J., Ruspita, I., 2000, Efek Antiradang Daun The Segar (*camellia sinesis*) terhadap Udem Buatan Pada Tikus Jantan Galur Wistar, *.II(4)*: 63-6.
- Haris, R.A. (2009). Efektifitas Penggunaan Iodine 10%, Iodine 70%, Iodine 80%, dan NaCl dalam Percepatan Proses Penyembuhan Luka pada Punggung Tikus Jantan Sprague Dawley. Retrieved 4 April, 2010, from <http://etd.eprints.ums.ac.id/4436/3/1210050042.pdf>
- Haryanto. (2010). Penggunaan Madu Dalam Perawatan Luka. Artikel Penelitian. Sekolah Tinggi Ilmu Keperawatan Muhammadiyah Pontianak.
- Haryanto, Urai. T., Mukai. K., Suriadi., Sugama. J., & Nakatani. T. (2012). Effectiveness of Indonesian Honey on the Acceleration of Cutaneous Wound Healing: An Experimental Study in Mice. *Wounds*. 24 (4): 110-119.
- Hostuner, M., Gurel, A., Babuccu, O., Arnuctu, F., Kargi, E., & Isikdemir, A. (2004). The effect of CAPE on lipid Peroxidation and Nitric Oxide Levels in the Plasma of Rats Following Thermal Injury. *Burns*. 30(2): 121-5.
- Howard, B. & Joe. (2000). Health Perspective Povidone Iodine. Artikel diakses 9 November 2010 dari [:http://www.highbeam.com/reg.reg1.aspx?full=/doc/1G1-66354878.html](http://www.highbeam.com/reg.reg1.aspx?full=/doc/1G1-66354878.html)
- Husaini, R.A.J., 2010. *Pengaruh Salep Chitosan secara Topikal terhadap Penyembuhan Luka Eksisi pada Tikus Putih (Rattus norvegicus)*. Karya Tulis Ilmiah. Yogyakarta : Program Sarjana Fakultas Kedokteran dan Ilmu Kesehatan Universitas Muhammadiyah.

- Imageshack, US. (2012). Picture Of iodine, Papaya Leaf, and Skin. Diakses Tanggal 28 April 2012, dari <http://imageshack.us/2009/02/url?sa=t&rct=j&q=&esrc=s&source=web&cd=3&cad=rja&ved=0CDgQFjAC/123.html>
- Ismail. (2009). Luka dan Perawatannya. Retrieved 15 Agustus, 2010, from <http://images.mailmkes.multiply.multiplycontent.com/attachment/0/R-Dd@AoKCEMAADk5LMI1/Merawat%20luka.pdf?nmid=88915450>
- Iwan, Januarsih A.R, Atik, Nur. (2010) Perbandingan Pemberian Topikal Aqueous Leaf Extract of Carica Papaya (ALEC) dan Madu Khaula Terhadap Percepatan Penyembuhan Luka Sayat pada Kulit Mencit (*Mus musculus*). Karya Tulis Ilmiah. MKB, Volume 42 No. 2. Bandung : Bagian Histologi Fakultas Kedokteran Universitas Padjadjaran.
- Jalali, F.S.S., & Tajik, H. (2007). Experimental Evaluation of Burn Wound Treatet with Aqueous Extract of *Acheillea Millefolium* on Animal Model: Clinical and Histopatological Study. *Journal of Animal and Veterinary Advances* 6(120: 1357-1361).
- Jarvinen T.A, Jarvinen T.L, Kaariainen M., Kalimo H., Jarvinen M. 2005. *Muscle injuries: biology and treatment. Am. J. Sports Med.* 33: 745-764.
- Junqueira, L.C., Carneiro, J., Kelley, R.O. (2007). *Histologi Dasar*. Edisi kesepuluh. EGC. Jakarta. 357-364..
- Kumar, V., Abass, A. K., Fausto, N., Mtchell, R. N. 2007. *Robbns Basic Pathology*. Edisi 8. Philadelphia : Saunders Elsevier
- Laura, S.A., Waluyo. Ed.8. Jakarta: EGC. (Buku asli diterbitkan 1996).
- Mahani., Karim. R.A., & Nurjanah, N. (2011). *Keajaiban Propolis Trigona Jakarta* : Pustaka Bunda.
- Malfet P dan Dwek A.C 2008. Mechanisms involved in wound healing. *Biomed Scient.* 609-15.
- Mio, Tadashi., Liu, Xiang-Der., Adachi, Yuichi., Striz, Ilja. 2008. Human bronchial epithelial cells modulate collate collagen gel contrarction by fibroblasts. *Am J Physiol Lung Cell Mol Phisiol* 274: L119-L126.
- Moreau, David. (2003). *Wound Care Made Incredibly Easy*. Lippincott Williams and Wilkins, 12 – 13.

- Muhaimin, I. (2009, 7 Oktober). *Madu Sebagai Antibiotik*. Keajaiban Madu. Diakses 4 April 2010, dari: <http://maduhabbatussauda.blogspot.com/search/label/MADU%SEBAGAI%20ANTIBIOTIK>.
- Nayak, S. B., Pareira, P.L., Maharaj, Dale. (2007). Wound Healing Activity of Carica papaya L. In Experimental Induced Diabetic Rats. *Indian J Exp Biol*.
- Karimi, A.N. & Nazem, M.R. 2010. A Comparison of Healing Effects of Propolis and Silver Sulfadiazine on Full Thickness Skin Wounds in Rats. *Pak Vet J*, 30(2):72-74.
- Olczyk, P; Vassev, K.K; Kozma, E.M; Wisowski, G; Stojko, J et al. 2012. Propolis Modulates Vitronectin, Laminin, and Heparan Sulfate/Heparin Expression During Experimental Burn Healing. *Journal of Zheziang University*.
- Pardjianto, B., Radhi, B., Yosef, H., Hidayat, M. *Penggunaan madu sebagai primary dressing pada luka insisi steril dalam upaya pencegahan parut hipertropik dan keloid*. Diakses April 2007, dari <http://adl.apotik.or.id/default.aspx?tabID=61&src=a&id=110814>
- Perdanakusuma, D.S. (2008). *Anatomi Fisiologi Kulit dan Penyembuhan Luka*. Surabaya Plastic Surgery. Diakses 1 April 2009, dari: <http://surabayaplasticsurgery.blogspot.com/2008/05/anatomi-fisiologi-kulit-dan-penyembuh.html>
- Potter & Perry. (2005). *Buku ajar fundamental keperawatan konsep, proses dan praktik* (A. Yasmin, Y. Devi, E. Monica). Jakarta : EGC. (Buku asli diterbitkan tahun 1997).
- Potter, P.A., & Perry, A.G. (2010). *Foundamental of Nursing (Fundamental Keperawatan)*, edisi 7. Hal 550-569. Jakarta: Salemba Medika.
- Prince, S.A., Wilson, L.M. (2005). *Patofisiologi Konsep Klinis Proses-proses Penyakit*. EGC. Jakarta. 1420.
- Qian, W.L., Khan, S., Watson, D.G & Fearnley, J. (2008). Analysis of Sugars in Bee Pollen and Propolis by ligand Exchange Chromatography in Combination with Pulsed Amperometric Detection and Mass Spectrometry. *Journal of Food Composition and Analysis*, 21 (1): 78-83.

- Ratnayani, K., Adhi, N.M.A.D., Gitadewi, I.G.A.M.A.S. (2008). Penentuan Kadar Glukosa dan Fruktosa pada Madu Randu dan Madu Kelengkeng dengan Metode Kromatografi Cair Kinerja Tinggi. Retrieved 16 Agustus, 2010, from <http://ejournal.unud.ac.id/abstrak/j-kim-vol2-no2-rTN.pdf>
- Reimer K, Schreier H, Erdos G, Konig B, Fleischer W. (2010). Molecular effects of a microbicidal substance on relevant microorganisms:electron.
- Robbins, S.L., Kumar, V., Cotran, R.S., 2004. Pathologic Basis of Disease, Seventh Edition. New York: Eisevier: 74-7.
- Rohadi.(2007). *Manfaat Lebah bagi Kesehatan*. [html]. [12,05,2007].
- Salasia, S.I., Rochmadiyanto, Oktarina F, Setyawati, R., 2002, Daya Antiradang Cynnamil Tiglate yang terkandung dalam Minyak Atsiri Kunyit (*curcuma domestica val.*), *Majalah Farmasi Indonesia*. 13 (2): 162-8.
- Sari, D.N. (2009). Perawatan Luka, Dahulu dan Sekarang. Artikel. Diakses 5 Oktober 2009, dari <http://www.perawatonline.com/index.php/artikel-keperawatan/kep-medika-bedah/26-perawatan-luka-dahulu-dan-sekarang>
- Selveira, Solange dan Guimaraes, Tania. (2010). Papain Associated With Urea in The Debridement of Necrotic Wounds. *Jurnal Phlebology and Lymphology*,.3:6-7.
- Setyawan, A.B. (2007). Khasiat Madu. Retrieved 3 April, 2009, from http://www.edumslim.org/index.php?option=article&article_rf=108
- Sezer, A. D., Hatipoglu, G., Wysoski, A. (2005). Extracellular Matrix: Review of It's Roles in Acute and Chronic Wound. Diakses 7 April 2012, dari <http://www.worldwidewounds.com/2005/august/Extrace-Matric-Acute-Chronic-Wound.html>
- Shai, A., Maibach, A. I., 2005. *Wound Healing and Ulcers of The Skin*. New York : Springer, Berlin Hiedelbergh : 9-12.
- Singer, A.J., Dagum, A.B. (2008). *Current management of acute cutaneous wounds*. Diakses 4 September 2008, dari <http://www.ncbi.nlm.d/18768947.nih.gov/pubmed>
- Sjamsuhidajat, R & Jong, W.D. (2005). *Buku Ajar Ilmu Bedah*. Jakarta: EGC.

- Smeltzer, S. (2008). Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth, Vol. 1.E/8. Jakarta: EGC.
- Smith, R.G. (2008). Enzymatic Debriding Agents: An Evaluation of The Medical Literature. *Ostomy Wound Manage.* 54 (8): 16-34.
- Snell, R.S. (2006). *Anatomi Klinik untuk Mahasiswa Kedokteran*. Edisi keenam. EGC. Jakarta. 3-8.
- Sukandar, E.Y. (2005). Trend dan Paradigma Dunia Farmasi: Industri-Klinik-Teknologi Kesehatan. Orasi Ilmiah Dies Natalis ITB, Bandung.
- Suranto, A. (2007). Terapi madu. Penebar Plus. Jakarta.
- Suriadi, 2004. *Perawatan Luka*. 1st.ed. Jakarta : Sagung Seto. pp 7-11.
- Susilo, T.T. (2009, Februari). *Khasiat dan Manfaat Madu*. Diakses 19 April 2010, dari <http://www.kangnoval.com/2009/02/khasiat-dan-manfaat-madu-html>.
- Sussman & Jensen. (2007). *Wound Care a Collaboration Practice Manual for Health Professional. 3th Ed.* USA: Lippincott Williams & Wilkins.
- Syaifuddin.(2009). Fisiologi Tubuh Manusia untuk Mahasiswa Keperawatan Edisi 2. Jakarta : Salemba Medika.
- Taylor, C., Lilis, C., & Lemone, P. (2005). *Fundamentals of Nursing*, 5th ed. USA: Lippincott Williams & Wilkins.
- Taylor, C., Lilis, C., Lemone, P. (2006). *Fundamental of Nursing. The Art and Science of Nursing Care*. Philadelphia : Lippincott Williams & Wilkins.
- Townsend, C. M., Beauchamp, R., Evers, Mark., Mattox, Kenneth. (2004). *Sabiston Textbook of Surgery Edisi 17*. Pennsylvania: Elsevier.
- Vidnisky, B., et al.(2006). *Histological Study of The First Seven Days of Skin Wound Healing in Rats*. *Acta Vet Brno.*75: 192-202.
- Wade, C. (2005). *Can Bee Propolis Rejuvenate The Immune System?*. Diakses 4 Februari 2009, dari <http://www.thenaturalshopper.com/buy-beesupplements/article.html>

- Waningsih, Wiwin. (2008). Kediaman lebah sebagai antibiotik dan antikanker. Diakses 4 Februari 2009, dari [http://www.binaapiari.com/kediaman - lebah-sebagai-antibiotik-dan-antikanker/](http://www.binaapiari.com/kediaman-lebah-sebagai-antibiotik-dan-antikanker/)
- Wasitaatmadja, S.M. (2006). Ilmu Penyakit Kulit dan Kelamin. Edisi keempat. FK UI. Jakarta.3.
- White, J.W., Riethof, M.L., Subers, M.H., Kushnir, I. (1965) Composition of American Honey. Eastern Utilization Research and Development Division, Agricultural Research Service. Diakses 25 April 2009, dari [http://libraries.psu.edu/speccolls/FindingAids/whitePDF/Composition%20 Of%20American%20Honeys.pdf](http://libraries.psu.edu/speccolls/FindingAids/whitePDF/Composition%20Of%20American%20Honeys.pdf).
- Wiryawan, D.T. (2008). Efek Madu sebagai Hepatoprotektor terhadap Kerusakan Struktur Histologis Hepar Mencit yang di induksi Parasetamol. Retrieved 1 Mei, 2010, from <http://etd.eprints.ums.ac.id/2793/1/J500040034.pdf>
- Zhu, W., Chen, M., & Shou, Q. (2010). *Biological Activities of Chinese Propolis and Brazilian Propolis on Streptozotocin-Induce Type 1 Diabetes Mellitus in Rats*. eCAM, Oxford University Press.