

## DAFTAR PUSTAKA

- Arif Mansjoer, et al. (2000), *Kapita Selekta Kedokteran*, Edisi 3, Medica Aesculalus, FKUI, Jakarta.
- Basuki Sutirto. (2000). *Circumcision*, Jakarta Skin Center 1999 - 2000. [www.skinjsc.com/circumcision.htm](http://www.skinjsc.com/circumcision.htm). diakses pada 18 maret 2015.
- Breivik H, et al. (2008). *Assessment of Pain*. British Journal Anaesthesia ;101:17-24.
- Bannwarth B. (1992). *Plasma and cerebrospinal fluid concentrations of paracetamol after a single intravenous dose of propacetamol*. Br J Clin Pharmacol; 34:79-81. Cukurova Medical Journal 2013; 38 (3) : 417 - 425
- Carlsson KH. (2013). *Depression by morphine and the non-opioid analgesic agents, metamizol (dipyrone), lysine acetlysalicylate, and paracetamol, of activity in rat thalamus neurones evoked by electrical stimulation of nociceptive afferents*. Pain; 32: 313-326. Cukurova Medical Journal 2013; 38 (3):417-425
- Dewoto HR. (2008). *Analgesik Opioid dan Antagonis*. In: Gunawan SG, Setiabudy R, Nafrialdi, Elysabeth editors. Farmakologi dan Terapi. 5<sup>th</sup> ed. Jakarta: Balai Penerbit FKUI: p.210-29 .
- Dhimar AA, et al. (2007). *Tramadol for control of shivering (comparison with pethidine)*. Indian J Anaesth ;51(1): 28–31.
- Darsono, L 2010, 'Diagnosis dan Terapi Intoksikasi Salisilat dan Parasetamol', *Jurnal Unika Maranatha*, p. 8.
- Forman JP, et al. (2007). Frequency of analgesic use and risk of hypertension among men. Arch Intern Med ; 167(4) : 394-399.
- Farasturi, D & Windiastuti, E 2005, 'Sari Pediatri', *Penangan Nyeri pada Keganasan*, Desember 2005, p. 158.
- Grond S, et al. (2004). *Clinical pharmacology of tramadol*. Clin Pharmacokinet ; 43 : 879-923.
- Ganiswara. S. A, (2005). *Farmakologi dan Terapan*. Edisi IV. Bagian Farmakologi. Fakultas Kedokteran. Universitas Indonesia. Jakarta. Hal.332

- Heribertus DA. (2009). *Perbandingan Efektivitas Antara Ketamin dan Tramadol terhadap Nyeri Penyuntikan Propofol pada Induksi Anestesia* [skripsi].[Surakarta]: Fakultas Kedokteran Universitas Sebelas Maret.
- Hochberg MC, et al. (2012). *American College of Rheumatology 2012 recommendations for the use of non-pharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip, and knee*. Arthritis Care & Research Vol. 64, No. 4, April 2012, pp 465-474. CDK-217/ vol. 41 no. 6, th. 2014
- Hirji H, Charlton R, Sarmah S. (2005). *Male circumcision: a review of the evidence*. J Men's Health Gend.; 2 :21-30.
- Ifar IY, Hari HS, Himawan S. (2011). *Obat-obat Anti Nyeri*. Jurnal Anestesiologi Indonesia.
- Javaherforoosh F, et al. (2009). *Effects of tramadol shivering post spinal anaesthesia in elective cesarean section*. Pak J Med Sci ;25(1):12–17.
- James LP, Letzig L, Simpson PM, et al. (2009). *Pharmacokinetics of acetaminophen-protein adducts in adults with acetaminophen overdose and acute liver failure*. Drug Metab Dispos ; 37(8) : 1779 –1784.
- Katzung, Bertram G. (2014). *Farmakology dasar dan klinik*. Alih bahasa, staf dosen farmakologi fakultas kedokteran UNSRI. Editor, H. Azwar Agoes Ed. 6. Jakarta : EGC. Hal: 479-495, 559-577
- Kalant H, et al. (2006). *Principle of Medical Farmacology*. 7<sup>th</sup> ed. Canada: Elsevier.ch.19.p.249.
- Karakata S dan Bachsinar B. (1994). *Sirkumsisi* edisi 1. Jakarta: Hipokrates
- Karakata, Sumiardi, and Bob Bachsinar. (1994). *Sirkumsisi (Circumcision)*. Jakarta: Hipokrates
- Mellisa F et al. (2005). *The effectiveness of tramadol in acute pain management* Reviewers Research information specialist.
- Mangku G, Senapathi TGA. (2010). *Buku Ajar Ilmu Anestesia dan Reanimasi*. Indeks Jakarta. Vol 2, no 1 2014: jurnal e-clinic eCI
- Miller RD. (2014). *Anesthesia* (5ed).Philadelphia: Churchill Livingstone, 2000; p.1414-51. Jurnal e-Clinic(eCI), Volume 2, Nomor 2.
- Mallet C, et al. (2008). *Endocannabinoid and serotonergic systems are needed for acetaminophen-induced analgesia* ; 139 : 190-200.

- Marzuillo, P, Calligaris, L & Barbi, E 2014, 'Tramadol can Selectively Manage Moderate Pain in Childre Following European Advice Limiting Codein Use', *Wiley Library Online*, vol 103, no. 11, p. 1110.
- Merchante, I, Pergolizzi JR, J, Laar, M, Mellinghoff, H, Nalamachu, S, Obrien, J, Perrot, S & Raffa, R 2013, 'Tramadol/Paracetamol Fixed-Dose Combination for Chronic Pain Management in Family Practice: A Clinical Review', *Hindawi Publishing Corporation* , p. 6.
- Ozdemir E. (1997). *Significantly increased complication risks with mass circumcisions*. Br J Urol ; 80 : 136-139.
- P. Bader, et al. (2000). *Guidelines on Pain Management*. European Association of Urology. Hal 71-72
- Sjamsuhidajat R. Wim de Jong. (2004). *Buku Ajar Ilmu Bedah*, Edisi 2, Jakarta : EGC.
- Sardjono, Santoso, dan Hadi Rosmiati D. (2007). *Farmakologi Dan Terapi*. Departemen Farmakologi dan terapeutik Fakultas Kedokteran Universitas Indonesia Jakarta, edisi 5. Hal: 210 – 246
- Schug SA. (2009). *The role of tramadol in current treatment strategies for musculoskeletal pain*. Ther Clin Risk Manag; 3(5):717-23. CDK-217/ vol. 41 no. 6, th. 2014
- Smith HS. (2009). *Potential analgesic mechanisms of acetaminophen*. Pain Physician ; 12 : 269-280.
- Sudano I, et al. (2010). *Acetaminophen increases blood pressure in patients with coronary artery disease* ; 122(18) : 1789–1796.
- Syamsir, H. M. (2014). *Sirkumsisi berbasis kompetensi* / H. M. Syamsir ; editor penyelaras, Herman Octavius Ong. Ed. 2. Jakarta : EGC
- Tjay, T.H. dan K. Rahardja. (2002). *Obat-Obat Penting Khasiat, Penggunaan, dan Efek-Efek Sampingnya*, Edisi Kelima Cetakan Pertama. Penerbit PT Elex Media : Jakarta
- Ulfa, NS 2014, 'Efektivitas Parasetamol untuk Nyeri Pasca Operasi Dinilai dari Visual Analog Scale', *Jurnal Media Medika Muda*, vol III, no. 1, p. hal 2.
- Utomo, NP 2016, 'Efek Analgesik Kombinasi Kurkumin dan Parasetamol pada Mencit yang Diinduksi Asam Asetat Menggunakan Analisis Isobogram', *Jurnal Universitas Jember*, p. 8.

- Vandenbossche, J, Richards, H, Solanki, B & Peer, A 2015, 'Single and Multiple Dose Pharmacokinetic Studies of Tramadol Immediate-release tablet in Childre and Adolescent', *Wiley Online Library*, vol IV, no. 3, p. 184.
- Wojciech L. (2009). *Tramadol As an Analgesic for Mild to Moderate Cancer Pain. Pharmacological Reports* ;61:978-92.
- Yilmaz, MZ, BB, S, Kelsaka, E, N, T, AC, T, E, K & E, K 2015, 'Comparison of the analgesic effect of parastamol and tramadol in lumbar disc surgery', *Tubitak Academic Journal*, p. 2.