

## **DAFTAR PUSTAKA**

- Ahn, S. & Song, R. (2012). Effects of Tai Chi Exercise on Glucose Control, Neuropathy Scores, Balance, and Quality of Life in Patients with Type 2 Diabetes and Neuropathy. *The Journal of Alternative and Complementary Medicine*, Vol. 18(12), pp. 1172–1178.
- Alligood, M. R. and Tomey, A. M. (2006). *Nursing Theorists and Their Work*. (6<sup>th</sup> edition). USA : Mosby Elsevier.
- Alligood, M. R. and Tomey, A. M. (2014). *Nursing Theorists and Their Work*. (8<sup>th</sup> edition). USA : Mosby Elsevier.
- American Diabetes Association. (2008). Standards of medical care in diabetes (Position Statement). *Diabetes Care* 31 (Suppl. 1): S55–59. <http://care.diabetesjournals.org>.
- American Diabetes Association, (2012). Standards of Medical Care in Diabetes. American Diabetes Assosiation. *Diabetes Care*; 35(Suppl. 1): S11-S63 United States of America dalam situs [www.care.diabetesjournals.org](http://www.care.diabetesjournals.org).
- Amiel S.A, Dixon T, Mann R. and Jameson K. (2007). Review Article Hypoglycaemia in Type 2 diabetes. *Journal compilation, Diabetic Medicine*, Vol.25, pp.245–254.
- Andrew J. S., Ian J. D., Brian M. F. (2004). Acute Hyperglycemia Alters Mood State and Impairs Cognitive Performance in People With Type 2 Diabetes. *Diabetes Care*, Vol. 27 (10), pp. 2335-2340.
- Baker, L. K., & Denyes, M. J. (2008). Predictors of Self Care in Adolescents with Cystic Fibrosis: A Test of Orem's Theories of Self Care and Self Care Deficit. *Journal of Pediatric Nursing*, Vol. 23(1), pp. 37-48.
- Bai, Y. L., Chiou, C. P., & Chang, Y. Y (2009). Self-Care Behavior and Related Factors in Older People with type 2 Diabetes. *Journal of Clinical Nursing*. Vol. 18, pp.3308-3315.

- Beck, A., & Steer, R. (1984). Internal Consistencies of The Original and Revised Beck Depression Inventory. *Journal Clinical Psychology*. Vol. 40, pp. 1365-1367.
- Brizendine, L. (2007). *The Female Brain*. Penerjemah: Meda Satrio. Jakarta: Ufuk Press.
- Bridle C., Spanjers K., Patel S., Atherton N., and Sarah. (2012). Effect of exercise on depression severity in older people: systematic review and meta-analysis of randomised controlled trials E. Lamb. *The British Journal of Psychiatry* Vol. 201, p. 180–185.
- Bustan M.N.. (2007). *Epidemiologi Penyakit Tidak Menular*. Jakarta: PT. Rineka Cipta.
- Chen S. C., Ueng K. C., Lee S. H., Sun K. T., and Lee M. C., (2010). “Effect of T’ai Chi exercise on biochemical profiles and oxidative stress indicators in obese patients with type 2 diabetes,” *Journal of Alternative and Complementary Medicine*, vol. 16, no. 11, pp. 1153–1159.
- China Sports, (1983). *Simplified “Taiji Quan”*. 2<sup>nd</sup> Edition. China Publications Center, Beijing, China.
- Chodzko-Z., Beattie W., Chow L., Firman R., Jahnke J., Park R., C.-H. (2006). Qi Gong and Tai Chi: Promoting practice that promote healing. *The Journal of Active Aging*, Vol. 5(5), pp. 50–56.
- Damayanti. (2014). *Family Support of Patient Type 2 Diabetes Mellitus in Performing Diabetes Self-Management*. UNPAD, Bandung.
- Delaune, S.C., & Ladner, P. K.. (2002). *Fundamentals of nursing: Standards and practice*. 2<sup>nd</sup> Ed. New York: Thomson Delmar Learning.
- Dempsey, A. D., Dempsey, P. A. (2002). *Riset Keperawatan : Buku Ajar dan Latihan*. Alih Bahasa : Palupi W. Edisi 4. Jakarta : EGC.
- Depkes. RI. (2005). *Pedoman Penatalaksanaan Diabetes*. Edisi Kedua. Jakarta.

- Dinkes Jatim. (2012). *Profil Kesehatan Jawa timur*. Surabaya : Dinas Kesehatan Jawa timur.
- Dinkes Kota Malang. (2015). *Profil Kesehatan Kota Malang*. Malang : Dinas Kesehatan Kota Malang.
- Egede LE, Ellis C, (2010). Diabetes and Depression: Global Perspectives. *Diabetes Research and Clinical Practice*. 87: pp. 302-312.
- Giacobbi P. R., Hausenblas H. A., and Frye N., (2005). "A Naturalistic Assessment of the Relationship Between Personality, Daily Life Events, Leisure-Time Exercise, and Mood," *Psychology of Sport & Exercise*. Vol. 6, no. 1, pp. 67–81.
- Goldberg, AP. (2006). *Diabetes Mellitus and Glucose Metabolism in the Elderly*. New York : International Ed McGraw Hill
- Hawari D., (2008). *Manajemen Stres, Cemas, dan Depresi*. Jakarta: BP FK UI.
- Hasbulloh. (2009). *Dasar-Dasar Ilmu Pendidikan*. Edisi 7, Rajawali Pers, Jakarta.
- Hidayat, A. A. (2009). *Pengantar Kebutuhan Manusia Aplikasi Konsep Keperawatan*. Buku 1. Jakarta : Salemba Medika.
- Howe, T. E. (2012). Exercise for improving balance in older people. *Cochrane Database of Systematic Reviews*. (11), doi:10.1002.
- Hui SSC., Woo J., Kwok T. (2009). Evaluation of energy expenditure and cardiovascular health effects from Tai Chi and walking exercise. Health and Health Services Research Fund. *Hong Kong Med J*;15(Suppl 2):S 4-7.
- Ilyas, E.I.. (2007), Olahraga Bagi Diabetesi, dalam S. Soegondo., P. Soewondo., & Subekti I.. (Eds), *Penatalaksanaan diabetes mellitus terpadu*. Jakarta: FKUI.

- Ilett P, Lythgo N, Martin C, Brock K. (2015). *Balance and gait in people with multiple sclerosis: a comparison with healthy controls and the immediate change after an intervention based on the Bobath concept.* Physiother Res Int.
- Jin P.(1989), “Changes in heart rate, noradrenaline, cortisol and mood during Tai Chi,” *Journal of Psychosomatic Research*, vol. 33, no. 2, pp. 197–206.
- Kaplan, R. M., Sallis, J. J., & Patterson, T. L. (1993). *Health and Human Behavior*. New York: McGraw-Hill.
- Khuwaja, A.K., Lalani S., Dhanani R. (2010). Anxiety and Depression among outpatients with type 2 diabetes : A multi centre study of prevalence and associated factors. *Diabetology & Metabolic Syndrome*.
- Knowler W.C., Connor E.Barrett-, Fowler S. E., (2002 ). “Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin,”*The New England Journal of Medicine*, vol. 346, no. 6, pp. 393–403.
- Kroenke K, Spitzer RL, Williams JB. (2001). The PHQ-9: validity of a brief depression severity measure. *J Gen Intern Med.*;16(9):606–13.
- Kroenke K., Spitzer R. (2002). The PHQ-9: A new depression diagnostic and severitymeasure. *Psychiatr Ann.*;32(9):509–15.
- Kusniyah, Y., Nursiswati., Rahayu U., (2010). Hubungan Tingkat Self Care dengan Tingkat HbA1c pada Klien Diabetes Melitus Tipe 2. *Journal UNPAD*. pp. 1-7. <http://pustaka.unpad.ac.id>
- Lan C., Chen S.Y., Lai J.S, and Wong May-Kuen A. (2013). Review Article Tai Chi Chuan in Medicine and Health Promotion. *Evidence- Based Complementary and Alternative Medicine* Vol. 1, pp 1-17, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3789446/>&tool=pmcentrez&rendertype=abstract.

- LeMone, P & Burke, R. (2008). *Medical surgical nursing critical thinking in client care (4th.ed)*. Upper Sadle River-New Jersey, Pearson Prentice.
- Liu, X. Miller Y. D.Burton Nicola W. Chang J-H. Brown W. J ., (2013). The effect of Tai Chi on health-related quality of life in people with elevated blood glucose or diabetes: A randomized controlled trial. *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care & Rehabilitation*, 22(7), pp.1783–1786. Available at: <http://search.proquest.com.ezproxy.library>.
- Liu X., Vitetta L., Kostner K., Crompton D., Williams G. (2015). Research Article The Effects of Tai Chi in Centrally Obese Adults with Depression Symptoms. *Publishing Corporation Evidence-Based Complementary and Alternative Medicine* Vol. 2015, 8 pages <http://dx.doi.org/10.1155/2015/879712>.
- Medved V., Jovanovic N., Knapic VP., (2009). The Comorbidity of Diabetes Mellitus and Psychiatric Disorders. *Psychiatria Danubina*. 21:585-588.
- Monahan, P.O. et al., (2008). *Validity / Reliability of PHQ-9 and PHQ-2 Depression Scales Among Adults Living with HIV / AIDS in Western Kenya*. , pp.189–197.
- Muhlisin Abi. (2010). Teori *Self Care* dari Orem dan Pendekatan dalam Praktek Keperawatan. *Jurnal Berita Ilmu Keperawatan* Vo. 2.
- Mumpuni, Wulandari, (2010). *Cara Jitu Mengatasi Stres*. Yogyakarta : Penerbit ANDI.
- Nevid, J. S., Rathus, S. A., & Greene, B. (2006). *Abnormal Psychology In A Changing World*. New Jersey: Prentice Hall.
- Nina W. (2007). It's Never Too Late: *Physical Activity and Elderly People*. Norwegian Knowledge Centre for the Health Services.
- Notoadmodjo, Soekidjo (2010). *Ilmu Perilaku Kesehatan*. Jakarta : PT. Rineka Cipta.

- Notoatmodjo, Soekidjo. (2007). *Promosi Kesehatan dan Ilmu Perilaku*. Jakarta : PT. Rineka Cipta.
- Nursalam. (2013). *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis*. Edisi 3. Jakarta:Salemba.
- Onya ON, Stanley PC (2013). Risk Factors for Depressive Illness Among Elderly gopd attendees at upth. *IOSR Journal of Dental and Medical Sciences*. Vol. 5(2); 77-86.
- Padila. (2012). Buku Ajar: *Keperawatan Medikal Bedah*. Cetakan pertama. Yogyakarta: Nuha Medika.
- Parker, M.E. (2005). *Nursing theories and nursing practice. (2<sup>nd</sup> Ed)*. Philadelphia: F.A. Davis Company.
- PERKENI., (2008). *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. www.perkeni.org
- PERKENI, 2011. *Revisi Konsesnsus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe-2 di Indonesia*. Jakarta: Perkumpulan Endokrin Indonesia.
- Piette JD., Richardson C., Valenstein M., (2004). Addresing the Needs of Patients With Multiple Chronic illnesses. *American Journal of Managed Care*. 10(2); 152-162.
- Santoso, M., (2006). *Senam diabetes seri 3*. Jakarta: Yayasan Diabetes Indonesia.
- Sarafino, E. P. (2002). *Health Psychology Biopsychosocial Interaction*. USA: John Wiley & Sons.
- Schiffer, R. B., Rao, S. M., Fogel, B. S. (2004). *Neuropsychiatry*. (2<sup>nd</sup> edition), Lippincott Williams & Wilkins, Philadelphia. 214-244.
- Sherwood L., (2011). *Fisiologi Manusia dari Sel ke Sistem Edisi 2*. Jakarta : EGC.
- Sigurdardotir, A. K. (2005). Self Care in Diabetes : Model of Factors Affecting Self Care. *Journal of Clinical Nursing*. 14; 301-314.

- Smeltzer, S., Bare, B., Hinkle, J., Chever, K. (2008). *Brunner and Suddarth's textbook of medical surgical nursing (11<sup>th</sup> ed.)*. Philadelphia : Lippincott Williams & Wilkins.
- Soegondo,S. (2007). *Diagnosis dan Klasifikasi Diabetes Mellitus Terkini*. Dalam Soegondo S dkk (eds), *Penatalaksanaan Diabetes Mellitus Terpadu*. Jakarta : FKUI.
- Soegondo S., (2008). *Hidup secara mandiri dengan Diabetes Melitus, Kencing Manis, Sakit Gula*. Jakarta : FKUI.
- Soegondo, S., (2009). *Diabetes Melitus Penatalaksanaan Terpadu*, Jakarta: FKUI.
- Sousa, V.D & Zauszniewski, J. A. (2005). Toward A Theory Of Diabetes Self Care Management. *The Journal of Theory Construction & Testing*. 9(2), 61-67.
- Sousa, V.D., Zauszniewski, J. A., Musil, C. M., Lea, P.J.P., & Davis, S. A. (2005). Relationship among self-care agency, self efficacy, self-care, and glycemic control. *Research and Theory for Nursing Practice : An International Journal*, 9(3), 61-67.
- Stanley, M. (2007). *Buku Ajar Keperawatan Gerontik (Gerontological nursing : A health promotion/protection approach) Edisi 2*. Jakarta EGC.
- Sudoyo, A. W., Setiyohadi, B., Alwi, L., Simadibrata, M., & Setiati, S (2006). *Buku Ajar Ilmu Penyakit Dalam* (cetakan ke-3). Jakarta : Pusat Penerbit Departemen Ilmu Penyakit Dalam FKUI.
- Sudoyo, A. W., Setiyohadi, B., Alwi, L., Simadibrata, M., & Setiati, S (2009). *Buku Ajar Ilmu Penyakit Dalam* (cetakan ke-4). Jakarta : Pusat Penerbit Departemen Ilmu Penyakit Dalam FKUI.
- Sukardji, K. (2011). *Penatalaksanaan Gizi pada Diabetes Melitus*. Dalam : *Penatalaksanaan Diabetes Melitus Terpadu*. Jakarta : FKUI

- Sunaryo, T. (2014). Pengaruh Senam Diabetik Terhadap Penurunan Resiko Ulkus Kaki Diabetik Pada Pasien DM tipe 2 di Perkumpulan Diabetik. *Jurnal Terpadu Ilmu Kesehatan*. Vol. 3 No. 1, pp. 99-105.
- Surucu & Kizilei. (2012). Use of Orem's Self-Care Deficit Nursing Theory in the Self-Management Education of Patient with type 2 :a case study. *Bulletin luxembourgeois des questions social*.
- Tandra, H. (2008). *Segala Sesuatu yang Harus Anda Ketahui Tentang Diabetes: Panduan Lengkap Mengenal dan Mengatasi Diabetes dengan Cara Cepat dan Mudah*. Jakarta: PT. Gramedia Pustaka Utama.
- Tanto Chris F.L. (2014). *Kapita Selekta Kedokteran / Edisi IV*. Jakarta : Media Aesculapius FK UI.
- Tarwoto, Martonah. (2012). *Kebutuhan Dasar Manusia dan Proses Keperawatan*. Jakarta : Salemba Medika.
- Taylor-Piliae R. E., Haskell W. L., Waters C. M., and Froelicher E. S., (2006). "Change in perceived psychosocial status following a 12-week Tai Chi exercise," *Journal of Advanced Nursing*, vol. 54, no. 3, pp. 313–329.
- Tsang, W.W.N. & Hui-chan, C.W.Y., (2001). Effect of 4- and 8-wk Intensive Tai Chi Training on Balance Control in the Elderly. *Journal of the American College of Sports Medicine*. 195: 648-657.  
<http://www.acsm-msse.org>.
- Tsang, T., Orr R., Lam P., Comino J.E., Singh F.M., (2007). Health benefits of Tai Chi for older patients with type 2 diabetes: the "Move It For Diabetes study"--a randomized controlled trial. *Clinical interventions in aging*, 2(3), pp.429–439.
- Tylor,s., & Renpenning, K. (2011). *Self Care Science, Nursing Theory and Evidence Based Practice*. New York : Springer Publising Company, LLC.

- Utomo, O.M., Azam, M. & Ningrum, D.N.A., 2012. Pengaruh Senam Terhadap Kadar Gula Darah Penderita Diabetes. *Unnes Journal of Public Health*, 1(1). 36-40. <http://journal.unnes.ac.id/sju/index.php/ujph/article>.
- Wang C., Bannuru R., Ramel J., Kupelnick B., Scott T., and Schmid C. H., (2010). “Tai Chi on psychological well-being: systematic review and meta-analysis”*BMC Complementary and Alternative Medicine*, vol. 10, article 23.
- Wang J.H, (2008). “Effects of Tai Chi exercise on patients with type 2 diabetes,” *Medicine and Sport Science*, vol. 52, pp. 230–238.
- Wang, F., Lee E.K., Wu T., (2013). The effects of tai chi on depression, anxiety, and psychological well-being: a systematic review and meta-analysis. *International journal of behavioral medicine*, 21(4), pp.605–17. <http://www.ncbi.nlm.nih.gov/pubmed/24078491>.
- Wang, Y., Lopez J.M., Bolge S.C., Zhu J.V., Stang E.P. (2016). Depression among people with type 2 diabetes mellitus , US National Health and Nutrition Examination Survey ( NHANES ), 2005 – 2012. *BMC Psychiatry*, pp.1–16. <http://dx.doi.org/10.1186/s12888-016-0800-2>.
- Waspadji. (2009). Diabetes Melitus : Mekanisme Dasar dan Pengelolaannya yang Rasional dalam Penatalaksanaan Diabetes Melitus Terpadu. Edisi 2, Jakarta : Balai Penerbit FKUI.
- Wayne PM, Kaptchuk TJ. (2008). Challenges inherent to t'ai chi research: part II—defining the intervention and optimal study design. *Journal Altern Complement Med.* Vol. 14; 191– 197.
- Wijayakusuma H. (2008). *Bebas Diabetes Mellitus Ala Hembing*. Jakarta : Puspaswara.
- Wright . (2008). *Panduan Bagi Penderita Diabetes Mellitus*. Jakarta, Prestasi Pustaka.

- Wu G, Liu W, Hitt J, Millon D.(2004): Spatial, temporal and muscle action patterns of Tai Chi gait. *J Electromyogr Kinesiol;*, 14(3): 343–54.
- WHO .2012. *Diabetes Programme*. World Health Organization. <http://www.who.int/diabetes/en/>
- Xu D, Hong Y, Li J, Chan K.(2004) : Effect of tai chi exercise on proprioception of ankle and knee joints in old people. *Br Journal Sports Med*; 38(1): 50-54 .
- Yeung A, Lepoutre V., Wayne P.. (2012), “Tai Chi treatment for depression in Chinese Americans: a pilot study,” *American Journal of Physical Medicine and Rehabilitation*, vol. 91, no. 10, pp. 863–870.
- Zenteng JFT, Cardiel MH, 2001, Risk Factors Associated with Depression in Patients with Type 2 Diabetes Mellitus. *Archives of Medical Research*. Vol. 33: 53-60.
- Zuberi S.I., Syed E.U., Bhatti J.A., (2011). Association of depression with treatment Outcomes in Type 2 Diabetes Mellitus: a Cross-Sectional Study From Karachi, Pakistan. *BMC Psychiatry*.11(27) : 1-6.