

## LAMPIRAN

### 1. Source Code Login Admin

```
<?php
session_start(); // Starting Session
include('../config.php');
$error = "";
if (isset($_POST['submit'])) {
    if (empty($_POST['username']) || empty($_POST['password'])) {
        $error = "Username atau Password Harus Diisi !";
    } else {
        $username = $_POST['username'];
        $password = $_POST['password'];
        $query2 = mysql_query("select count(*) as hasil from rpt_admin where
username = '$username' and password = '$password'");
        $hasil2 = mysql_fetch_assoc($query2);
        $hasil2 = $hasil2['hasil'];
        if ($hasil2 == 1) {
            echo '<script type="text/javascript">alert("Login Berhasil")</script>';
            $_SESSION['login_admin']=$username; // Initializing Session
            header("location: manage_guru.php"); // Redirecting To Other Page
        } else {
            $error = "Username atau Password Salah";
        }
    }
}
if(isset($_SESSION['login_admin'])){
    header("location: manage_guru.php");
}
```

```
?>
```

## 2. Source Code Manage Admin

```
<?php
session_start(); // Starting Session
if(!isset($_SESSION['login_admin'])){
    header("location: login_admin.php");
}
include('../config.php');
if(isset($_POST['save'])){
    $flag = $_POST['flag'];
    if ($flag == 'new') {
        $nama = $_POST['nama'];
        $username = $_POST['username'];
        $password = $_POST['password'];
        $input = mysql_query("INSERT INTO rpt_admin (
            nama, username, password) values (
            '$nama', '$username', '$password')") or die(mysql_error());
        if ($input) {
            echo "<script>alert('Data Berhasil Disimpan')</script>";
            echo "<script>$('#modalwindow').modal('hide'); window.history.back();
            </script>";
            header("location:manage_admin.php");
        };
    } else {
        $id = $_POST['id'];
        $nama = $_POST['nama'];
        $username = $_POST['username'];
        $password = $_POST['password'];
```

```

//echo "UPDATE rpt_guru SET nip='$nip', nama='$nama',
password='$password', status_wk='$status_wk' where id_guru = $id_guru";

$input = mysql_query("UPDATE rpt_admin SET nama = '$nama',
username = '$username', password = '$password' where id = $id") or
die(mysql_error());

if ($input) {
    echo "<script>alert('Data Berhasil diubah')</script>";

    echo "<script>$('#modalwindow').modal('hide'); window.history.back();
</script>";

    header("location:manage_admin.php");

};

}

};

?>

```

### 3. Source Code Manage Guru

```

<?php
session_start(); // Starting Session
if(!isset($_SESSION['login_admin'])){
    header("location: login_admin.php");
}
include('../config.php');
if(isset($_POST['save'])){
    $flag = $_POST['flag'];
    if ($flag == 'new') {
        $nip = $_POST['nip'];
        $nama = $_POST['nama'];
        $password = $_POST['password'];
        $status_wk = $_POST['status_wk'];
        $username = $_POST['username'];

```

```

$nuptk = $_POST['nuptk'];

$input = mysql_query("INSERT INTO rpt_guru (
nip, nama, password, status_wk, username, nuptk) values (
'$nip', '$nama', '$password', '$status_wk', '$username', '$nuptk')") or
die(mysql_error());

// echo "INSERT INTO rpt_guru (
// nip, nama, password, status_wk, username) values (
// '$nip', '$nama', '$password', '$status_wk', '$username')";

if ($input) {
    echo "<script>alert('Data Berhasil Disimpan')</script>";
    echo "<script>$('#modalwindow').modal('hide'); window.history.back();
</script>";
    header("location:manage_guru.php");
};
} else {
    $id_guru = $_POST['id_guru'];
    $nip = $_POST['nip'];
    $nama = $_POST['nama'];
    $password = $_POST['password'];
    $status_wk = $_POST['status_wk'];
    $username = $_POST['username'];
    $nuptk = $_POST['nuptk'];

    //echo "UPDATE rpt_guru SET nip='$nip', nama='$nama',
password='$password', status_wk='$status_wk' where id_guru = $id_guru";

    $input = mysql_query("UPDATE rpt_guru SET nuptk='$nuptk', nip='$nip',
nama='$nama', password='$password', status_wk='$status_wk',
username='$username' where id_guru = $id_guru") or die(mysql_error());

    if ($input) {
        echo "<script>alert('Data Berhasil diubah')</script>";
    }
}

```

```

        echo "<script>$('#modalwindow').modal('hide'); window.history.back();
</script>";

        header("location:manage_guru.php");

    };

}

};

?>

```

#### 4. Source Code Manage Kelas

```

<?php
session_start(); // Starting Session
if(!isset($_SESSION['login_admin'])){
    header("location: login_admin.php");
}
include('../config.php');
if(isset($_POST['save'])){
    $flag = $_POST['flag'];
    if ($flag == 'new') {
        $kelas = $_POST['kelas'];
        $tahun = $_POST['tahun'];
        $wk = $_POST['wk'];
        $input = mysql_query("INSERT INTO rpt_kelas (
        kelas, tahun, wk) values (
        '$kelas', '$tahun', '$wk')") or die(mysql_error());
        if ($input) {
            echo "<script>alert('Data Berhasil Disimpan')</script>";
            echo "<script>$('#modalwindow').modal('hide'); window.history.back();
</script>";
            header("location:manage_kelas.php");

```

```

    };
} else {
    $sid_kelas = $_POST['id_kelas'];
    $kelas = $_POST['kelas'];
    $tahun = $_POST['tahun'];
    $wk = $_POST['wk'];

    //echo "UPDATE rpt_guru SET nip='$nip', nama='$nama',
password='$password', status_wk='$status_wk' where id_guru = $id_guru";

    $input = mysql_query("UPDATE rpt_kelas SET kelas = '$kelas', tahun =
'$tahun', wk = '$wk' where id_kelas = $id_kelas") or die(mysql_error());

    if ($input) {
        echo "<script>alert('Data Berhasil diubah')</script>";
        echo "<script>$('#modalwindow').modal('hide'); window.history.back();
</script>";
        header("location:manage_kelas.php");
    };
}
};
?>

```

## 5. Source Code Manage Mata Pelajaran

```

<?php
session_start(); // Starting Session
if(!isset($_SESSION['login_admin'])){
    header("location: login_admin.php");
}
include('../config.php');
if(isset($_POST['save'])){
    $id_guru = $_POST['id_guru'];

```

```

$matpel = $_POST['matpel'];
$input = mysql_query("INSERT INTO rpt_matpel (
id_guru, matpel) values (
'$id_guru', '$matpel')") or die(mysql_error());
if ($input) {
    echo "<script>alert('Data Berhasil Disimpan')</script>";
    echo "<script>$('#modalwindow').modal('hide'); window.history.back();
</script>";
    header("location:manage_matpel.php");
};
};

```

## 6. Source Code Manage Siswa

```

<?php
session_start(); // Starting Session
if(!isset($_SESSION['login_admin'])){
    header("location: login_admin.php");
}
include('../config.php');
if(isset($_POST['save'])){
    $flag = $_POST['flag'];
    if ($flag == 'new') {
        $nispn = trim($_POST['nispn'], " ");
        $nama = trim($_POST['nama'], " ");
        $id_kelas = trim($_POST['id_kelas'], " ");
        $username = trim($_POST['username'], " ");
        $password = trim($_POST['password'], " ");
        $ortu = trim($_POST['ortu'], " ");
        $pass_ortu = trim($_POST['pass_ortu'], " ");

```

```

$input = mysql_query("INSERT INTO rpt_siswa (
nism, nama, id_kelas, username, password, ortu, pass_ortu) values (
'$nism','$nama', $id_kelas,'$username','$password','$ortu','$pass_ortu')") or
die(mysql_error());
if ($input) {
    echo "<script>alert('Data Berhasil Disimpan')</script>";
    echo "<script>$('#modalwindow').modal('hide'); window.history.back();
</script>";
    header("location:manage_siswa.php");
};
} else {
    $id = $_POST['id'];
    $nism = $_POST['nism'];
    $nama = $_POST['nama'];
    $id_kelas = $_POST['id_kelas'];
    $username = $_POST['username'];
    $password = $_POST['password'];
    $ortu = $_POST['ortu'];
    $pass_ortu = $_POST['pass_ortu'];
    $input = mysql_query("UPDATE rpt_siswa SET
nism='$nism',nama='$nama',id_kelas='$id_kelas',username='$username',passwor
d='$password',ortu='$ortu',pass_ortu='$pass_ortu' where id = $id") or
die(mysql_error());
    if ($input) {
        echo "<script>alert('Data Berhasil diubah')</script>";
        echo "<script>$('#modalwindow').modal('hide'); window.history.back();
</script>";
        header("location:manage_siswa.php");
    };
}
}

```



```
};
?>
```

## 7. Source Code Login Guru

```
<?php
session_start(); // Starting Session
include('../config.php');
$error = "";
if (isset($_POST['submit'])) {
    if (empty($_POST['username']) || empty($_POST['password'])) {
        $error = "Username atau Password Harus Diisi !";
    } else {
        $username = $_POST['username'];
        $password = $_POST['password'];

        $query2 = mysql_query("select id_guru, nama, status_wk, count(*) as hasil
from rpt_guru where username = '$username' and password = '$password'
group by id_guru, nama, status_wk");

        $hasil2 = mysql_fetch_assoc($query2);
        $id_guru = $hasil2['id_guru'];
        $nama = $hasil2['nama'];
        $status_wk = $hasil2['status_wk'];
        $hasil2 = $hasil2['hasil'];

        if ($hasil2 > 0) {
            echo '<script type="text/javascript">alert("Login Berhasil")</script>';
            $_SESSION['login_guru']=$username; // Initializing Session
            $_SESSION['id_guru']=$id_guru;
            $_SESSION['nama_guru'] = $nama;
            $_SESSION['status_wk'] = $status_wk;
            echo $_SESSION['status_wk'];
        }
    }
}
```

```

        header("location: form_nilai.php"); // Redirecting To Other Page
    } else {
        $error = "Username atau Password Salah";
    }
}
}
}
if(isset($_SESSION['login_guru'])){
    header("location: form_nilai.php");
}
?>

```

## 8. Source Code Form Nilai Siswa

```

<?php
session_start(); // Starting Session
if(!isset($_SESSION['login_guru'])){
    header("location: login_guru.php");
}
include('../config.php');
if(isset($_POST['save'])){
    $id_siswa = $_POST['id_siswa'];
    $semester = $_POST['semester'];
    // pengembangan diri
    $jenis1 = $_POST['jenis1'];
    $jenis2 = $_POST['jenis2'];
    $jenis3 = $_POST['jenis3'];
    $nilai1 = $_POST['nilai1'];
    $nilai2 = $_POST['nilai2'];
}
}
?>

```

```

$nilai3 = $_POST['nilai3'];
$keterangan1 = $_POST['keterangan1'];
$keterangan2 = $_POST['keterangan2'];
$keterangan3 = $_POST['keterangan3'];
$input1 = mysql_query("INSERT INTO pengembangan_diri (
id_siswa, semester, jenis_kegiatan, nilai, keterangan) values (
$Id_siswa, $semester, '$jenis1', '$nilai1', '$keterangan1')") or
die(mysql_error());
$input2 = mysql_query("INSERT INTO pengembangan_diri (
id_siswa, semester, jenis_kegiatan, nilai, keterangan) values (
$Id_siswa,$semester, '$jenis2', '$nilai2', '$keterangan2')") or
die(mysql_error());
$input3 = mysql_query("INSERT INTO pengembangan_diri (
id_siswa, semester, jenis_kegiatan, nilai, keterangan) values (
$Id_siswa, $semester, '$jenis3', '$nilai3', '$keterangan3')") or
die(mysql_error());
// pengembangan diri
// ahlak mulia
$KetAhlak = $_POST['KetAhlak'];
$input4 = mysql_query("INSERT INTO ahlak_mulia (
id_siswa, semester, aspek, keterangan) values (
'$Id_siswa', '$semester', 'Sikap dan perilaku beriman dan bertaqwa kepada
Tuhan Yang Maha Esa', '$KetAhlak' )") or die(mysql_error());
// ahlak mulia
//kepribadian
$ketarangan_kelakuan = $_POST['ketarangan_kelakuan'];
$keterangan_kerajinan = $_POST['keterangan_kerajinan'];
$keterangan_kerapaian = $_POST['keterangan_kerapaian'];
$keterangan_kebersihan = $_POST['keterangan_kebersihan'];

```

```

$input5 = mysql_query("INSERT INTO kepribadian (
id_siswa, semester, aspek, keterangan) values (
'$id_siswa', '$semester', 'Kelakuan', '$keterangan_kelakuan' )") or
die(mysql_error());

$input6 = mysql_query("INSERT INTO kepribadian (
id_siswa, semester, aspek, keterangan) values (
'$id_siswa', '$semester', 'Kerajinan', '$keterangan_kerajinan' )") or
die(mysql_error());

$input7 = mysql_query("INSERT INTO kepribadian (
id_siswa, semester, aspek, keterangan) values (
'$id_siswa', '$semester', 'Kerapian', '$keterangan_kerapian' )") or
die(mysql_error());

$input8 = mysql_query("INSERT INTO kepribadian (
id_siswa, semester, aspek, keterangan) values (
'$id_siswa', '$semester', 'kepribadian', '$keterangan_kebersihan' )") or
die(mysql_error());

//kepribadian
$hari_sakit = $_POST['hari_sakit'];
$keterangan_sakit = $_POST['keterangan_sakit'];
$hari_izin = $_POST['hari_izin'];
$keterangan_izin = $_POST['keterangan_izin'];
$hari_TP = $_POST['hari_TP'];
$ketranganan_TP = $_POST['ketranganan_TP'];

$input8 = mysql_query("INSERT INTO ketidakhadiran (
id_siswa, semester, ketidakhadiran, hari, keterangan) values (
'$id_siswa', '$semester', 'sakit', '$hari_sakit', '$keterangan_sakit' )") or
die(mysql_error());

$input9 = mysql_query("INSERT INTO ketidakhadiran (
id_siswa, semester, ketidakhadiran, hari, keterangan) values (

```

```

    '$id_siswa', '$semester', 'izin', '$hari_sakit', '$keterangan_sakit' )" ) or
die(mysql_error());

    $input10 = mysql_query("INSERT INTO ketidakhadiran (
    id_siswa, semester, ketidakhadiran, hari, keterangan) values (
    '$id_siswa', '$semester', 'Tanpa Keterangan', '$hari_TP', '$keterangan_TP'
    )" ) or die(mysql_error());

    $peringkat = $_POST['peringkat'];
    $jumlah_siswa = $_POST['jumlah_siswa'];
    $input10 = mysql_query("INSERT INTO peringkat (
    id_siswa, semester, peringkat, jml_siswa) values (
    $id_siswa, $semester, $peringkat, $jumlah_siswa)" ) or die(mysql_error());
    if ($input1 && $input2 && $input3 && $input4 && $input5 && $input6
    && $input7 && $input8 && $input9 && $input10) {
        echo "<script>alert('Data Berhasil Disimpan')</script>";
        echo "<script>$('#modalwindow').modal('hide'); window.history.back();
        </script>";
        header("location:manage_admin.php");
    };
};
?>

```

## 9. Source Code Get Nilai Siswa

```

<?php
header("Access-Control-Allow-Origin: *");
header("Access-Control-Allow-Methods: PUT, GET, POST, DELETE,
OPTIONS");
header("Access-Control-Allow-Headers: Content-Type, x-xsrf-token");
include './config.php';
$id_guru = $_GET['id_guru'];
$matpel = $_GET['matpel'];

```

```

$kelas = $_GET['kelas'];
$semester = $_GET['semester'];
$sql = "select count(*) as hasil from rpt_nilai where matpel = '$matpel' and
semester=$semester";
$query2 = mysql_query($sql);
$hasil2 = mysql_fetch_assoc($query2);
$hasil2 = $hasil2['hasil'];
if ($hasil2 == 0) {
    $sql = "select id as id_siswa, nispn, nama, '$matpel' as matpel, $semester
as semester, 0 as nilai, 0 as KKM, " as kecapaian from rpt_siswa where
id_kelas=$kelas";
    $query = mysql_query($sql);
    $data = array();
    while($row = mysql_fetch_assoc($query)) {
        $data[] = $row;
    }
    print json_encode($data);
} else {
    $sql = "select * from rpt_siswa a inner join rpt_nilai b on a.id =
b.id_siswa where matpel='$matpel' and semester=$semester";
    $query = mysql_query($sql);
    $data = array();
    while($row = mysql_fetch_assoc($query)) {
        $data[] = $row;
    }
    print json_encode($data);
}
?>

```

## 10. Source Code Insert Siswa

```

<?php
header("Access-Control-Allow-Origin: *");
header("Access-Control-Allow-Methods: PUT, GET, POST, DELETE,
OPTIONS");
header("Access-Control-Allow-Headers: Content-Type, x-xsrf-token");
include './config.php';
$data = json_decode(file_get_contents("php://input"));
$cekMatpel = $data[0]->matpel;
$cekSemester = $data[0]->semester;
// cek apakah udah ada yg simpan
$sql = "select count(*) as hasil from rpt_nilai where matpel = '$cekMatpel' and
semester=$cekSemester";
$query2 = mysql_query($sql);
$hasil2 = mysql_fetch_assoc($query2);
$hasil2 = $hasil2['hasil'];
if ($hasil2 == 0) {
    for ($i=0; $i < count($data); $i++) {
        $id_siswa = $data[$i]->id_siswa;
        $matpel = $data[$i]->matpel;
        $semester = $data[$i]->semester;
        $nilai = $data[$i]->nilai;
        $KKM = $data[$i]->KKM;
        $kecapaian = $data[$i]->kecapaian;
        $input = mysql_query("INSERT INTO rpt_nilai (
            id_siswa, matpel, semester, nilai, KKM, kecapaian) values (

```

```

        '$id_siswa', '$matpel', '$semester', '$nilai', '$KKM', '$kecapaian')")
    or die(mysql_error());

    }

    if ($input) {
        $response = array('msg' => 'Data berhasil ditambahkan');
        echo json_encode($response);
    } else {
        $response = array('msg' => 'Data gagal ditambahkan');
        echo json_encode($response);
    }
} else {
    for ($i=0; $i < count($data); $i++) {
        $id_siswa = $data[$i]->id_siswa;
        $matpel = $data[$i]->matpel;
        $semester = $data[$i]->semester;
        $nilai = $data[$i]->nilai;
        $KKM = $data[$i]->KKM;
        $kecapaian = $data[$i]->kecapaian;
        $update = mysql_query("UPDATE rpt_nilai set
            id_siswa = '$id_siswa',
            matpel = '$matpel',
            semester = '$semester',
            nilai = $nilai,
            KKM = $KKM,
            kecapaian = '$kecapaian' WHERE matpel = '$matpel' and
            semester=$semester") or die(mysql_error());
    }
}

```



```

        if ($update) {
            $response = array('msg' => 'Data berhasil dirubah');
            echo json_encode($response);
        } else {
            $response = array('msg' => 'Data gagal dirubah');
            echo json_encode($response);
        }
    }
?>

```

### 11. Source Code Login Siswa

```

<?php
session_start(); // Starting Session
include('../config.php');
$error = "";
if (isset($_POST['submit'])) {
    if (empty($_POST['username']) || empty($_POST['password'])) {
        $error = "Username atau Password Harus Diisi !";
    } else {
        $username = $_POST['username'];
        $password = $_POST['password'];
        $query2 = mysql_query("select id, nama from rpt_siswa where username =
'$username' and password = '$password'");
        $hasil2 = mysql_fetch_assoc($query2);
        $id = $hasil2['id'];
        $nama = $hasil2['nama'];
        if ($hasil2 != "") {
            echo '<script type="text/javascript">alert("Login Berhasil")</script>';
            $_SESSION['id']=$id; // Initializing Session

```

```

    $_SESSION['nama']=$nama;

    header("location: index.php"); // Redirecting To Other Page
} else {
    $error = "Username atau Password Salah";
}
}
}
}
if(isset($_SESSION['id'])){
    header("location: index.php");
}
?>

```

## 12. Source Code Get Nilai

```

header("Access-Control-Allow-Origin: *");

header("Access-Control-Allow-Methods: PUT, GET, POST, DELETE,
OPTIONS");

header("Access-Control-Allow-Headers: Content-Type, x-xsrf-token");

include './config.php';

$id_siswa = $_GET['id_siswa'];

$semester = $_GET['semester'];

    $sql = "SELECT a.*, cast(IFNULL(b.nilai, 0) as UNSIGNED) as nilai,
b.KKM, b.kecapaian FROM rpt_matpelajaran a LEFT OUTER join rpt_nilai b
on a.matpel = b.matpel

        where (b.semester = $semester or b.semester is null) and
(b.id_siswa = $id_siswa or b.id_siswa is null) order by a.ID";

    $query = mysql_query($sql);

    $data = array();

        while($row = mysql_fetch_assoc($query)) {

            $data[] = $row;

        }

```

```
//var_dump($data);  
    print json_encode($data);  
?>
```