

## DAFTAR PUSTAKA

- Altman, RD., Gold, G.E., 2007. Atlas of individual radiographic features in osteoarthritis, revised. *Osteoarthritis Cartilage*. 15 Suppl A:A1-56.
- Arissa MI. Pola Distribusi Kasus Osteoartritis di RSUD Dokter Soedarso Pontianak Periode 1 Januari 2008- 31 Desember 2009. Pontianak: Fakultas Kedokteran Universitas Tanjungpura; 2012
- Barbour KE, Helmick CG, Theis KA, Murphy LB, Hootman JM, Brady TJ, Cheng YJ. Prevalence of doctor-diagnosed arthritis and arthritis-attributable activity limitation-United States, 2010-2012. *Morb Mortal Wkly Rep*. 2013; 62(44): 869–873. PubMed PMID: 24196662.
- Bedson, J., Jordan, K., & Croft, P., 2005. The Prevalence and History of Knee Osteoarthritis in General Practice: a case–control study. 22: 103-108.
- Bouchard, C., Blair, S. N., & Haskell, W., 2012. *Physical Activity and Health* (Vol. II). Illinois: Human Kinetics, Inc. pp: 248-250.
- Chan, K.K., Sit, R.W., Wu, R.W., & Ngai, A.H., 2014. Clinical, Radiological and Ultrasonographic Findings Related to Knee Pain in Osteoarthritis. 9 (3), e92901.
- Cheng, Y., Macera, CA., Davis, DR., Ainsworth, BE., Troped, PJ., Blair, SN. Physical activity and self-reported, physician-diagnosed osteoarthritis: is physical activity a risk factor? *J Clin Epidemiol*. 53(3):315e22.
- Chmelo E., Nicklas B., Davis C., Miller, G. D., Legault C., Messier S., Physical Activity dan Physical Function in Older with Knee Osteoarthritis. *J Physic Act Health*. 2013. 10(6): 777–783.
- Davidson, S., Passmore, R., Brook, J. F., and Truswell, A. S., 1979. Human nutrition and dietetics. Ed. 7. Churchill Livingstone, New York.
- Di Rosa, M., Szychlińska, M.A., Tibullo, D., Malaguarnera, L., Musumeci, G., 2014. Expression of CHI3L1 and CHIT1 in osteoarthritic rat cartilage model. A morphological study. *Eur. J. Histochem.*, 58, 213–221
- Felson, D.T.; Niu, J.; Clancy, M.; Aliabadis, P.; Sack, B.; Guermazi, A.; Hunter, D.J.; Amin, S.; Rogers, G.; Booth, S.L. Low levels of vitamin D and worsening of knee osteoarthritis: Results of two longitudinal studies. *Arthritis Rheumatol*. 2007, 56, 129–136.

- Folsom, A. R., et al.: Distribution of leisure time physical activity and its relationship to coronary risk factors in a metropolitan area: the Minnesota Heart Survey. *Am J Epidemiol.* In pres
- Frei, B. Reactive oxygen species and antioxidant vitamins: Mechanisms of action. *Am. J. Med.* 1994, 97, 5S–13S
- Gandhi, R.; Razak, F.; Tso, P.; Davey, J.R.; Mahomed, N.N. Asian ethnicity and the prevalence of metabolic syndrome in the osteoarthritic total knee arthroplasty population. *J. Arthroplast.* 2010, 25, 416–419.
- Giunta, S., Castorina, A., Marzagalli, R., Szychlinska, M.A., Pichler, K., Mobasher, A., Musumeci, G., 2015. A meliorative effects of PACAP against cartilage degeneration. Morphological, immunohistochemical and biochemical evidence from *in vivo* and *in vitro* models of rat osteoarthritis. *Int. J. Mol. Sci.*, 16, 5922–5944.
- Hasiibi, W.A., 2014. Prevalensi dan Distribusi Osteoarthritis Lutut Berdasarkan Karakteristik Sosio-Demografi dan Faktor Risiko di Wilayah Kerja Puskesmas Susut I, Kecamatan Susut, Kabupaten Bangli Pada Tahun 2014. Bali: FK Universitas Udayana.
- Heidari, B., 2011. Knee osteoarthritis prevalence, risk factors, pathogenesis and features: Part I. 205-212.
- Huang, S.W., Wang W.T., Lin L.F., Liao C.D., Liou T.H., Lin H.W., Association between psychiatric disorders and osteoarthritis: a nationwide longitudinal population-based study. *Medicine.* 2016, 95:26.
- Jasaputra, D.N., Santosa, S., 2008. *Metodologi Penelitian Biomedis*. Edisi 2. Bandung: Danamartha Sejahtera Utama. pp: 23-29.
- Kellgren, JH., Lawrence, JS. 1957. Radiological assessment of osteoarthrosis. *Ann Rheum Dis.* 16(4):494-502.
- Lawrence, R., Felson, D., Helmick, C., Arnold, L., Choi, H., Deyo, R., et al. 2008. Estimates of the prevalence of arthritis and other rheumatic conditions in the United States. Part II. pp: 26-35.
- Lee, J., Song, J., Hootman, J.M., Semanik, P.A., Chang, R.W., Sharma, L., Van Horn, L., Bathon, J.M., Eaton, C.B., Hochberg, M.C., Jackson, R., Kwok, K., Mysiw, W.J., Nevitt, M., Dunlop, D.D., 2013. Obesity and Other Modifiable Factors for Physical Inactivity Measured by Accelerometer in Adults with Knee Osteoarthritis: Data from the Osteoarthritis Initiative (OAI). *Arthritis Care Res.*, 65(1): 53–61. doi:10.1002/acr.21754.

- Maharani PE. 2007. Faktor-Faktor Risiko Osteoarthritis Lutut. Semarang: Program Studi Magister Epidemiologi Program Pascasarjana Universitas Diponegoro.
- Margetic, S.; Gazzola, C.; Pegg, G.G.; Hill, R.A. Leptin: A review of its peripheral actions and interactions. *Int. J. Obes. Relat. Metab. Disord.* 2002, 26, 1407–1433
- McAlindon, T.E.; Jacques, P.; Zhang, Y.; Hannan, M.Y.; Aliabadi, P.; Weissman, B.; Rush, D.; Levy, D.; Felson, D.T. Do antioxidant micronutrients protect against the development and progression of knee osteoarthritis? *Arthritis Rheumatol.* 1996, 39, 648–658.
- McMillan G, Nichols L, McMillan G, Nichols L (2005) Osteoarthritis and meniscus disorders of the knee as occupational diseases of miners. *Occupat Environ Med* 62, 567–575.
- Messier, S.P., Leagult, C., Mihalko, S., Miller, G.D., Loeser, R.F., DeVita, P., Lyles, M., Eckstein, F., Hunter, D.J., Williamson, J.D., *et al.*, 2009. The Intensive Diet and Exercise for Arthritis (IDEA) trial: Design and rationale. *BMC Muscul. Dis.*, 10, doi:10.1186/1471-2474-10-93.
- Montoye, H. J., 1975. *Physical activity and health: an epidemiologic study of an entire community*. Prentice-Hall, Inc., Englewood Cliffs, NJ.
- Muscolino, J. E., 2017. *Kinesiology: The Skeletal System and Muscle Function. Third Edition*. New York: Elsevier Inc.
- Musumeci, G.; Mobasher, A.; Trovato, F.M.; Szychlinska, M.A.; Graziano, A.C.E.; Lo Furno, D.; Avola, R.; Mangano, S.; Giuffrida, R.; Cardile, R. Biosynthesis of collagen I, II, RUNX2 and lubricin at different time points of chondrogenic differentiation in a 3D in vitro model of human mesenchymal stem cells derived from adipose tissue. *Acta Histochem.* 2014, 116, 1407–1417.
- Musumeci, G., Aiello, F. C., Szychlinska, M. A., Rosa, M. D., Castrogiovanni, P., & Mobasher, A., 2015. Osteoarthritis in the XXIst Century: Risk Factors and Behaviours that Influence Disease Onset and Progression. (16), 6093-6112.
- Musumeci, G.; Loreto, C.; Imbesi, R.; Trovato, F.M.; di Giunta, A.; Lombardo, C.; Castorina, S.; Castrogiovanni, P. 2014 Advantages of exercise in rehabilitation, treatment and prevention of altered morphological features in knee osteoarthritis. A narrative review. *Histol. Histopathol.*, 29, 707–719.

- Neogi, T.; Booth, S.L.; Zhang, Y.Q.; Jacques, P.F.; Terkeltaub, R.; Aliabadi, P.; Felson, D.T. Low vitamin K status is associated with osteoarthritis in the hand and knee. *Arthritis Rheumatol.* 2006, 54, 1255–1261
- Paulsen, F., Waschke, J., 2010. *Sobotta; Atlas Anatomi Manusia, Anatomi Umum dan Sistem Muskuloskeletal.* Jakarta: Penerbit Buku Kedokteran EGC. pp: 272.
- Price, S.A., Wilson, L.M., 2006. *Patofisiologi; Konsep Klinis Proses-proses Penyakit.* Jakarta: Penerbit Buku Kedokteran EGC. pp. 1380-1382.
- Physical Activity Guidelines Advisory Committee., 2008. *Physical Activity Guidelines Advisory Committee report, 2008.* Washington, DC: U.S. Departement of Health and Human Services.
- Ranggadwipa, D.D., 2014. Hubungan Aktivitas Fisik dan Asupan Energi Terhadap Massa Lemak Tubuh dan Lingkar Pinggang Pada Mahasiswa Fakultas Kedokteran Universitas Diponegoro.
- Reynard, L.N.; Loughlin, J., 2012. Genetics and epigenetics of osteoarthritis. *Maturitas.* 71, 200–204.
- Sanghi, D.; Mishra, A.; Sharma, A.C.; Raj, S.; Mishra, R.; Kumari, R.; Natu, S.M.; Agarwal, S.; Srivastava, R.N. Elucidation of dietary risk factors in osteoarthritis knee-a case-control study. *J. Am. Coll. Nutr.* 2015, 34, 15–20.
- Sartori-Cintra, A.R., Aikawa, P., Cintra, D.E., 2014. Obesity *versus* osteoarthritis: Beyond the mechanical overload. *Einstein (Sao Paulo).* 12, 374–379.
- Shih M, Hootman JM, Kruger J, Helmick CG. Physical activity in men and women with arthritis National Health Interview Survey, 2002. *Am J Prev Med.* 2006; 30:385–93. [PubMed: 16627126].
- Silverwood, V., Blagojevic-Bucknall, M., Jinks, C., Jordan, J.L., Protheroe, J., Jordan, K.P., 2014. Current evidence on risk factors for knee osteoarthritis in older adults: A systematic review and meta-analysis. *Osteoarthr. Cartil.* doi:10.1016/j.joca.2014.11.019.
- Soeroso, J., Isbagio, H., Kalim, H., Broto, R., & Pramudiyo, R., 2009. Osteoarthritis. Dalam: *Buku Ajar Ilmu Penyakit Dalam (IV ed., Vol. I, pp. 1195-1202).* Jakarta: FKUI.
- Solomon L, Warwick D, Nagayam S., 2010. *System of Orthopaedics and Fractures.* UK. Hodder Arnorld. pp: 85-96.

- Stehling, C., Liebl, H., Krug, R., Lane, N.E., Nevitt, M.C., Lynch J., McCulloch, C.E., Link, T.M., 2010. Patellar Cartilage: T2 Values and Morphologic Abnormalities at 3.0-T MR Imaging in Relation to Physical Activity in Asymptomatic Subjects from the Osteoarthritis Initiative. *Musculoskeletal Imaging*. 254. pp: 509-520.
- Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S. *Buku Ajar Ilmu Penyakit Dalam Jilid II edisi V*. Jakarta: Interna Publishing; 2007.
- Taufiqurahman, M.A., 2004. *Pengantar Metodologi Penelitian Untuk Ilmu Kesehatan*. Klaten: CSGF. pp: 63.
- Thijssen, E.; van Caam, A.; van der Kraan, P.M. Obesity and osteoarthritis, more than just wear and tear: Pivotal roles for inflamed adipose tissue and dyslipidaemia in obesity-induced osteoarthritis. *Rheumatology (Oxford)* 2014, doi:10.1093/rheumatology/keu464.
- Toivanen AT, Heliovaara M, Impivaara O, Arokoski JPA, Knekt P, Lauren H, dkk. Obesity, physically demanding work and traumatic knee injury are major risk factors for knee osteoarthritis-a population-based study with a follow-up of 22 years. *Rheumatology* 2009; 49.
- Van Beuningen, H.M.; Glansbeek, H.L.; van der Kraan, P.M.; van den Berg, W.B. Osteoarthritis-like changes in the murine knee joint resulting from intra-articular transforming growth factor-B injections. *Osteoarthr. Cartil.* 2000, 8, 25–33. 83
- Vanwanseele B, Lucchinetti E, Stussi E, Vanwanseele B, Lucchinetti E, Stussi E (2002b) The effects of immobilization on the characteristics of articular cartilage: current concepts and future directions. *Osteoarthr Cartilage* 10, 408–419.
- Verweij, L. M., Van Schoor, N. M., Deeg, D. J., Dekker, J., & Visser, M., 2009. Physical Activity and Incident Clinical Knee Osteoarthritis in Older Adults. *61* (2), 152-157.
- Vuori, I.M 2001. Dose-response of physical activity and low back pain, osteoarthritis and osteoporosis. *Medicine and science in Sports and Exercise*. 33 (6 Suppl) : S5511-586.
- WHO., 2010. Physical Activity. [http://www.who.int/dietphysicalactivity/physical\\_activity\\_intensity/en/](http://www.who.int/dietphysicalactivity/physical_activity_intensity/en/). (31 Maret 2016).
- Woolf, A. D., & Pfleger, B., 2003. Burden of major musculoskeletal conditions. 646.