

LAMPIRAN

ADB * KD Crosstabulation

			KD		Total
			Kasus	Kontrol	
ADB	ADB	Count	3	2	5
		Expected Count	2.5	2.5	5.0
		% within ADB	60.0%	40.0%	100.0%
		% within KD	3.6%	2.4%	3.0%
		% of Total	1.8%	1.2%	3.0%
Tidak	Tidak	Count	80	81	161
		Expected Count	80.5	80.5	161.0
		% within ADB	49.7%	50.3%	100.0%
		% within KD	96.4%	97.6%	97.0%
		% of Total	48.2%	48.8%	97.0%
Total		Count	83	83	166
		Expected Count	83.0	83.0	166.0
		% within ADB	50.0%	50.0%	100.0%
		% within KD	100.0%	100.0%	100.0%
		% of Total	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.206 ^a	1	.650		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.208	1	.649		
Fisher's Exact Test				.684	.500
Linear-by-Linear Association	.205	1	.651		
N of Valid Cases ^b	166				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 2,50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for ADB (ADB / Tidak)	1.519	.247	9.333
For cohort KD = Kasus	1.208	.581	2.512
For cohort KD = Kontrol	.795	.269	2.352
N of Valid Cases	166		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
ADB * DerajatKejang	83	100.0%	0	.0%	83	100.0%

ADB * DerajatKejang Crosstabulation

			DerajatKejang		Total
			KDS	KDK	
ADB	ADB	Count	3	0	3
		Expected Count	2.1	.9	3.0
	Tidak	Count	55	25	80
		Expected Count	55.9	24.1	80.0
Total		Count	58	25	83
		Expected Count	58.0	25.0	83.0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1.342 ^a	1	.247		
Continuity Correction ^b	.268	1	.605		
Likelihood Ratio	2.199	1	.138		
Fisher's Exact Test				.550	.336
Linear-by-Linear Association	1.325	1	.250		
N of Valid Cases ^b	83				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is ,90.

b. Computed only for a 2x2 table