

DAFTAR PUSTAKA

- AlZarea dan Bader K. (2016). Prevalence and pattern of torus palatinus and torus mandibularis among edentulous patients of Saudi Arabia. *Clinical Interventions in Aging*. 209–213.
- Ameer, F. M. (2016). Correlation of Prevalence of Torus Palatinus and Torus Mandibularis with the Form of Maxillary and Mandibular Arches in Iraqi Population. *Journal of Medical and Dental Science Research*, 3(6), 14-22.
- Audwin N. (2017). Pengetahuan Mahasiswa Preklinik Fakultas Kedokteran Gigi Universitas Hasanuddin Terhadap Gambaran Radiografi Lesi Rongga Mulut. 62-65.
- Boras. Vania Vucicevic. Ana Cekic-Arambasin. Karmela Svub. (2000). Case Report: Parafunctional Cheek Biting. *Acta Stomat Croat.(School of Dental Medicine.University of Zagreb.Croatian Dental Society - Croatian Medical Association)*. 34(3): 335-336.
- Doddabasavaiah, dkk., (2016). Paediatric Geographic Tongue: A Case Report. Review and Recent. *Clinical&l Diagnostic Research*. 10(2).
- Ernawati dan Diah Savitri. (2011). *Ilmu Penyakit Mulut (Oral Medicine) Sebagai Jembatan Yang Memfasilitasi Ilmu Kedokteran Gigi Dan Kedokteran*. AUP.
- Fitri dan Idul A. N. (2014). Persiapan jaringan periodontal untuk perawatan gigi tiruan sebagian dan gigi tiruan penuh. Universitas Hasanuddin. Fakultas Kedokteran Gigi. Makassar.
- Graziela, dkk. (2012). Association between mandibular torus and parafunctional activity. *J. Stomat. Occ. Med.*
- Greenberg MS, Lynch MA. Brightman VJ. (1993). *Burket Ilmu Penyakit Mulut : Diagnosis & Terapi*. Jakarta : Binarupa Aksara.FKG UPDM (B). 4.266-268
- Imunkovi S.K, dkk. (2011). Prevalence of Torus Palatinus and Torus Mandibularis in the Split-Dalmatian County. *Croatia*. 637–641.
- J.O. Agbaje, M. B. dkk., (2005). Torus Palatinus and Torus Mandibularis in a Nigerian. *African Journal of oral Health*, II, 30-36.

- Jainkittivong A, Langlais R.P. (2000). Buccal and palatal exostoses:prevalence and concurrence with tori.*Oral Surg Oral Med OralPathol Oral Radiol Endod*;90:48–53.
- Kerdpon D dan Sirirungrojying S. A. (1999) clinical study of oral tori in Southern Thailand: prevalence and the relation to parafunctional activity. *Eur J Oral Sci*;107:9–13.
- Kolas S, Halperin V, Jefferis K, Huddleston S, Rbinson HB.(1953). The occurrence of torus palatine and torus mandibularis in 2478 dental patients. *Oral sur Oral Med Oral Pathol*
- Langlais. R.P.. Miller. C.S.. Nield-Gehrig. J.S.(2009). *ColourAtlas Of Common Oral Disease 4 Th Editin*. United States Amerika. Lippincott Williams And Wilkins. 96-184
- Meisawati HF. (2011). Gambaran Klinis dan Diagnosa Banding Cheek Biting.Jakarta :FKG UPDM (B), 4.
- Neville. Damm. Allen. Bouquot. (2009). *Oral and Maxilofcial Pathology* (Third Edition ed.). (J. Dolan. Ed.) St. Louise: Saunders Elsevier.
- Noor MI, Tajuddin MF, Alam MK, Basri R, Purmal K , Rahman SA.(2013).Torus Palatinus and Torus Mandibularis in a MalaysianPopulation. *International Medical Journal*. 20(6).767 – 769.
- Puspitawati dan Ria. (2003). Struktur makroskopik daan mikroskopik jaringan lunak mulut. *Jurnal Kedokteran Gigi Universitas Indonesia*. 10. 462-467.
- Santosh A, Jones T, Venugopal H, Mair K, Edwards M, Williams. (2016). Prevalence of oral tori among medical and dental Students at the University of the West Indies. *Dentistry 3000*. 1. 55.
- Sathya, S. K. (2012). Prevalence and clinical characteristics of oral tori among outpatients in Northern Malaysia. *Journal of Oral Biology and Craniofacial*, 2, 15-19.
- Scricciu M, Mercuț, Bîrjovanu C, Stan MC, Marinescu IR, Niculescu M, Iorgulescu D, Bătăiosu M. (2016). Morphological and clinicalcharacteristics of the torus palatinus and torus mandibularis in a sample ofyoung and adults' Romanian people. *Romanian Journal of Morphology andEmbryology*.139-144.
- Scully C dan Cawson RA. (1988). *Atlas Bantu Kedokteran Gigi : Penyakit Mulut*. Jakarta : Hipokrates. 59. 61. 81. 83. 91. 105.

Sonnier KE, Horning GM, Cohen ME.(1999). Palatal tubercles, palataltori and mandibular tori: prevalence and anatomical featuresin a US Population.*J Periodontol*;70:329–6.

Tamimi, M. D. (2013). Oral Tori Are Associated With Local Mechanical and Systemic Factors: A Case Control Study. *J Oral Maxillofac Surg*, 14-22.

1.